

# Environmental Assessment of Ogoniland Site Specific Fact Sheets

# NEW ELELENWA M/F- AKPAJO




This fact sheet is part of a series prepared as part of the Environmental Assessment of Ogoniland by the United Nations Environment Programme (UNEP). It provides the observations and results from one of the individual sites studied in detail, plus the specific risk reduction measures for follow-up action.

This fact sheet should be read in conjunction with the main assessment report available at: www.unep.org/nigeria.



I - Site Description						
Site Name		NEW ELELENWA M/F- AKPAJO				
Site Number		qc_003-005	ARPAJO			
LGA		OBIO/AKPOR	ABAM EBUBU			
Main community		ELELENWO	SIME TAI			
Surrounding communities		AKPAJO ELELENWO	COU KORCKORO COU KORCKORO COU KEORGHOR DEKEN KHANA OPUCKO			
Investigated area (ha)		15.87	OKRIKA WAKAMA BOLO BERA BORI LUEGBO-BEERI BOLO ZAAKPON BEDE			
Category		SPDC Pipeline ROW				
Eastings (WGS 84, Zone 32N)		290317	KAPNOR & MORIVER			
Northings (WGS 84, Zone 32N)		536231	BONNY RIVER			
			LGA boundaries Oil Pipe in operation Diverver ANDONI			
Recommendations - Communities should be informed in community meetings about health and safety precautions.						
for risk reduction	- The site s	should be remodelled to prevent run off from	n the contaminated area into the downstream swamps.			
<ul> <li>Additional soil sampling along with trial pits should be done at the contaminated site to delineate the site to be excavated for clean up.</li> <li>A system of ground water monitoring wells should be installed to act as early warning for communities which are not yet impacted by ground water contamination.</li> </ul>						
	- While undertaking the clean up, management of excavation water should be handled properly to ensure that no pollutants are emitted into the environment without control.					

II - Oilfield Infrastructure Type						
Wells No						
Flowstations No	No					
Manifolds No	No					
Flaresites No	No					
24" NKPOKU TO BOMU TRUNKLINE 36" RUMUEKPE TO NKPOKU TRUNKLINE 12" Afam 5 MF to Elelenwa Main MF ( Disused) 8" Obigbo North F/S to Elelenwa M/F Delivery lin						
NNPC crude line No	No					
NNPC product line No						
III - Spill History						
Spills reported by SPDC Incident Number 2001_00195	Incident Date 20010930					
2007_00242	20070711					
Spill reported by community Yes						
IV - Data Screenir	ng					
IV - Data Screenin         Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:	e 5000 mg/kg; target value 50 mg/kg) e 600 µg/l; target value 50 µg/l) e 5000 mg/kg; target value 50 mg/kg)					
Assessment criteria           Soil contamination         Nigerian standards EGASPIN (intervention valu           Groundwater contamination         Nigerian standards EGASPIN (intervention valu           Sediment contamination         Nigerian standards EGASPIN (intervention valu           Drinking water contamination         WHO guidelines (benzene: 10 µg/l)	e 5000 mg/kg; target value 50 mg/kg) e 600 µg/l; target value 50 µg/l) e 5000 mg/kg; target value 50 mg/kg)					
Assessment criteria           Soil contamination         Nigerian standards EGASPIN (intervention valu           Groundwater contamination         Nigerian standards EGASPIN (intervention valu           Sediment contamination         Nigerian standards EGASPIN (intervention valu           Drinking water contamination         WHO guidelines (benzene: 10 µg/l)           Nigerian drinking water standards (mineral oils:	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l)					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples         Deepest investigation (m)         Maximum soil TPH (mg/kg)         Number of soil measurements greater than EGASPIN intervention value	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples         Deepest investigation (m)         Maximum soil TPH (mg/kg)         Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples         Deepest investigation (m)         Maximum soil TPH (mg/kg)         Number of soil measurements greater than EGASPIN intervention value	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Number of soil samples       Deepest investigation (m)         Maximum soil TPH (mg/kg)       Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)       Number of soil measurements below 1m	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples         Deepest investigation (m)         Maximum soil TPH (mg/kg)         Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)         Number of soil measurements below 1m         Number of soil measurements below 1m	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11 0					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples         Deepest investigation (m)         Maximum soil TPH (mg/kg)         Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)         Number of soil measurements below 1m         Number of ground water samples	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11 0					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples         Deepest investigation (m)         Maximum soil TPH (mg/kg)         Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)         Number of soil measurements below 1m         Number of ground water samples         Maximum groundwater TPH (µg/l)	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11 0 1 1 9,540					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Number of soil samples       Deepest investigation (m)         Maximum soil TPH (mg/kg)       Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)       Number of soil measurements below 1m         Number of soil measurements below 1m       Number of soil measurements below 1m         Number of ground water samples       Maximum groundwater TPH (µg/l)         Number of ground water measurements greater than EGASPIN intervention value	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11 0 1 1 9,540 1					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Number of soil samples       Nigerian drinking water standards (mineral oils:         Number of soil measurements greater than EGASPIN intervention value       Deepest sample greater than EGASPIN (m)         Number of soil measurements below 1m       Number of soil measurements below 1m         Number of ground water samples       Maximum groundwater TPH (µg/l)         Number of ground water measurements greater than EGASPIN intervention value         Number of ground water samples         Maximum groundwater TPH (µg/l)         Number of ground water samples         Maximum groundwater TPH (µg/l)         Number of ground water samples         Maximum groundwater measurements greater than EGASPIN intervention value         Number of ground water samples         Maximum groundwater TPH (µg/l)         Number of community well samples	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11 0					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Number of soil samples       Deepest investigation (m)         Maximum soil TPH (mg/kg)       Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)       Number of soil measurements below 1m         Number of soil measurements below 1m       Number of ground water samples         Maximum groundwater TPH (µg/l)       Number of ground water measurements greater than EGASPIN intervention value         Number of community well samples       Presence of hydrocarbons in community wells	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11 0 1 9,540 1 0 Not applicable					
Assessment criteria         Soil contamination       Nigerian standards EGASPIN (intervention valu         Groundwater contamination       Nigerian standards EGASPIN (intervention valu         Sediment contamination       Nigerian standards EGASPIN (intervention valu         Drinking water contamination       WHO guidelines (benzene: 10 µg/l)         Nigerian drinking water standards (mineral oils:         Number of soil samples         Deepest investigation (m)         Maximum soil TPH (mg/kg)         Number of soil measurements greater than EGASPIN intervention value         Deepest sample greater than EGASPIN (m)         Number of soil measurements below 1m         Number of ground water samples         Maximum groundwater TPH (µg/l)         Number of ground water measurements greater than EGASPIN intervention value         Number of community well samples         Presence of hydrocarbons in community wells         Number of CL sediment samples	e 5000 mg/kg; target value 50 mg/kg) e 600 μg/l; target value 50 μg/l) e 5000 mg/kg; target value 50 mg/kg) 3 μg/l) 13 5 629.000 0 0 11 0 1 9,540 1 0 Not applicable 0					



## V - Maps

## Satellite image of the site





- Manifold
- $\wedge$ FlowStation

## Pipeline


- NNPC Crude
- NNPC Refined product

SPDC Oil Pipe in operation

- Soil samples
- Soil Samples from GW monitoring well
- Grassplot sampling area
- Approximate site investigation area (that area does not correspond to contamination extent). .....
- Others
  - Air quality sampling
  - Fish tissue sampling
  - $\bigcirc$ Sediment samples from Acquatic team
  - Water Samples from Acquatic team

- Bore-well (community)
- ☆ Hand-dug well (community)
- 0 Free-Phase samples
- 0 Groundwater sample
- Surface water 5 W
- Water sample taken from w an oil well
- Drilling well

Metres Г Τ 0 5 10 Datum: WGS 84 Projection: UTM Zone 32N







Sample Identifier	Total petroleum hydrocarbon (mg/kg)	Depth (m)	Easting	Northing
2609609	553.000	3.20	290316	536166
2609612	99.900	0.40	290345	536276
2609617	268.000	2.00	290345	536276
2609618	58.000	1.00	290316	536166
2609619	555.000	3.00	290345	536276
2609621	149.000	5.00	290316	536166
2609628	629.000	5.00	290345	536276
2609630	292.000	4.00	290345	536276
2609632	202.000	1.60	290316	536166
2609633	224.000	0.20	290316	536166
2609637	81.200	4.20	290316	536166
2609642	580.000	2.20	290316	536166
2609647	312.000	1.40	290345	536276
dwater sample li	<u>st</u>			
Sample Identifier	Total petroleum hydrocarbon (µg/l)	I	Easting	Northing
2609649	9,540		290316	536166

### **Guide To Content**

### Guide to content

The Site Fact Sheets present more detailed data from UNEP's environmental assessment of Ogoniland on a site-by-site basis. Note that all data is based on the analysis of samples taken during the fieldwork period. The period of most intensive fieldwork ran from April to December 2010. The final sampling visit was completed in January 2011.

Here is a guide to the terms and abbreviations used. Please refer to the Environmental Assessment of Ogoniland report for details of EGASPIN target and intervention values.

#### Terminology

Site number	Reference number allocated by UNEP to identify a study site			
Area (ha)	Estimated surface area (in hectares) of a given study site			
Well	Oil well, also referred to as a production well			
Fugro well	New well installed by Fugro at UNEP's request to enable scientific sampling and monitoring			
Community well	Wells belonging to communities which are used to collect water for drinking and sanitation needs			
Contamination contour	Maps that display the geographical distribution of oil contamination concentrations in an analyzed receptor			
Flare site	Indicates whether the burning of unwanted gas through a pipe (or flare) takes place at a given site			
Flow station	Separation facilities (also called gathering centres) which separate natural gas and water from crude oil extracted from production wells			
Incident number	Numbers as supplied from the SPDC oil spills database			
Manifold	An arrangement of piping or valves designed to control, distribute and often monitor fluid flow			
Abbreviations				
BDL	Below Detection Limit			
CL	Contaminated Land			
EGASPIN	Environmental Guidelines and Standards for Petroleum Industries in Nigeria			
GW	groundwater			
LGA	Local Government Area			
mbgs	metre/s below ground surface			
NNPC	Nigerian National Petroleum Corporation			
SPDC	Shell Petroleum Development Company of Nigeria			
ТРН	total petroleum hydrocarbons			
UNEP	United Nations Environment Programme			

Explanatory Note

1. The recommendations given are for initial risk reduction. Final clean up would need significant additional site specific engineering as well as consultation work.

2. Spill reported by SPDC has the date format YYYYMMDD

3. Assessment is done based on a screening of the measured value against a Nigerian or international standard

4. In the soil sample maps, the highest value has been cut-off to 2 times the intervention value. This was done to visually express the excedences above intervention values. Actual values are given in the sample tables.

5. The values of soil contamination listed in the Soil Contamination Maps are average values of all samples taken at that sampling location