

Annex II to the Protocol concerning Specially Protected Areas and Biological Diversity in the Mediterranean: List of endangered or threatened species

(The species underlined and marked with (*) are deleted from Annex III and added to Annex II)

Magnoliophyta
<i>Cymodocea nodosa</i> (Ucria) Ascherson <i>Posidonia oceanica</i> (Linnaeus) Delile <i>Zostera marina</i> Linnaeus <i>Zostera noltii</i> Hornemann
Chlorophyta
<i>Caulerpa ollivieri</i> Dostál
Heterokontophyta
<i>Cystoseira</i> genus (except <i>Cystoseira compressa</i>) <i>Fucus virsoides</i> J. Agardh <i>Laminaria rodriguezii</i> Bornet <i>Sargassum acinarium</i> (Linnaeus) Setchell <i>Sargassum flavifolium</i> Kützinger <i>Sargassum hornschurchii</i> C. Agardh <i>Sargassum trichocarpum</i> J. Agardh
Rhodophyta
<i>Gymnogongrus crenulatus</i> (Turner) J. Agardh <i>Kallymenia spathulata</i> (J. Agardh) P.G. Parkinson <i>Lithophyllum byssoides</i> (Lamarck) Foslie (Synon. <i>Lithophyllum lichenoides</i>) <i>Ptilophora mediterranea</i> (H. Huvé) R.E. Norris <i>Schimmelmannia schousboei</i> (J. Agardh) J. Agardh <i>Sphaerococcus rhizophylloides</i> J.J. Rodríguez <i>Tenarea tortuosa</i> (Esper) Lemoine <i>Titanoderma ramosissimum</i> (Heydrich) Bressan & Cabioch (Synon. <i>Goniolithon byssoides</i>) <i>Titanoderma trochanter</i> (Bory) Benhissoune et al.
Porifera
<i>Aplysina</i> sp. plur. <i>Asbestopluma hypogea</i> Vacelet & Boury-Esnault, 1995 <i>Axinella cannabina</i> (Esper, 1794) <i>Axinella polypoides</i> Schmidt, 1862 <i>Geodia cydonium</i> (Jameson, 1811) <i>Petrobiona massiliana</i> (Vacelet & Lévi, 1958) <i>Sarcotragus foetidus</i> (Schmidt, 1862) (synon. <i>Ircina foetida</i>) <i>Sarcotragus pipetta</i> (Schmidt, 1868) (synon. <i>Ircinia pipetta</i>) <i>Tethya</i> sp. plur.
Cnidaria
<i>Astroides calycularis</i> (Pallas, 1766) <i>Errina aspera</i> (Linnaeus, 1767) <i>Savalia savaglia</i> Nardo, 1844 (synon. <i>Gerardia savaglia</i>)
Bryozoa
<i>Hornera lichenoides</i> (Linnaeus, 1758)

<p>Mollusca</p> <p><i>Charonia lampas</i> (Linnaeus, 1758) (= <i>Ch. Rubicunda</i> = <i>Ch. Nodifera</i>) <i>Charonia tritonis variegata</i> (Lamarck, 1816) (= <i>Ch. Seguenziae</i>) <i>Dendropoma petraeum</i> (Monterosato, 1884) <i>Erosaria spurca</i> (Linnaeus, 1758) <i>Gibbula nivosa</i> (Adams, 1851) <i>Lithophaga lithophaga</i> (Linnaeus, 1758) <i>Luria lurida</i> (Linnaeus, 1758) (= <i>Cypraea lurida</i>) <i>Mitra zonata</i> (Marryat, 1818) <i>Patella ferruginea</i> (Gmelin, 1791) <i>Patella nigra</i> (Da Costa, 1771) <i>Pholas dactylus</i> (Linnaeus, 1758) <i>Pinna nobilis</i> (Linnaeus, 1758) <i>Pinna rudis</i> (= <i>P. pernula</i>) (Linnaeus, 1758) <i>Ranella olearia</i> (Linnaeus, 1758) <i>Schilderia achatidea</i> (Gray in G.B. Sowerby II, 1837) <i>Tonna galea</i> (Linnaeus, 1758) <i>Zonaria pyrum</i> (Gmelin, 1791)</p>
<p>Crustacea</p> <p><i>Ocyrode cursor</i> (Linnaeus, 1758) <i>Pachylasma giganteum</i> (Philippi, 1836)</p>
<p>Echinodermata</p> <p><i>Asterina pancerii</i> (Gasco, 1870) <i>Centrostephanus longispinus</i> (Philippi, 1845) <i>Ophidiaster ophidianus</i> (Lamarck, 1816)</p>
<p>Pisces</p> <p><i>Acipenser naccarii</i> (Bonaparte, 1836) <i>Acipenser sturio</i> (Linnaeus, 1758) <i>Aphanius fasciatus</i> (Valenciennes, 1821) <i>Aphanius iberus</i> (Valenciennes, 1846) <i>Carcharias taurus</i> (Rafinesque, 1810) <i>Carcharodon carcharias</i> (Linnaeus, 1758) <i>Cetorhinus maximus</i> (Gunnerus, 1765) <i>Dipturus batis</i> (Linnaeus, 1758) <u><i>Galeorhinus galeus</i> (Linnaeus, 1758) (*)</u> <i>Gymnura altavela</i> (Linnaeus, 1758) <i>Hippocampus guttulatus</i> (Cuvier, 1829) (synon. <i>Hippocampus ramulosus</i>) <i>Hippocampus hippocampus</i> (Linnaeus, 1758) <i>Huso huso</i> (Linnaeus, 1758) <u><i>Isurus oxyrinchus</i> (Rafinesque, 1810) (*)</u> <u><i>Lamna nasus</i> (Bonnaterre, 1788) (*)</u> <i>Lethenteron zanandreaei</i> (Vladykov, 1955) <u><i>Leucoraja circularis</i> (Couch, 1838) (*)</u> <u><i>Leucoraja melitensis</i> (Clark, 1926) (*)</u> <i>Mobula mobular</i> (Bonnaterre, 1788) <i>Odontaspis ferox</i> (Risso, 1810) <i>Oxynotus centrina</i> (Linnaeus, 1758) <i>Pomatoschistus canestrini</i> (Ninni, 1883) <i>Pomatoschistus tortonesei</i> (Miller, 1969) <i>Pristis pectinata</i> (Latham, 1794) <i>Pristis pristis</i> (Linnaeus, 1758) <u><i>Rhinobatos cemiculus</i> (E. Geoffroy Saint-Hilaire, 1817) (*)</u> <u><i>Rhinobatos rhinobatos</i> (Linnaeus, 1758) (*)</u> <i>Rostroraja alba</i> (Lacépède, 1803) <u><i>Sphyrna lewini</i> (Griffith & Smith, 1834) (*)</u> <u><i>Sphyrna mokarran</i> (Rüppell, 1837) (*)</u> <u><i>Sphyrna zygaena</i> (Linnaeus, 1758) (*)</u> <i>Squatina aculeata</i> (Dumeril, in Cuvier, 1817) <i>Squatina oculata</i> (Bonaparte, 1840) <i>Squatina squatina</i> (Linnaeus, 1758) <i>Valencia hispanica</i> (Valenciennes, 1846) <i>Valencia letourneuxi</i> (Sauvage, 1880)</p>

<p>Reptiles</p> <p><i>Caretta caretta</i> (Linnaeus, 1758) <i>Chelonia mydas</i> (Linnaeus, 1758) <i>Dermochelys coriacea</i> (Vandelli, 1761) <i>Eretmochelys imbricata</i> (Linnaeus, 1766) <i>Lepidochelys kempii</i> (Garman, 1880) <i>Trionyx triunguis</i> (Forskål, 1775)</p>
<p>Aves</p> <p><i>Calonectris diomedea</i> (Scopoli, 1769) <i>Ceryle rudis</i> (Linnaeus, 1758) <i>Charadrius alexandrinus</i> (Linnaeus, 1758) <i>Charadrius leschenaultii columbinus</i> (Lesson, 1826) <i>Falco eleonora</i> (Géné, 1834) <i>Halcyon smyrnensis</i> (Linnaeus, 1758) <i>Hydrobates pelagicus</i> (Linnaeus, 1758) <i>Larus armenicus</i> (Buturlin, 1934) <i>Larus audouinii</i> (Payraudeau, 1826) <i>Larus genei</i> (Breme, 1839) <i>Larus melanocephalus</i> (Temminck, 1820) <i>Numenius tenuirostris</i> (Viellot, 1817) <i>Pandion haliaetus</i> (Linnaeus, 1758) <i>Pelecanus crispus</i> (Bruch, 1832) <i>Pelecanus onocrotalus</i> (Linnaeus, 1758) <i>Phalacrocorax aristotelis</i> (Linnaeus, 1761) <i>Phalacrocorax pygmeus</i> (Pallas, 1773) <i>Phoenicopterus ruber</i> (Linnaeus, 1758) <i>Puffinus mauretanicus</i> (Lowe, PR, 1921) <i>Puffinus yelkouan</i> (Brünnich, 1764) <i>Sterna albifrons</i> (Pallas, 1764) <i>Sterna bengalensis</i> (Lesson, 1831) <i>Sterna caspia</i> (Pallas, 1770) <i>Sterna nilotica</i> (Gmelin, JF, 1789) <i>Sterna sandvicensis</i> (Latham, 1878)</p>
<p>Mammalia</p> <p><i>Balaenoptera acutorostrata</i> (Lacépède, 1804) <i>Balaenoptera borealis</i> (Lesson, 1828) <i>Balaenoptera physalus</i> (Linnaeus, 1758) <i>Delphinus delphis</i> (Linnaeus, 1758) <i>Eubalaena glacialis</i> (Müller, 1776) <i>Globicephala melas</i> (Trail, 1809) <i>Grampus griseus</i> (Cuvier G., 1812) <i>Kogia simus</i> (Owen, 1866) <i>Megaptera novaeangliae</i> (Borowski, 1781) <i>Mesoplodon densirostris</i> (de Blainville, 1817) <i>Monachus monachus</i> (Hermann, 1779) <i>Orcinus orca</i> (Linnaeus, 1758) <i>Phocoena phocoena</i> (Linnaeus, 1758) <i>Physeter macrocephalus</i> (Linnaeus, 1758) <i>Pseudorca crassidens</i> (Owen, 1846) <i>Stenella coeruleoalba</i> (Meyen, 1833) <i>Steno bredanensis</i> (Cuvier in Lesson, 1828) <i>Tursiops truncatus</i> (Montagu, 1821) <i>Ziphius cavirostris</i> (Cuvier G., 1832)</p>

Annex III to the Protocol concerning Specially Protected Areas and Biological Diversity in the Mediterranean: List of species whose exploitation is regulated

(The species marked with (*) are deleted from Annex III and added to Annex II)

Porifera
<p><i>Hippospongia communis</i> (Lamarck, 1813) <i>Spongia</i> (<i>Spongia</i>) <i>lamella</i> (Schulze, 1872) (synon. <i>Spongia agaricina</i>) <i>Spongia</i> (<i>Spongia</i>) <i>officinalis adriatica</i> (Schmidt, 1862) <i>Spongia</i> (<i>Spongia</i>) <i>officinalis officinalis</i> (Linnaeus, 1759) <i>Spongia</i> (<i>Spongia</i>) <i>zimocca</i> (Schmidt, 1862)</p>
Cnidaria
<p><i>Antipathes</i> sp. plur. <i>Corallium rubrum</i> (Linnaeus, 1758)</p>
Crustacea
<p><i>Homarus gammarus</i> (Linnaeus, 1758) <i>Maja squinado</i> (Herbst, 1788) <i>Palinurus elephas</i> (Fabricius, 1787) <i>Scyllarides latus</i> (Latreille, 1803) <i>Scyllarus arctus</i> (Linnaeus, 1758) <i>Scyllarus pygmaeus</i> (Bate, 1888)</p>
Echinodermata
<p><i>Paracentrotus lividus</i> (Lamarck, 1816)</p>
Pisces
<p><i>Alopias vulpinus</i> (Bonnaterre, 1788) <i>Alosa alosa</i> (Linnaeus, 1758) <i>Alosa fallax</i> (Lacépède, 1803) <i>Anguilla anguilla</i> (Linnaeus, 1758) <i>Carcharhinus plumbeus</i> (Nardo, 1827) <i>Centrophorus granulosus</i> (Bloch & Schneider, 1801) <i>Epinephelus marginatus</i> (Lowe, 1834) <i>Galeorhinus galeus</i> (Linnaeus, 1758) (*) <i>Heptranchias perlo</i> (Bonnaterre, 1788) <i>Isurus oxyrinchus</i> (Rafinesque, 1810) (*) <i>Lamna nasus</i> (Bonnaterre, 1788) (*) <i>Leucoraja circularis</i> (Couch, 1838) (*) <i>Leucoraja melitensis</i> (Clark, 1926) (*) <i>Lampetra fluviatilis</i> (Linnaeus, 1758) <i>Mustelus asterias</i> (Cloquet, 1821) <i>Mustelus mustelus</i> (Linnaeus, 1758) <i>Mustelus punctulatus</i> (Risso, 1826) <i>Petromyzon marinus</i> (Linnaeus, 1758) <i>Prionace glauca</i> (Linnaeus, 1758) <i>Rhinobatos comicus</i> (E. Geoffroy Saint-Hilaire, 1817) (*) <i>Rhinobatos rhinobatos</i> (Linnaeus, 1758) (*) <i>Sciaena umbra</i> (Linnaeus, 1758) <i>Sphyrna lewini</i> (Griffith & Smith, 1834) (*) <i>Sphyrna mokarran</i> (Rüppell, 1837) (*) <i>Sphyrna zygaena</i> (Linnaeus, 1758) (*) <i>Squalus acanthias</i> (Linnaeus, 1758) <i>Thunnus thynnus</i> (Linnaeus, 1758) <i>Umbrina cirrosa</i> (Linnaeus, 1758) <i>Xiphias gladius</i> (Linnaeus, 1758)</p>