







26 March 2021 Original: English

Meeting of the Ecosystem Approach Correspondence Group on Pollution Monitoring

Videoconference, 26-28 April 2021

Agenda item 5: State of Play of Inter-laboratory Testing and Good Laboratory Practice related to IMAP Ecological Objectives 5 and 9

Assessment of the Capacities of National Laboratories responsible for Monitoring of IMAP Common Indicators 13, 14, 17, 18 and 20

For environmental and economic reasons, this document is printed in a limited number. Delegates are kindly requested to bring their copies to meetings and not to request additional copies.

Note by the Secretariat

In line with the Programme of Work 2020-2021 adopted by COP21, UNEP/MAP-MED POL Programme organized the 2019 and 2020 Proficiency tests (PTs), along with related Training Courses on the analysis of trace elements and organic pollutants in marine samples of relevance for IMAP Common Indicator 17. As a result, actions were taken to identify specific knowledge and technical needs of individual laboratories of the Contracting Parties to apply good laboratory practices for analysis of trace elements and organic contaminants as requested by the Meeting of the Ecosystem Approach Correspondence Group on Pollution Monitoring (2 to 3 April 2018, Podgorica, Montenegro).

Along with the missions to national laboratories, participating in national IMAP Pollution Cluster Monitoring Programme, the present document has been prepared to assess the capacities of national laboratories in relation to monitoring of IMAP Common Indicators 13, 14, 17, 18 and 20. In that respect, it reports on the capacities of national IMAP competent laboratories to apply the analytical methodologies as recommended in relevant IMAP Monitoring Guidelines related to sampling, sample preservation and preparation, analysis of monitoring parameters, analytical quality assurance and monitoring data reporting. The assessment is based on the questionnaires that were distributed through respective MED POL Focal Points to designated national IMAP competent laboratories.

The assessment findings related to capacities of 36 national IMAP competent laboratories are submitted for consideration of present Meeting of the Ecosystem Approach Correspondence Group on Pollution Monitoring in order for making recommendations on the way forward.

Table of Contents

1	Introduction	1
2	Evaluation criteria	1
3	Assessment of capacity to monitor IMAP Common Indicators 13 and 14	1
4	Assessment of capacity to monitor IMAP Common Indicator 17	2
4.1.	Monitoring of parameters related to biota matrix	3
4.2.	Monitoring of parameters related to sediment matrix	3
4.3.	Monitoring of parameters related to seawater matrix	3
5	Assessment of the national laboratories` capacity to monitor IMAP Common Indicator 18	4
6	Assessment of the national laboratories` capacity to monitor IMAP Common Indicator 20	4
7	The recommendations on the way forward	4

Annex I: References

List of Abbreviations / Acronyms

COP Conference of the Parties

CORMON Correspondence Group on Monitoring

CRM Certified Reference Material DQA Data Quality Assurance

EACs Environmental Assessment Criteria IAEA International Atomic Energy Agency

ILC Interlaboratory Comparison

IMAP Integrated Monitoring and Assessment Programme of the Mediterranean Sea and

Coast and Related Assessment Criteria

MAP Mediterranean Action Plan

MED POL Programme for the Assessment and Control of Marine Pollution in the

Mediterranean Sea

MESL Marine Environment Studies Laboratory of the IAEA Environmental

Laboratories in Monaco

PCBs Polychlorinated Biphenyls

PT Proficiency Test

QA/QC Quality Assurance/Quality Control

TC Training Course TE Trace Elements

1 Introduction

- 1. In May 2020 seven questionnaires in a form of Excel files were sent to MEDPOL Focal Points for their feedback. The questionnaires were dedicated to assessment of national IMAP competent laboratories to implement following IMAP Common Indicators:
 - a. CI 13 and CI 14: Eutrophication;
 - b. CI 17: Trace Element and Organic Contaminants in Biota;
 - c. CI 17: Trace Element and Organic Contaminants in Sediment;
 - d. CI 17: Trace Element and Organic Contaminants in Seawater;
 - e. CI 18: Biomarkers;
 - f. CI 20: Seafood safety monitoring.
- 2. The following ten Contracting Parties returned information: Albania, Bosnia and Herzegovina, Croatia, Cyprus, Egypt, Italy, Montenegro, Slovenia, Spain, and Turkey. The number of laboratories and countries providing inputs varied for different CIs and matrices for CI17.
- 3. A comprehensive evaluation of the laboratories has been undertaken by IAEA/MESL expert team under MEDPOL guidance. For each laboratory the evaluation findings are elaborated in present document, as well as in UNEP/MED WG.492/Inf.10, whereby the codes are randomly assigned on individual basis. This approach has been applied to avoid revealing a status of assessed laboratories; however still allowing for identification of the gaps related to specific laboratories.
- 4. The lack of response from the remaining counties, as well as the fact that many questionnaires were returned incomplete, did not allow for a full analysis across the region. The present evaluation serves two purposes:
 - a) The verification that laboratories are complying with the methods proposed in relevant IMAP Monitoring Guidelines/Protocols;
 - b) To support further application of the IMAP Monitoring Guidelines/ Protocols from Mediterranean laboratories.

2 Evaluation criteria

5. The evaluation was undertaken to reflect a compliance of the national laboratories` analytical practice with the methods described in the IMAP monitoring guidelines for CI13, 14, 17, 18 and 20. The evaluation of laboratories was provided i) in a narrative form which can be found in this document, and ii) numerically, in a form of tables provided in the UNEP/MED WG.492/Inf.10. In this per-laboratory evaluation each topic (e.g. sampling, sample preparation, digestion, analysis, etc.) scored one of three different values: '1' for full compliance with the guidelines, or accredited method used; '0' for no reply; or method used is not recommended in the guidelines, nor accredited. The score value of '0.5' is given for partial compliance with the guidelines. The capacity assessment scoring explanations given below in the paragraphs dealing with the associated capacities can also be found in Tables 1-2 of UNEP/MED WG.492/Inf.10 for CIs 13 and CI 14 of EO 5 related to eutrophication and in Tables 3-6 of UNEP/MED WG.492/Inf.10 for CI 17 of EO9 related to contaminants in different matrices. Since only 2 laboratories returned actual answers in their questionnaires for CI 18 related to biomarkers, only the narrative evaluation was performed. Likewise, only a limited number of laboratories returned replies to questionnaires for CI20, therefore the narrative evaluation contains much relevant details and is not repeated in a tabular form.

3 Assessment of capacity to monitor IMAP Common Indicators 13 and 14

6. The evaluation of national laboratories` capacity to monitor IMAP CIs 13 and 14 respectively key nutrients and chlorophyll a, as well as general hydrographic parameters, was undertaken in compliance with the IMAP Guidance Factsheets (UNEP/MED WG.467/5, 2019)¹ and newly

¹ UNEP/MED WG.467/5, 2019. IMAP Guidance Factsheets: Update for Common Indicators 13, 14, 17, 18, 20 and 21; New proposal for Candidate Indicators 26 and 27.

developed Monitoring Guidelines/Protocols (UNEP/MED WG.482/5-10^{2,3,4,5,6,7}, 2020), as well as the Monitoring Guidelines for Analytical Quality Assurance (UNEP/MED WG.492/7, 2020)⁸ and Reporting Monitoring Data (UNEP/MED WG.492/7, 2020)⁹.

- 7. The great majority of laboratories that provided their feedback to the questionnaires have the capacity to monitor parameters related to CIs 13 and 14. However, only 6 out of 22 laboratories claimed to report data related to eutrophication. Many laboratories used other than methods recommended in the guidelines for collection of monitoring data.
- 8. One of the issues that emerged is the use of CTD in providing data related to measurement of dissolved oxygen and chlorophyll *a*. This issue has to be properly weighted in the future as it introduces great variability in the data if the probes are not regularly calibrated, as well as the sensors of optimal quality are not used. Also, in relation to reporting CTD data, it is important to decide which level of data postprocessing has to be applied on the originally generated field survey data.
- 9. Only a few laboratories reported issues that impact their performance; they were the requirement of new equipment (1) and the lack of annual access to PTs and CRMs (2).
- 10. The numerical evaluation of coded laboratories and specific steps can be found in Table 2 of UNEP/MED WG.492/Inf.10.

4 Assessment of capacity to monitor IMAP Common Indicator 17

- 11. The monitoring of mandatory contaminants related to IMAP CI 17, respectively heavy metals (Cadmium (Cd), Lead (Pb) and total Mercury (THg)), organochlorinated compounds (PCBs, hexachlorobenzene, lindane and ΣDDTs) and Polycyclic Aromatic Hydrocarbons (US EPA 16 Reference PAHs compounds), was included in previous MEDPOL monitoring programme.
- 12. The following most important overall issues for improvement in the analysis of heavy metals and organic contaminants in three matrices were raised:
 - Biota: i) accessibility to quality assurance tools, such as interlaboratory comparisons (ILCs), proficiency tests (PTs) or certified reference materials (CRMs) were listed by 6 laboratories and ii) the lack of training and adequate laboratory equipment or solvents was listed by 5 laboratories;
 - Sediment: i) the accessibility to quality assurance tools, such as interlaboratory comparisons (ILCs), proficiency tests (PTs) or certified reference materials (CRMs) were listed by 7 laboratories; and ii) the lack of training and adequate laboratory equipment or solvents was listed by 6 laboratories. One laboratory had problems with keeping trained staff;
 - Seawater i) accessibility to quality assurance tools, such as interlaboratory comparisons
 (ILCs), proficiency tests (PTs) or certified reference materials (CRMs) were listed by 5
 laboratories; ii) the lack of training was claimed by 1 laboratory only and iii) the lack of
 adequate laboratory equipment or solvents was listed by 6 laboratories; iv) the lack of a stabile
 seawater CRM was specifically mentioned.

² UNEP/MED WG.482/5, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Seawater for IMAP Common Indicators 13 and C14: Concentration of Key Nutrients and Chlorophyll a.

³ UNEP/MED WG.482/6, 2020, Monitoring Guidelines/Protocols for Determination of Hydrographic Physical Parameters.

⁴ UNEP/MED WG.482/7, 2020, Monitoring Guidelines/Protocols for Determination of Hydrographic Chemical Parameters
⁵ UNEP/MED WG.482/8, 2020, Monitoring Guidelines/Protocols for Determination of Concentration of Key Nutrients in

⁵ UNEP/MED WG.482/8, 2020, Monitoring Guidelines/Protocols for Determination of Concentration of Key Nutrients in Seawater – Nitrogen Compounds

⁶ UNEP/MED WG.482/9, 2020, Monitoring Guidelines/Protocols for Determination of Concentration of Key Nutrients in Seawater – Phosphorous and Silica Compounds

⁷ UNEP/MED WG.482/10, 2020, Monitoring Guidelines/Protocols for Determination of Chlorophyll a in Seawater.

⁸ UNEP/MED WG.492/7, 2021, Monitoring Guidelines/Protocols for Analytical Quality Assurance for IMAP Common Indicators 13, 14, 17, 18 and 20.

 $^{^{9}}$ UNEP/MED WG.492/8, 2021, Monitoring Guideline on Reporting Monitoring Data for IMAP Common Indicators 13, 14, 17, 18 and 20.

Below showed assessment of the national laboratories` capacity provide summarized specific information on present state of play grouped for biota, sediment and seawater matrixes, in line with the numerical evaluation of coded laboratories provided in Tables 3-6 of UNEP/MED WG.492/Inf.10

4.1. Monitoring of parameters related to biota matrix

- The evaluation of laboratories' procedures was done in compliance with the IMAP Guidance Factsheets (UNEP/MED WG.467/5, 2019)¹⁰ and newly developed Monitoring Guidelines/Protocols UNEP/MED WG.482/13, 2020¹¹; and UNEP/MED WG.482/14, 2020¹²), as well as the Monitoring Guidelines for Analytical Quality Assurance (UNEP/MED WG.492/7, 2021) and Reporting Monitoring Data (UNEP/MED WG.492/7, 2021).
- The evaluation confirms that the sampling for biota is inconsistent. Some laboratories get biota samples delivered to their laboratories, others only sample bivalves or fish, but not both. Only one laboratory analyses biota for PT purposes.

4.2. Monitoring of parameters related to sediment matrix

- The evaluation of laboratories procedures was done in compliance with the IMAP Guidance 16. Factsheets (UNEP/MED WG.467/5, 2019) and newly developed Monitoring Guidelines/Protocols (UNEP/MED WG.482/11, 2020¹³; and UNEP/MED WG.482/12, 2020¹⁴), as well as the Monitoring Guidelines for Analytical Quality Assurance (UNEP/MED WG.492/7, 2021) and Reporting Monitoring Data (UNEP/MED WG.492/7, 2021).
- There is a discrepancy in the sample preparation and 4 laboratories are using bulk sediment (without sieving) or did not report how sediment is prepared, while 5 laboratories are using different sediment fraction (< 63 µm) for analysis. Many laboratories are not using hydrofluoric acid (HF) in the digestion of sediment for subsequent trace element analysis. These deviations from the IMAP recommended methods will most likely result in contaminants' concentrations not comparable with data obtained.

4.3. Monitoring of parameters related to seawater matrix

- 18. The evaluation of laboratories procedures was done in compliance with the IMAP Guidance Factsheets (UNEP/MED WG.467/5, 2019) and newly developed Monitoring Guidelines/Protocols (UNEP/MED WG.482/15, 2020¹⁵; and UNEP/MED WG.482/16, 2020¹⁶), as well as the Monitoring Guidelines for Analytical Quality Assurance (UNEP/MED WG.492/7, 2021) and Reporting Monitoring Data (UNEP/MED WG.492/7, 2021).
- Despite the challenges associated with contamination-free sampling of seawater for trace elements and organic contaminants, many of laboratories replied to have adequate sampling and sample preparation and preservation in place, without providing more details. However, the laboratories do not report monitoring data related to seawater matrix in IMAP Pilot Info System. In that respect it should be noted that seawater is not included in the mandatory matrices to be analysed in the framework IMAP, and therefore seawater monitoring is carried out on a country decision basis, including selection of contaminants that countries consider more appropriate and technically feasible for monitoring.

¹⁰ UNEP/MED WG.467/5, 2019. IMAP Guidance Factsheets: Update for Common Indicators 13, 14, 17, 18, 20 and 21; New proposal for Candidate Indicators 26 and 27.

¹¹ UNEP/MED WG.482/13, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Marine Biota for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants

¹² UNEP/MED WG.482/14, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Marine Biota for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants

¹³ UNEP/MED WG.482/11, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Sediment for IMAP Common

Indicator 17: Heavy and Trace Elements and Organic Contaminant

14 UNEP/MED WG.482/12, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Sediment for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

¹⁵ UNEP/MED WG.482/15, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Seawater for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

¹⁶ UNEP/MED WG 482/16, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Seawater for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

5 Assessment of the national laboratories` capacity to monitor IMAP Common Indicator 18

- 20. Only 4 questionnaires from 4 countries were returned. Two of them did not contain any information, i.e. questions were not answered. Thus, only two laboratories from 2 countries provided information on their status regarding their monitoring efforts related to biomarkers.
- 21. One laboratory reported it only performs the Micronuclei Frequency (MNi) in both fish and bivalves. However, it does not provide any information on their Quality Assurance (QA) measures.
- 22. The second laboratory providing replies on its monitoring efforts related to biomarkers is fully compliant with the MEDPOL requirements as provided in the IMAP Guidance Factsheets (UNEP/MED WG.467/5, 2019) and newly developed Monitoring Guidelines/Protocols for CI 18 (UNEP/MED WG.492/3, 202117, UNEP/MED WG.492/4, 202118, UNEP/MED WG.492/5, 202119), as well as the Monitoring Guidelines for Analytical Quality Assurance (UNEP/MED WG.492/7, 2021) and Reporting Monitoring Data (UNEP/MED WG.492/7, 2021).

6 Assessment of the national laboratories` capacity to monitor IMAP Common Indicator 20

- 23. The evaluation of laboratories procedures was done in compliance with the IMAP Guidance Factsheets (UNEP/MED WG.467/5, 2019) and newly developed Monitoring Guidelines/Protocols (UNEP/MED WG.482/17²⁰, 2020; and UNEP/MED WG.482/18²¹, 2020), as well as the Monitoring Guideline for Analytical Quality Assurance (UNEP/MED WG.492/7, 2021) and Reporting Monitoring Data (UNEP/MED WG.492/7, 2021).
- 24. Only 10 laboratories from 7 countries reported information on their status regarding seafood monitoring. Detail narrative findings are provided in UNEP/MED WG.492/inf. 10, whilst key findings are presented here-below.
- 25. Concerning QA, most laboratories report the use of CRMs and participation in PTs, some of them specifically referred to the PTs organized by IAEA/MESL in collaboration with MEDPOL for CI17 in biota matrix.
- 26. In summary, while not many laboratories provided information about their seafood monitoring for heavy metals and organic contaminants most of them appear to be well-organized and in general complying with the IMAP Monitoring Guidelines. Most laboratories that replied to the CI20 questionnaire are the same as those in charge for biota matrix of CI17; only one laboratory was in charge for CI20.

7 The recommendations on the way forward

27. The findings of the assessment of capacities of 36 different national IMAP competent laboratories as presented in this document provide a good insight on their capability to comply with the monitoring requirements of the IMAP monitoring for Common Indicators 13, 14, 17, 18 and 20. The following specific knowledge and technical needs of individual laboratories are recognized: i) further harmonization of laboratories` performance in line with IMAP Monitoring Guidelines in order to increase the representativeness and accuracy of the analytical results needed for generation of quality-assured monitoring data; ii) improved availability of appropriate analytical equipment to strengthen technical capacities of national IMAP competent laboratories; iii) increased consistency of biota sampling along with application of Quality Assurance measures; iv) increased accessibility to quality assurance tools, such as inter-laboratory comparisons (ILCs), proficiency tests (PTs) or certified reference materials (CRMs); therefore, along with continual strengthening of the capacities

¹⁷ UNEP/MED WG.492/3, 2021, Monitoring Guideline/Protocols for Sampling and Sample Preservation of Marine Molluscs (such as Mytilus sp.) and Fish (Mullus barbatus) for IMAP Common Indicator 18.

¹⁸ UNEP/MED WG.492/4, 2021, Monitoring Guideline/Protocols for Biomarker Analysis of Marine Molluscs (such as Mytilus sp.) and Fish (Mullus barbatus) for IMAP Common Indicator 18 – Analysis of Lysosomal membrane stability (LMS).

¹⁹ UNEP/MED WG.492/5, 2021, Monitoring Guideline/Protocols for Biomarker Analysis of Marine Molluscs (such as Mytilus sp.) and Fish (Mullus barbatus) for IMAP Common Indicator 18 – Analysis of and micronuclei (MNi) frequency, Acetylcholinesterase (AChE) activity and Stress on Stress (SoS).

²⁰ UNEP/MED WG.482/17, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Sea Food for IMAP Common Indicator 20: Heavy and Trace Elements and Organic Contaminants.

²¹ UNEP/MED WG.482/18, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Sea Food for IMAP Common Indicator 20: Heavy and Trace Elements and Organic Contaminants

through the Proficiency Tests and Training Courses for trace elements and organic contaminants with assistance of UNEP/MAP – MEDPOL and IAEA/MESL, further regular inter-laboratory comparisons/proficiency testing will be established for the analysis of nutrients, biomarkers and contaminants in commonly consumed seafood.

- 28. The assessment of the capacities of national IMAP competent laboratories should be continued as a biennial effort aimed at gradual improvement of their performances with a view of reaching optimal compliance of data processing and reporting with the methods recommended in Monitoring Guidelines for IMAP Common Indicators 13,14,17, 18 and 20.
- 29. To that effect, a decision should be undertaken on applying the assessment questionnaires as a regular and mandatory action, whilst their form may be further improved to make both the reply and the evaluation easier. Evaluation findings based on application of the assessment questionnaires will be shown in national reports prepared per country in order to provide more detail guidance of relevance for quality assurance activities that will be regularly performed in collaboration with IAEA/MESL.

Annex I References UNEP/MED WG.467/5, 2019. IMAP Guidance Factsheets: Update for Common Indicators 13, 14, 17, 18, 20 and 21; New proposal for Candidate Indicators 26 and 27.

UNEP/MED WG.482/5, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Seawater for IMAP Common Indicators 13 and C14: Concentration of Key Nutrients and Chlorophyll a.

UNEP/MED WG.482/6, 2020, Monitoring Guidelines/Protocols for Determination of Hydrographic Physical Parameters.

UNEP/MED WG.482/7, 2020, Monitoring Guidelines/Protocols for Determination of Hydrographic Chemical Parameters.

UNEP/MED WG.482/8, 2020, Monitoring Guidelines/Protocols for Determination of Concentration of Key Nutrients in Seawater – Nitrogen Compounds.

UNEP/MED WG.482/9, 2020, Monitoring Guidelines/Protocols for Determination of Concentration of Key Nutrients in Seawater – Phosphorous and Silica Compounds.

UNEP/MED WG.482/10, 2020, Monitoring Guidelines/Protocols for Determination of Chlorophyll a in Seawater.

UNEP/MED WG.492/7, 2021, Monitoring Guidelines/Protocols for Analytical Quality Assurance for IMAP Common Indicators 13, 14, 17, 18 and 20.

UNEP/MED WG.492/8, 2021, Monitoring Guideline on Reporting Monitoring Data for IMAP Common Indicators 13, 14, 17, 18 and 20.

UNEP/MED WG.467/5, 2019. IMAP Guidance Factsheets: Update for Common Indicators 13, 14, 17, 18, 20 and 21; New proposal for Candidate Indicators 26 and 27.

UNEP/MED WG.482/13, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Marine Biota for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

UNEP/MED WG.482/14, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Marine Biota for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

UNEP/MED WG.482/11, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Sediment for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminant.

UNEP/MED WG.482/12, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Sediment for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

UNEP/MED WG.482/15, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Seawater for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

UNEP/MED WG.482/16, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Seawater for IMAP Common Indicator 17: Heavy and Trace Elements and Organic Contaminants.

UNEP/MED WG.492/3, 2021, Monitoring Guideline/Protocols for Sampling and Sample Preservation of Marine Molluscs (such as Mytilus sp.) and Fish (Mullus barbatus) for IMAP Common Indicator 18.

UNEP/MED WG.492/4, 2021, Monitoring Guideline/Protocols for Biomarker Analysis of Marine Molluscs (such as Mytilus sp.) and Fish (Mullus barbatus) for IMAP Common Indicator 18 – Analysis of Lysosomal membrane stability (LMS).

UNEP/MED WG.492/10 Annex I Page 2

UNEP/MED WG.492/5, 2021, Monitoring Guideline/Protocols for Biomarker Analysis of Marine Molluscs (such as Mytilus sp.) and Fish (Mullus barbatus) for IMAP Common Indicator 18 – Analysis of and micronuclei (MNi) frequency, Acetylcholinesterase (AChE) activity and Stress on Stress (SoS).

UNEP/MED WG.482/17, 2020, Monitoring Guidelines/Protocols for Sampling and Sample Preservation of Sea Food for IMAP Common Indicator 20: Heavy and Trace Elements and Organic Contaminants.

UNEP/MED WG.482/18, 2020, Monitoring Guidelines/Protocols for Sample Preparation and Analysis of Sea Food for IMAP Common Indicator 20: Heavy and Trace Elements and Organic Contaminants.