

THE
NATIONAL PLAN OF ACTION
TO
COMBAT DESERTIFICATION
IN
BAHRAIN



United Nations Economic
and Social Commission
for West Asia (UNESCWA)



United Nations Environment
Programme Regional Office
for West Asia (UNEP/ROWA)

OCTOBER 1991



برنامج الأمم المتحدة للبيئة
UNITED NATIONS ENVIRONMENT PROGRAMME
المكتب الإقليمي لغرب آسيا
REGIONAL OFFICE FOR WEST ASIA



THE
NATIONAL PLAN OF ACTION
TO
COMBAT DESERTIFICATION
IN
BAHRAIN



United Nations Environment
Programme Regional Office
for West Asia (UNEP/ROWA)

United Nations Economic
and Social Commission
for West Asia (UNESCWA)

OCTOBER 1991

1 Bahraini Dinar (BD) = 2.645 US\$

1 US\$ = 0.378 BD

TABLE OF CONTENTS

<u>Subject</u>	<u>Page</u>
SUMMARY	... xi
INTRODUCTION	... 1
<u>CHAPTER 1: Inventory and Potential of Natural Resources</u>	3
1.1 Areas and sites	3
1.2 Topography	6
1.3 Climate	10
1.3.1 Air temperature	11
1.3.2 Rainfall	13
1.3.3 Climatic aridity	16
1.3.4 Relative humidity	16
1.3.5 Wind	16
1.4 Land resources	19
1.4.1 Soils of Bahrain	19
1.4.2 Agricultural lands	19
1.5 Water resources	27
1.5.1 Groundwater resources	28
1.5.2 Groundwater utilization	35
1.5.3 Treated sewage effluent (TSE)	36
1.5.4 Water quality for irrigation	39
1.5.5 Crop tolerance to salinity	39
1.5.6 Water requirements	43
1.5.7 Irrigation regions and zones	43
<u>CHAPTER II: Socio-Economic Setting</u>	47
2.1 Population	47
2.1.1 Population changes 1941 - 1981	47
2.1.2 Components of Bahrain population changes	49
2.1.3 Population distribution	49
2.2 Employment and labour force	56
2.2.1 Employment in agriculture	56
2.3 Economic activities	59

Subject	Page
2.4 Agricultural production	62
2.4.1 Date cultivation	62
2.4.2 Alfalfa	62
2.4.3 Vegetables	65
2.4.4 Dairy production	67
2.4.5 Poultry production	67
2.4.6 Livestock production	68
2.4.7 Fish production	70
<u>CHAPTER III: The Status of Desertification in Bahrain</u>	72
3.1 Physical causes	75
3.2 Socio-economic factors	76
<u>CHAPTER IV: Review of Past and Current Efforts for Combating Desertification in Bahrain</u>	77
4.1 Current efforts to conserve groundwater in Bahrain	77
4.2 Current efforts to improve land capabilities in Bahrain	80
<u>CHAPTER V: National Plan of Action to Combat Desertification</u>	83
5.1 The Magnitude of the Desertification Problem	83
5.1.1 National Plans	84
5.1.1.1 Agricultural Sector's Plan for 1981 - 1986	84
5.1.1.2 National Land Use Plan 2001	85
5.1.1.3 Ministry of Commerce and Agriculture's Plan 1990	86
5.1.2 Constraints	87
5.1.2.1 Physical constraints	87
5.1.2.2 Human constraints	88
5.1.2.3 The market for locally grown agricultural products	89

<u>Subject</u>	<u>Page</u>
5.2 Policy of the Plan of Action	89
5.2.1 Management of natural resources	89
5.2.2 Objectives of the Ministry of Commerce and Agriculture	90
5.2.3 Mathematical model to cover development area in Bahrain	91
5.2.4 System analysis designs proposed for defining the Plan of Action for Desertification Control	92
5.3 A Long-Term Strategy for Desertification Control (1992 - 2010)	96
5.3.1 National Goals	96
5.3.2 Aims of the Strategy	97
5.3.3 Basic Assumptions	97
5.3.4 Elements of the Strategy: A Long- Term Programme (1992 - 2010)	98
5.3.4.1 Evaluation of Desertification and Improvement of Water and Land Management	98
5.3.4.2 Public Participation Programme	99
5.3.4.3 Corrective Anti-Desertification Measures Programme	99
5.3.5 Remarks	102
<u>CHAPTER VI: Measures and Institutional Framework</u>	103
6.1 Current Set-Up	103
6.1.1 Ministry of Commerce and Agriculture	103
6.1.2 Ministry of Power, Works and Water	103
6.1.3 Ministry of Housing	104
6.1.4 Environmental Protection Committee	104
6.1.5 Arabian Gulf University, Bahrain	104
6.1.6 Bahrain Centre for Studies and Research	104
6.2 National Machinery for Desertification Control	105
6.2.1 Structure of the National Machinery	105
6.2.1.1 National Desertification Control Commission	105
6.2.1.2 General Directorate for Desertification Control Co-ordination	106

<u>Subject</u>	<u>Page</u>
6.2.2 Responsibilities of the National Machinery	107
6.2.2.1 Functions of the General Directorate for Desertification Control Co-ordination	107
6.3 Implementation of the Above Recommended Set-up	108
<u>CHAPTER VII: Short-Term Priority Programmes and Projects 1992 - 1994</u>	109
7.1 General	109
7.2 Evaluation of Desertification and Improvement of Water Resources and Land Management	109
Project No. 1	109
Project No. 2	111
Project No. 3	112
Project No. 4	113
Project No. 5	114
7.3 Assessment and Monitoring of Desertification	115
Project No. 6	115
7.4 Public Participation Programme	116
Project No. 7	116
7.5 Socio-Economic Programme	116
Environmental Education for the young and youths.	116
Project No. 8	116
7.6 Manpower and Strengthening Science and Technology	117
Project No. 9	117

<u>Subject</u>	<u>Page</u>
7.7 International Action and Co-operation Programme	117
7.7.1 Preparation of National Priorities for Action and Financing	117
CHAPTER VIII: Conclusion and Follow-Up	119
REFERENCES	... 121
ANNEX I	
ANNEX II	

LIST OF TABLES

Table		Page
1 - 1	The Islands of Bahrain.	3
1 - 2	Bahrain State area by island.	4
1 - 3	Bahrain State area by region.	4
1 - 4	Geological sequence in Bahrain.	9
1 - 5	Air temperature, average values of 40 years records (1945 - 1985).	11
1 - 6	Monthly mean daily maximum and minimum temperatures for the years 1985 - 1989.	12
1 - 7	Rainfall in Bahrain during 1981 - 1989.	15
1 - 8	Average relative humidity by month during the period 1983 - 1989.	18
1 - 9	Development of agricultural lands in Bahrain during the period 1924 - 1989.	21
1 - 10	Land capability for agriculture - 1979.	23
1 - 11	Land capability for agriculture, recent estimates - 1988.	23
1 - 12	Changes in agricultural land use during the period 1956 - 1988 and proposed growth by usage in 2001.	27
1 - 13	Changes in agricultural land use during the period 1956 - 1988, percent of total area of Bahrain.	27
1 - 14	Some characteristics of the main aquifers in Bahrain.	30
1 - 15	Chemical composition of groundwater in Bahrain (1985).	31
1 - 16	Groundwater utilization by sector in 1987.	35
1 - 17	Proposed TSE quantities.	37

Table		Page
1 - 18	Projected quality of Tubli effluent water.	38
1 - 19	Quality of treated sewage water of Bahrain as compared with TSE of Florida and the limits of UN.	38
1 - 20	Guidelines for interpretation of water quality for irrigation.	40
1 - 21	Crop tolerance to salinity.	41
1 - 22	Salt resistant landscape and forest trees, shrubs and grasses.	42
1 - 23	Monthly water requirements in Bahrain.	44
1 - 24	List of agricultural regions and irrigation zones.	45
2 - 1	Census of the State of Bahrain.	48
2 - 2	Projection for Bahrain population classified by sex, nationality and year of projection.	50
2 - 3	Population distribution by administrative area according to the 1981 census.	54
2 - 4	Projected population distribution by administrative area for the year 1988.	55
2 - 5	Changes in employment structure 1965/2001.	57
2 - 6	Labour force of Bahrain by economic activity and nationality in census 1971 and 1981.	58
2 - 7	Gross Domestic Production (GDP) by sector or origin (millions fo 1977 BD) and percent share of each sector.	60
2 - 8	Actual economic growth percentage by type of economic activity (1981 - 1987).	61
2 - 9	Number of date palms by municipality.	63
2 - 10	Alfalfa area and estimated production.	64

<u>Table</u>		<u>Page</u>
2 - 11	Comparison between the 1986/87, 1987/88 and 1988/89 agric. years with index numbers.	66
2 - 12	Total area under vegetables during 1974/75 to 1987/88.	65
2 - 13	Poultry production, 1975 - 1989.	68
2 - 14	Eggs production, 1975 - 1989.	69
2 - 15	Local meat production, 1980 - 1984.	70
2 - 16	Fish locally caught and imported, 1981 - 1988.	71

LIST OF FIGURES

Figure		Page
1 - 1	Bahrain State area by region.	5
1 - 2	Relief and physiographical sub-divisions of Bahrain.	7
1 - 3	Geological map of Bahrain.	8
1 - 4	Annual precipitation in Bahrain during the period 1903 - 1990.	14
1 - 5	Clima-diagram of Bahrain.	17
1 - 6	Land use in Bahrain (1956).	20
1 - 7	Land use in Bahrain (1977).	24
1 - 8	Land use in Bahrain (1988).	25
1 - 9	Land capability for agriculture.	26
1 - 10	Schematic hydrological cross section showing Bahrain aquifers.	29
1 - 11	Isosaline contours of Khobar Aquifer in Bahrain.	33
1 - 12	Piezometric contours of Khobar Aquifer in Bahrain.	34
2 - 1	Bahraini population projection for the period (1981 - 96).	51
2 - 2	Non-Bahraini population projections for the period (1981 - 96).	52
2 - 3	All Bahraini population projections for the period (1981 - 96).	53

<u>Figure</u>		<u>Page</u>
3 - 1	Groundwater extraction in Bahrain by sector during the period 1952 - 1989.	74
5 - 1	Schematic design for system analysis proposed for the Plan of Action for Desertification Control in Bahrain.	93

ACKNOWLEDGEMENT

The United Nations Environment Programme (UNEP) Regional Office for West Asia (ROWA) acknowledges the valuable co-operation and assistance received from The Arab Centre for the Studies of Arid Zones and Dry Lands (ACSAD). Also, the co-operation and assistance received from the various Ministries, Government Authorities and private organizations listed below during the course of the preparation of the National Plan of Action to Combat Desertification (NPACD) in Bahrain are highly appreciated.

- Ministry of Commerce and Agriculture - Under Secretariat of Agriculture

Agricultural Projects Directorate
Water Resources Bureau
Agricultural Research Directorate

- Arabian Gulf University, Bahrain (AGU)

College of Applied Sciences
Desert Sciences and Arid Lands Post-Graduate Programme

- Ministry of Health

Environment Protection Council

- Ministry of Works, Power and Water

Roads and Sewerage Directorate
Water Supply Directorate

The personal efforts offered by Dr. Nabil Rofail of ACSAD in developing this plan and its priority programmes and projects, and also the personal efforts of Dr. Walid Zubari of AGU to update the information on water resources and uses in Bahrain and to prepare the colour figures of this plan are acknowledged with sincere thanks.

Prof. Dr. Nabil Alaa El-Din of the AGU has made a marvellous job in updating information, editing and finalizing this plan. This personal contribution by him is highly appreciated.

NATIONAL PLAN OF ACTION TO COMBAT DESERTIFICATION
IN BAHRAIN

Executive Summary

A team of consultants and National experts was commissioned by UNEP-ROWA to prepare a National Plan of Action to Combat Desertification (NPACD) for the State of Bahrain. The preparation of NPACD was delayed because of the Gulf conflict.

The present NPACD report consists of Executive Summary, Introduction, eight Chapters and two Annexes. Apart from the Table of Contents, Annexes and Executive Summary the report covers 123 pages. After a thorough study of the inventory and potential resources of the State of Bahrain, the socio-economic setting, the status of desertification in Bahrain, as well as the review of past and current efforts to combat desertification in the country the following findings could be highlighted:

The State of Bahrain comprises an archipelago of 35 islands located at the mid-point of the Arabian Gulf in relatively shallow waters. The islands are located midway between Saudi Arabia to the west (56 km) and Qatar to the east (27 km) and Iran straight across the width of the Gulf (235 km). The islands are situated at latitude between 25° to 27° north and longitude between 45° to 51° east of Greenwich. The largest island, Bahrain, with the capital town Manama, represents 85% of the total area of the state, which comprises 692.5 sq.km.

The general topography of the islands is flat. The islands rise almost imperceptibly from the shallow waters of the Gulf. Bahrain main island is formed from an anticlinal dome of sedimentary limestone rocks with displaced centre forming a long shallow saucer called the central depression, some 10 km long by 2.5 km wide. This is encircled by inward-facing scarps up to about 20 meters high formed from the remaining rock strata (rim rock). Outwardly the back slope shelves gently down from the rim rock to the coastal region. All that remains of the summit of the dome is a ridge of hills in the central depression, of which "Jabal Dukhan" (135 m. above sea level), is its highest point.

Bahrain has a desert climate which is characterized by high temperatures, erratic often scanty rainfall and high humidity levels due to the surrounding Arabian Gulf water. Temperature averages vary from 17°C in winter to 35°C in summer. The rainy season extends from November to April. The annual rainfall averaging only 74 mm is sufficient only to support the most drought resistant desert vegetation, while evapotranspiration can peak to over 10 mm a day in July. The air humidity in Bahrain exhibits mean annual relative humidity of 67.2% indicating high humidity throughout the year. The prevailing winds are of the north-westerlies path known as shamal winds which temper Bahrain's high temperatures. The clima-diagram of Bahrain shows no humid period prevailing during the whole year. The soils are almost dry all the year except on a few days after rainfall.

The soils of Bahrain main island have been formed under arid conditions. Apart from a narrow fertile strip of land in the north, Bahrain has little soil which could be considered as agriculturally good. The soil textures are mainly sandy with low organic matter content (0.05-1.5%), deficient in macro- and micro-nutrients moderate to high salinity (4-12 mmhos) in irrigated lands and very low water holding capacity (available water 2-6%). Most of the soils contain high amounts of calcium carbonate (15 - 30%) and moderate amounts of gypsum.

In areas along the coastal strip calcareous impermeable layers at 1 - 3 meter depth have caused localized water logging, increased salinization and abandoned agriculture.

Bahrain's water supply is drawn from two main sources: groundwater and desalinated sea water. Groundwater is provided by the Eocene aquifers extending beneath the sea from Saudi Arabia, with west to east regional hydraulic gradients which implies recharge on the outcrop area of the aquifer system in Saudi Arabia.

In Bahrain there are principally two aquifers "A" and "B", both in Dammam Formation (Lower and Middle Eocene). Aquifer "A" developed in the dolomitic limestone of the Alat member, possesses limited water yielding properties (250 m²/day transmissivity and 0.0005 storage coefficient) and salinity ranging between 2,500 - 4,500 mg/L.sals. The lower aquifer "B" is developed in the Khobar member and represents the principal reservoir providing more than 70% of groundwater abstracted in Bahrain for agricultural, domestic and industrial uses. Its trans-missivivity is by 10,000 m²/day higher than the "A" zone and is characterized by storage coefficient of about 0.00005 (dimensionless). The salinity of this water ranges between 2,000 and 4,000 mg/L.

A third less important aquifer "C" developed in the Rus (Lower Eocene) and Umm Er Radhuma (Upper Paleocene) formations contains high salinity waters (10,000 mg.L) used mainly for industrial purposes and reverse osmosis desalination plants.

There are now about 2,000 water abstraction points, of which 800 are boreholes and the rest large diameter dug wells. The present annual abstraction of groundwater in the order of 191 Mm³ made of 153, 9 and 29 Mm³ from Dammam, Neogen and Rus and Umm Er Radhuma aquifers respectively. The increased abstraction of groundwater has led to the decrease of the piezometric head in Bahrain by 4 - 5 meters, permitting intrusion of saline water from aquifer "C" into the "B" aquifer and rendering some central coastal regions unproductive.

The annual abstraction in Mm³ of groundwater was in 1987 by User's Sector, 98 for agriculture (30, 41 and 28 for dates, vegetables and alfalfa and private gardens respectively), 41 for municipalities, 14 for industry, 22 for desalination plants and 15 for land and off-shore springs.

Treated sewage effluent (TSE) presents a valuable resource providing presently 22 Mm³/y and ultimate supply of around 60 Mm³/y. The quality of TSE is improving and could now be considered good for agricultural purposes. Chemical and hygienic properties are within the international limits. The present use of TSE is still limited to about 5000 m³/day for irrigation purposes and the rest (70,000 - 75,000 m³/day) is discharged to the sea.

The agricultural land was in 1989 about 4048 ha representing only 5.9% of the total area of the country. The actually cultivated area decreased from 3793 ha in 1966 to 1750 ha in 1989. Urban development during the oil boom at the expense of better agricultural land led to the remarkable decrease of the cultivated areas.

The population of Bahrain increased from about 90 thousand inhabitants in 1941 to about 516 thousand in 1991 (medium projection). The employed labour force increased from 52.3 thousand in 1965 to 177.5 thousand in 1991, out of which 41.8% and 37.5% were Bahrainis respectively. Employment in the agricultural sector has declined from 12.4% of the total labour force in 1971 to 5.3% in 1981, and coinciding with the decrease of cultivated areas. Recent figures show increased employment in this sector being about 7 thousand in 1991.

The contribution of agriculture and fishery to the gross domestic product (GDP) was limited to only 1.6 - 1.8% until the year 1986, increased to reach 2.5% in 1991 and is expected to rise to 2.3% in the year 2001.

The last four decades in Bahrain have witnessed a large increase in population (3% annually) and hence decrease of percaput cultivated area from 0.026 ha in 1953 to only 0.006 ha in 1989. Increased prices of agricultural products caused the farmers to increase irrigation to improve land productivity. As flood irrigation of sandy soils is the common practice in Bahrain, high water consumption (44,000 - 111,000 m³/ha/year) with low water productivity (3,865 - 6,500 m³/ton dry alfalfa and 2126 m³/ton fresh tomatoes) led along with the increased domestic demands to drastic increases of water abstraction from Dammam aquifer from 63 Mm³/y in 1952 to about 180 Mm³/year in 1989, which exceeds the recharge from the mainland Saudi Arabia (about 90 Mm³/y). Water is being taken from the aquifer storage, thus declining the aquifer's potentiometric surface and leading to (a) ceasing flow of land and offshore fresh water springs, (b) contamination of the aquifer water by sea water encroachment and by the upward invasion from the underlying saline water zones. This process has reached alarming levels as more than half of the original aquifer water volume has been polluted. Irrigation water became increasingly saline and farmers tend to use more water to combat the increasing salinity. Important areas were abandoned for agriculture due to salinization of the soil due to misuse of saline irrigation water and the lack or absence of drainage systems.

Through deliberate negligence by some owners of agricultural land, Bahrain has lost 2000 ha of good agricultural land to residential, industrial and public use since 1976.

Other socio-economic factors are pressing the agricultural development i.e. fragmentation of holdings and the absence of appropriate mechanization, the absence of fair relationships between landlords and tenants, domination of foreign labour with discontinuity and the unwillingness of young Bahrainis to work in agriculture.

The Government of Bahrain, realizing the magnitude of desertification problems, has carried out several activities to help reduce water consumption, reclaim agricultural land, and improve land productivity. Legislative actions were taken to protect water and agricultural lands. Research activities were carried out by the Ministry of Commerce and Agriculture (MOCA) to evaluate the magnitude of problems related to increased groundwater abstraction, salinization of soils, improved irrigation methods and water distribution and use efficiencies. MOCA has executed several plans (1981 - 1990) in the agriculture sector aiming at preserving water and land, expanding cultivated areas and improving land productivity. The Ministry of Housing prepared and adopted a National Land Use Plan 2001, identifying the present and the predicted needs up to the year 2001.

Realizing the magnitude of the desertification problems identified, action to combat desertification is urgently required before the cost of rehabilitation rises beyond practical possibility, or before the opportunity to act is lost forever. Desertification is not a problem susceptible to quick solutions, but it is already urgent in Bahrain. It calls for continuous assessment, long-term planning and management at all levels. The management of natural resources is a critical component of the strategy for physical, social and economic development. The adoption of improved policies for the management of natural resources is essential to the ecosystem if its productivity is to be restored and developed.

A mathematical model to cover the total developed area in Bahrain is proposed taking into consideration its calibration using the periodical data accumulating in the Water Resource Directorate (MOCA). The model deals with the simulation of the main aquifers and the hydraulic connections in between, the simulation of the salt water intrusion and the formulation of partial differential equation for the unsteady state including the effect of water quality.

A system analysis design is proposed for defining the NPACD to arrive at optimal solutions and to gradually construct an integrated development plan for desertification control. One that simultaneously covers most pending requirements, does not have detrimental effects on both natural resources and the environment, and is economically advantageous.

A long-term strategy for desertification control (1992 - 2010) is suggested. Long and short-term programmes are considered. Among the long-term programme, the following programmes are to be considered:

- a) Evaluation of desertification and improvement of water and land management including updating the land-use map and the preparation of desertification map;
- b) Public participation programme;
- c) Corrective anti-desertification measures programme which includes:
 1. Sound planning, development and management of water resources,
 2. Soil and water conservation in irrigated areas,
 3. Prevention and control of water logging and salinization,
 4. Maintenance and protection of existing vegetation,
 5. Monitoring climatic, hydrogeological and ecological conditions of land, water, plants and animals in areas affected by desertification.

The NPACD in Bahrain stresses the following field actions:

(A) Land Management Measures

- i) The establishment of a land database management system for continuous data storage, retrieval, dissemination and processing.
- ii) The use of the proper water duty for each crop.
- iii) The application of effective soil conservation measures for cultivation.
- iv) The application of a proper crop rotation system whereby land remains protected under a crop cover.
- v) The avoidance of pollution, especially in areas irrigated by TSE.

- vi) The replenishment of soil fertility by periodic applications of organic and chemical fertilizers.
- vii) The use of proper remedial measures to combat plant diseases.
- viii) The improvement of soil physical properties.

(B) Water Management Measures

- i) The establishment of a water database management system for continuous storage, retrieval, dissemination and assessment.
- ii) The construction of leaching slot trenches and infiltration basins in suitable areas to enhance groundwater quality and to improve groundwater storage.
- iii) The development of the groundwater quality network to help in the study of water intrusion phenomena.
- iv) The application of water-saving irrigation methods such as sprinklers and/or drip irrigation.
- v) The avoidance of over-irrigation which may lead to water logging and soil salinization.
- vi) The avoidance of contamination of groundwater.
- vii) Limiting well digging and controlling the tapping of groundwater.
- viii) The construction of artificial groundwater recharge systems by infiltrating TSE.

(C) Manpower and Strengthening of Science and Technology

This programme deals with training and research in order to strengthen the scientific and technological capabilities required for the success of the anti-desertification programmes.

(D) International Action and Co-operation

This programme includes regional projects needed to control desertification with the suggestion that maximum use of the Consultative Group on Desertification Control (DESCON) should be made.

The priority programmes and projects for a short-term (1992 - 1994) plan are suggested.

The establishment of a national machinery for desertification control is suggested which includes:

- a) the formation of a National Desertification Control Commission (NDCC) under the chairmanship of the Minister of Commerce and Agriculture with members of the concerned Ministries and institutions in Bahrain and,
- b) the establishment of a General Directorate for Desertification Control Coordination (GDDCC). The structure, responsibilities and functions of NDCC and GDDCC are described.

The framework of the projects suggested under the short-term priority programmes (1992 - 1994) including title, objectives, executing agents, cost, duration, background and activities was made for the following projects:

- a) Evaluation of Desertification and Improvement of Water Resources and Land Management
 1. Establishment of data bank system.
 2. Development of groundwater networks.
 3. Construction of mathematical model.
 4. Improved irrigated agriculture.
 5. Artificial recharge to groundwater formations with treated sewage effluent.
- b) Assessment and Monitoring of Desertification
 6. Monitoring of desertification.

c) Public Participation Programme

7. Public awareness and participation.

d) Socio-Economic Programme

8. Environmental education for the young and youths.

e) Manpower and Strengthening Sciences and Technology

9. Regional research, training and communication programme on desertification control in the ESCWA-Region (Phase I).

It is also suggested that the national machinery entrusted with desertification control should give priority to the establishment of a small group, who shall dedicate their efforts towards desertification control plans, including the preparation of the suggested projects in the format required by the donor organizations.

The long-term programme includes a suggestion for a project to ensure against risk and effects of drought. This project is recommended for priority action in view of the high probability that a drought wave may soon affect the country. In preparing proposals for this project, reference should be made to Recommendation No. 17 of the UNCOD Plan, wherein a series of 13 action steps are described.

It is suggested that the MOCA be responsible for the follow-up and may be appointed as a caretaker to look after desertification matters especially:

- a) Pursuing the matter to secure the approval of the government for the draft NPACD.
- b) Pursuing the establishment of the institutional machinery (NDCC and the GDDCC).
- c) Identification of project proposals and selected areas where UNEP/ESCWA/FAO assistance is required in order to address them accordingly.

INTRODUCTION

The islands of Bahrain are located approximately at the mid-point of the Arabian Gulf in relatively shallow waters encompassing 33 islands. Saudi Arabia lies 56 kilometers (Km) to the west (and south), connected since 1986 by a causeway; Qatar is 27 Km to the east; and Iran is 235 Km straight across the width of the Gulf. The dimensions of the main island, Bahrain, are 50 Km north-south and 16 Km east-west. The total land area, including a number of small islands, is about 700 Km².

Land reclaimed from shallow water has drastically altered the face of Bahrain. Reclamation mainly began in the 1950's. The total reclaimed areas increased the country's land mass by about 3,000 hectares. Furthermore, additional areas and/or man-made islands have been contemplated to cope with ever increasing demand by all sectors of development.

The oil in Bahrain was first discovered in the southern part of the Arabian Gulf in 1931. Now the oil reserves are nearly exhausted, although still sufficient for local consumption, and natural gas is plentiful for power generation. The anticipated decline in oil revenues triggered a guided shift in the economic base, which has been largely completed. A large oil refinery was built in 1934, supplied through pipelines from Saudi Arabia. Other major industrial operations include an aluminium smelter, ship repair yards, an iron pellet plant, a petro-chemical plant, and other heavy industrial activities.

In terms of physical development, heavy industry is placed in relatively compact district in the eastern part of the island, with almost all of the old as well as new urban development concentrated in the northeast corner. The jamming of most urban activities into a corner has resulted inescapably in overloads and congestion, which even massive and expensive public works improvements have not solved entirely or satisfactorily. The Government's programme of locating its new settlements and towns on dispersed sites to a significant degree is a response to this problem.

Bahrain has a much more "western" attitude towards social behaviour and entertainment than the other countries around it. Bahrain has become a strong centre for communication, financial transactions, trade, and entertainment. Every international bank has a branch here, as does almost every hotel chain.

A peculiar hydrological feature of Bahrain is the presence of aquifers originating in Saudi Arabia that generate springs in the northern third of the main island. This water is truly a gift of nature that allowed Bahrain to be once a lush agricultural land. Development has always been attracted to these areas, as compared to the barren lower part of the country. The groundwater supply, not surprisingly, is becoming exhausted, and unless current practices are drastically reformed, a real problem faces the island in a decade or so.

All the operations as well as future projects in Bahrain, highlight the need for an in-depth comprehensive study of the nations environment to properly control the growth and development of the country while at the same time maintaining adequate environmental safeguards against unnecessary destruction of the natural resources.

CHAPTER I

INVENTORY AND POTENTIAL OF NATURAL RESOURCES

1.1 Areas and Sites

The State of Bahrain comprises an archipelago of 35 low lying islands (Table 1 - 1) located in the Arabian Gulf, about midway between Saudi Arabia on the west and Qatar to the east. The islands are situated at latitude between 25° to 27° north and longitude between 45° to 51° east of Greenwich. The largest island is Bahrain where the capital Manama is situated. It represents 85% of the total area of the state. Tables (1 - 2) and (1 - 3) and figure (1 - 1) illustrate the area according to the major islands and regions.

Table (1 - 1): The Islands of Bahrain

1. Qassar Khusayfah
2. Qassar Jurdi
3. Jazirat as Sayah
4. Al Muharraq
5. Halat as Sultah
6. Halat an Na'im
7. Qassar Abu Shahin
8. Jazirat Umm as Shajar
9. Jazirat al'Azl
10. Juzayyirah
11. Jazirat a Nabih Saleh
12. Jaradah
13. Sitrah
14. Al Muhammadiyah
15. Jiddah
16. Al Baynah as Saghirah
17. Umm an Na'san
18. Al Bahrain
19. Jazirat as Shaikh
20. Umm Jalid
21. Jazirat Mashtan
22. Al Mu'tarid
23. Rabad ash Sharqiyah
24. Jazirat Ajirah
25. Halat Nun
26. Rabad al Gharbiyah
27. Al Hul
28. Jazirat Hawar
29. Juzur al Hajiyat
30. Suwad ash Shamaliyah
31. Umm Haswarah
32. Juzur al Wakur
33. Suwad al Janubiyah
34. Juzur Bu Sadad
35. Janan

Table (1 - 2): Bahrain State Area by Island

Island	Area	
	sq. Km	sq. miles
Bahrain	586.59	226.48
Muharraq	20.83	8.04
Nabih Saleh	0.74	0.29
Sitra	14.26	5.51
Qassar Al-Qulaya	0.09	0.03
Umm Sabban	0.14	0.05
Jiddah	0.33	0.13
Umm Nassan	18.93	7.13
Hawar	50.61	19.54
Total	692.52	267.38

Source: Statistical Abstract (1989) Central Statistics Organization, State of Bahrain.

Table (1 - 3): Bahrain State Area by Region

Region	Area	
	sq. Km.	sq. miles
Hidd	5.60	2.16
Muharraq	15.23	5.88
Manama	25.68	9.92
Jid Hafs	21.58	8.33
Northern	36.84	14.22
Sitra	28.62	11.05
Central	35.20	13.59
Isa Town	12.36	4.77
Rifaa	291.64	112.60
Western	156.04	60.25
Howar	50.61	19.54
Hamad Town	13.12	5.07
Total	692.52	267.38

Source: Statistical Abstract (1989), Central Statistical Organization, State of Bahrain.




Figure (1 - 1): Bahrain State Area by Region

1.2 Topography

The islands are flat, rising almost imperceptibly from the shallow waters of the Gulf. Bahrain main island is formed from an anticlinal dome of sedimentary limestone rocks. Much of its centre has been displaced, however, creating a long shallow saucer, the central depression, some 10 Km long by 2.5 Km wide. This is encircled by inward-facing scarps up to about 20 meters high formed from the remaining rock strata and called the "rim rock". Outwardly the back slope shelves gently down from the rim rock to the coastal region. All that remains of the summit of the dome is a ridge of hills in the central depression, of which "Jabal Dukhan", rising to a height of 134 m above sea level, is its highest point (Fig. 1 - 2).

Harsh sunlight, sand-laden winds and, to a lesser extent, water, weather the rocks so that the hillsides and backslopes are composed of crumbling rock pavements, boulders and small screes. These are interwoven with "Wadis" and gullies through which are washed and deposited the finer products of erosion, sand sediment particles and stone fragments. There are many flint stones among the pieces of chert and limestone. This detritus fans onto the central depression and coastal region respectively, forming flat or slightly undulating plains of consolidated stony or gravelly sand and sediment. "Aeolian" sands in the form of thin sheet, hummocks or very small dunes cover quite extensive areas of the plains. Salt flats "sabkha" occupy much of coast and low-lying southern central depression. The island is bordered by a narrow strip of marine sand.

From the geological point of view, Bahrain is dominated by a dome of predominantly carbonate sediments of Cretaceous to Tertiary age. The Tertiary rocks are overlain by younger flat-bedded rocks of Pleistocene and Recent ages. The sequence of different geological formations encountered in Bahrain are illustrated in a geological map (Fig. 1 - 3) and given in table (1 - 4).

The topography of the island is characterized by a low dome with slight asymmetry; beds are dipping more steeply along the west side. In the central area, rocks of the Damman Formation were eroded exposing a core of almost horizontally bedded rocks of the Rus Formation. The erosional edge of the Damman Formation is now an inward-facing scarp of the Khobar member and constitutes a major topographic feature. Outward from the scarp, the younger rocks of the Damman Formation the Alat member and rocks of Miocene-Oligocene age overlie the Khobar member.




Figure (1 - 2): Relief and Physiographical Sub-divisions of Bahrain




Figure (1 - 3): Geological Map of Bahrain

Table (1 - 4): Geological Sequence in Bahrain

Age	Formation	Member	Zone	Thick (m)	Lithology
Recent	Surface deposits	-	-	-	Aeolinite, bioclastic limestone, beachrock
Pleistocene	Ras AlAqr	-	-	5-10	Sand and Sabkha deposits
Miocene	Jabal Cap	-	-	33	Dolomitic limestone, algal coral breccia, claystone, marl
	Dammam	Alat	Alat Limestone	15-25	Fossiliferous dolomitic limestone
			Orange Marl	9-15	Orange brown dolomitic marl
			Khobar Dolomite Khobar Marl	30-39	Dolomitic limestone, dolarenite, foraminiferal; basally with marl
L. Eocene	Sharks Tooth Shale	Alveolina Limestone	-	10	Friable brown dolarenite
		-	-	8-20	Shale with silty dolomitic limestone
Paleocene	Rus	-	-	60-150	Chalky dolomitic limestone, shale, anhydrite, gypsum
	Umm Er Rhaduma	-	-	200-350	Dolomitic limestone, calcarenite, bituminous

1.3 Climate

Bahrain and its surroundings are classified as lying within an extremely arid environment. The climate is characterized by high temperatures, erratic often scanty rainfall, and high humidity levels due to the surrounding Arabian Gulf water. The year may be divided into two main climatic periods with summer from June to September and winter from December to March. These periods are separated by two transitional ones: April-May and October-November, respectively.

The period from December to March is coolest, with north or north easterly winds with little rain.

Temperatures rise sharply from March and reach a peak in August, although a cool north wind sometimes brings relief in June. This is known as the "Barah". The remainder of the year is dominated by the "Shamal" a moist north-easterly wind or the hot sand bearing "Qaws" from the south. These summer months are hot and humid, but the weather cools down quickly in October when autumn season starts. Temperatures vary from 17°C in winter to 35°C in summer. Annual rainfall averages 74 mm, falls in the winter period from November to April and is sufficient only to support the most drought resistant desert vegetation. Evapotranspiration can peak to over 10 mm a day in July which poses severe stresses on cultivated crops during the summer period. Maritime winds from NW and relatively cool nights mitigate to a certain effect the otherwise agricultural hostile climate.

The average number of days per annum with measurable rain of one mm or more are 15.5 days, with the highest being four days in March. Thunderstorms occur on an average nine days per annum with March having the highest average at 2.3 days. The average number of days per annum that visibility is reduced to 1,000 m or less by fog is 6.4 days and by thick dust haze is 5.5 days. The highest monthly frequency of fog occurs in January (1.5 days), while the highest frequency of thick dust haze occurs in July (1.5 days on average).

1.3.1 Air temperature

Bahrain has a hot desert climate, with mild winters and very hot summers. The mean monthly temperature, the mean daily maxima, and mean daily minima for a forty year period (1945 - 1985) are illustrated in Table (1 - 5). Long-term records are also included in the table and show the highest temperature ever recorded was 46.7°C in May 1972, while the lowest ever recorded was 2.8°C occurred in January in 1964. The lowest temperatures recorded are those of January with a mean of 17.3°C. Therefore, there is never a danger of frost. The temperatures increase steadily with a rapid increase in May. Maximum temperatures are reached in July or August (33.9 and 34.2°C, respectively). The mean daily minimum in August is higher than the mean daily maximum in the winter and early spring months. The recent records for mean daily maxima and minima of air temperatures during the years 1985 - 1989 are given in Table (1 - 6).

Table (1 - 5): Air Temperature
Average values of 40 years records (1945 - 1985)

Month	Mean daily maximum	Mean daily minimum	Mean monthly	Highest recorded	Lowest recorded
JAN	19.9	14.6	17.3	31.7	2.8
FEB	20.9	15.1	18.0	34.7	7.2
MAR	24.5	17.9	21.2	38.0	7.8
APR	29.1	21.6	25.4	41.7	13.5
MAY	33.4	26.1	29.8	46.7	18.7
JUN	35.9	28.9	32.4	45.7	22.7
JUL	37.4	30.4	33.9	45.0	25.3
AUG	37.7	30.7	34.2	45.0	26.1
SEP	36.1	28.8	32.5	42.8	24.4
OCT	32.5	25.5	29.0	40.8	18.8
NOV	27.5	21.5	24.5	35.0	13.5
DEC	22.1	16.6	19.4	29.4	6.4

Source: Civil Aviation Directorate, State of Bahrain

Table (1 - 6): Monthly mean daily maximum and minimum temperatures
for the years 1985 - 1989, °C

Month Year	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Mean of daily maxima												
1985	20.0	21.2	22.8	29.7	33.3	35.0	34.5	36.5	33.1	28.5	28.5	22.8
1986	19.5	21.4	25.4	29.7	36.0	37.0	38.0	38.5	34.8	28.5	21.5	24.1
1987	21.0	23.5	24.8	30.6	33.8	35.5	38.4	38.6	35.1	32.5	26.0	24.1
1988	19.4	21.0	31.6	29.7	34.4	37.5	38.3	39.0	37.4	34.4	27.9	23.0
1989	17.9	19.2	25.0	29.6	35.0	36.0	39.0	39.3	36.5	33.3	21.6	29.1
Mean of daily minima												
1985	14.4	12.5	15.7	20.9	25.2	26.5	29.0	29.4	27.7	23.3	20.6	15.0
1986	11.4	13.2	15.7	20.2	28.0	29.0	28.0	30.0	26.5	24.5	19.0	12.2
1987	12.3	14.5	17.1	20.7	24.5	28.3	27.8	29.0	24.8	22.2	19.6	14.5
1988	13.2	15.0	19.3	21.8	26.2	28.6	30.3	30.5	29.0	25.8	20.3	16.5
1989	11.1	12.2	17.0	20.8	25.8	28.1	30.4	30.6	28.3	25.0	15.8	22.4

Source: Annual Statistical Report, Ministry of Commerce and Agriculture, State of Bahrain 1989

1.3.2 Rainfall

The records of annual precipitation in Bahrain during the period 1903 - 1990 as illustrated in Fig (1 - 4) show that the amounts of precipitation in Bahrain vary considerably from year to year and may become extremely scant. Averages range from 234 mm, in October 1975 - May 1986 to as low as 15 mm in 1972/1973. The examination of the data of annual rainfall in Bahrain also reveals that the number of growing seasons with rainfall below 50 mm, represents 37.5% of the total numbers of years of records. That is also true for those with rainfall between 50-100 mm. While those with rainfall above 100 mm represent 25%. Annual rainfall of more than 200 mm is exceptional.

Rainfall in Bahrain is confined to 8 months extending from October to May (table 1 - 7). July and August show nil rain, June and September had negligible amounts of less than 0.05 mm but more than zero, and practically considered as rainless months. Showers in October and May, however are usually of low efficiency. This is attributed to the high evaporative power of the atmosphere and dry soil during these months.

Records of rainfall (table 1 - 7) show that the rainiest month is March with 24.0 mm on the average. The average monthly rainfall is 15.6 in February, 11.9 mm in December, while the lowest rainy month is October (0.3 mm on the average).

The longest drought on record in Bahrain ended with a thunderstorm on 27 February 1984 after 319 rainless days.

An important characteristic of rainfall in Bahrain, as in other arid areas, is its irregularity and variability in both time and space; hence it is extremely unpredictable. The temporal fluctuations of rainfall are evident from the data incorporated in table (1 - 7) showing the monthly and annual rainfall at a period of 10 years (1980 - 1989). Thus, while the average annual rainfall is 73.8 mm, this figure fluctuates between 28.9 mm in 1981 and 197.3 mm in 1982. Irregularity is not only from year to year, but also there is a wide variation between the corresponding months of the different years. The rainiest month is March with 26.0 mm on the average. Average monthly rates were 10.2, 9.73 and 12.2 mm for December, January and February respectively. The lowest rainy month is October with an average of 0.4 mm.




Figure (1 - 4): Annual precipitation in Bahrain during the period 1903 - 1990.

Source: prepared according to data of the Civil Aviation Directorate, State of Bahrain

Table (1 - 7): Rainfall in Bahrain during 1981 - 1989, in mm

Year	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1980	31.2	57.4	2.0	-	-	-	-	-	-	-	-	3.2	93.8
1981	19.1	1.3	5.2	Tr	3.3	-	-	-	-	-	Tr	Tr	28.9
1982	4.4	41.3	71.9	3.9	Tr	-	-	-	-	3.0	58.8	14.0	197.3
1983	19.2	1.1	55.8	3.7	Tr	-	-	-	-	-	-	Tr	79.8
1984	Tr	10.5	29.9	Tr	Tr	-	-	-	-	-	0.8	9.4	50.6
1985	10.5	Tr	1.1	Tr	5.1	-	-	-	-	-	-	32.6	49.3
1986	9.2	2.7	8.4	10.6	Tr	Tr	-	-	Tr	-	Tr	24.2	55.1
1987	0.7	33.6	-	-	-	-	-	-	-	-	-	0.8	35.1
1988	14.7	1.8	2.3	-	-	-	-	-	-	-	3.0	0.6	63.3
1989	Tr	0.3	30.1	2.7	-	-	-	-	-	-	Tr	33.9	66.9
Mean	10.9	15.6	24.0	2.3	0.8	-	-	-	-	0.3	6.3	11.9	73.8

0 < Trace < 0.05 mm

Source: Civil Aviation Directorate, State of Bahrain

1.3.3 Climatic aridity

The clima-diagram for Bahrain (figure 1-5) shows that the precipitation curve underlines the temperature curve throughout the year. The area lies within the sub-tropical dry zone at the desert, and no humid period prevails during the whole year. As a consequence of the severe climatic aridity, the soil moisture supply to plants is meager. The uppermost soil layers are almost dry all the year except on a few days after rainfall.

1.3.4 Relative humidity

Night-time relative humidity in the region of 90 - 100% is not uncommon. Long-term records in Bahrain indicated that the mean daily maxima for February and October were 88 and 89% respectively, and the mean daily minima for those months were 56 and 46% respectively. August shows a mean daily maximum of 84% and minimum of 44%.

Table (1 - 8) shows monthly relative humidity (mean of maxima and minima) over the period of 7 years (1983 - 1985). The mean annual relative humidity of 67.2 indicating high humidity throughout the year. The mean monthly relative humidity is above 70% in the winter months. A gradual decrease occurs in March and April till a minimum of 58.5% is reached in June. An abrupt increase in the monthly relative humidity is observed in August reaching 66.5. This has been attributed to the influence of the northern limit of the intertropical convergence zone or monsoon front, lying at this time (end of July) along the eastern Arabian coast and into the Indian sub-continent, and extending into the Arabian Gulf, bringing no rainfall but doldrum-type weather and a high humidity value (over 90%) reaching during the night.

1.3.5 Wind

Bahrain lies in the path of north-westerlies known as Shamal winds, which blow most of the year and though persistent, rarely become unpleasant. Light to moderate breezes are normal, with winds sometimes reaching strong gale force during winter. The highest gust speed recorded in recent years was 51 knots. There are occasional dust storms and at times, during summer, an extremely oppressive wind from the south-east, but Bahrain's high temperatures are mainly tempered by the prevailing winds.




Figure (1-5): Clima-diagram of Bahrain

- a. Place of meteorological station
- b. Elevation above sea level (m)
- c. Number of years of observation
- d. Mean annual temperature (°C)
- e. Mean annual rainfall (mm)
- f. Temperature curve (mean monthly)
- g. Rainfall curve (mean monthly)
- h. Drought season

Table (1 - 8): Average relative humidity by month during the period 1983 - 1989
(mean maximum, mean minimum and mean of maxima and minima)

Year	Month												Annual Average
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
Average Maximum													
1984	91	89	85	74	75	73	80	75	87	84	85	86	82.1
1985	88	83	83	84	76	75	77	87	86	84	86	87	83.0
1986	92	89	85	86	79	78	82	85	86	87	86	87	85.2
1987	87	87	80	75	76	70	79	77	83	82	87	82	80.4
1988	86	87	83	78	69	72	77	80	81	82	82	84	80.1
Average Minimum													
1984	56	56	49	39	37	40	41	44	43	43	53	75	48.0
1985	58	45	49	42	41	40	43	42	43	48	56	57	47.0
1986	56	57	47	47	36	40	36	48	41	42	51	57	46.5
1987	57	50	46	36	31	33	34	42	40	43	54	54	43.3
1988	55	60	49	41	36	33	39	39	44	43	49	54	45.2
Mean of Maxima and Minima													
1983	71	72	67	66	65	62	56	59	66	72	73	74	66.9
1984	81	73	67	82	82	61	56	56	57	68	73	74	69.2
1985	75	73	68	66	69	68	68	64	65	72	68	87	70.3
1986	72	74	70	72	72	65	67	66	74	70	77	77	71.3
1987	73	74	65	62	58	52	53	62	70	78	75	81	66.9
1988	71	67	64	64	60	59	51	53	61	73	74	71	64.0
1989	61	72	63	61	59	62	55	52	60	64	66	64	61.7
Mean Years	72.0	72.3	66.3	67.6	66.5	61.3	58.0	58.9	64.7	71.0	72.3	75.4	67.2

Source: Civil Aviation Directorate, State of Bahrain.

1.4 Land resources

1.4.1 Soils of Bahrain

Apart from a narrow fertile strip of land in the north, Bahrain is low lying, rocky and bare, consisting of limestone rocks covered with varying depth of sand, which is too poor to support vegetation apart from a few tough desert plants. There is little soil in Bahrain which could be described as good from the agricultural point of view. The soil texture is mainly sandy with traces of organic matter (0.05 - 1.5%) and deficit in major nutrients and trace elements. Electrical conductivities (EC), in irrigated soils lie within the range of 4 - 12 mmhos. Non-irrigated sites have a higher range of EC. The dominant cation is sodium which exceeds sulphate the dominant anion. The calcium carbonate in most soils ranges from 15 - 30%. Most of the soils contain moderate amounts of gypsum mainly in the upper 75 cm of the soil profile. The water holding capacity is very low and the available moisture is about 2 - 6%. Infiltration rates are generally high up to more than 120 mm/hr.





In areas along the coastal strip calcareous impermeable layers are found at varying depths between 1, 2 and 3 meters and these have caused localized water logging and impeded leaching. In many areas of the recently abandoned agriculture, salinity levels have built up to a level where cultivation is not possible without extensive leaching.

1.4.2 Agricultural lands

The quality and availability of both soils and water have resulted in the concentration of agricultural activities on a relatively narrow strip of arable land around the north western coast of Bahrain island, with isolated pockets in the north central areas and along the east coast (Fig. 1 - 6).

Historical findings reveal that agriculture in Bahrain was very prosperous during early days. Cultivated areas fluctuated between 15,300 ha around the year 2000 BC and 4,600 ha around the year 650 BC. In recent years the cultivated area decreased gradually, while population continued rising rapidly. The per caput cultivated area (Table 1 - 9) has, therefore, decreased from 0.036 ha in 1924 to about 0.006 ha in 1989 and thus escalated the problem of self-sufficiency in food products.

LAND USE 1956

-  RESIDENTIAL
-  AGRICULTURAL
-  INDUSTRIAL
-  PORTS & AIRPORT

SCALE 1:200,000m



Figure (1 - 6): Land Use in Bahrain (1958).

Source: National Land Use Plan 2001, III (1988).




Table (1 - 9): Development of agricultural lands in Bahrain during the period 1924 - 1989.

Years	Agricultural land, ha			Population $\times 10^3$	Per caput cultivated area, ha	Relative Figures
	unused	cultivated	total			
1924	-	2385	-	66.0	0.036	100
1953	-	3224	-	124.0	0.026	72.2
1966	2049	3793	5842	187.8	0.020	55.6
1971	3950	2220	6170	216.1	0.010	27.8
1979	-	1750	-	330.0	0.005	13.9
1985	909.4	2909.5	3818.9	424.7	0.007	19.4
1987	901.9	2940.5	3848.4	457.6	0.006	16.7
1989	1041.4	3006.5	4047.9	488.6	0.006	16.7

Source: Annual Statistical Reports, Ministry of Commerce and Agriculture, State of Bahrain (1966 - 1991)

The decrease in cultivated areas during the last 2 - 4 decades has been attributed to several factors which will be discussed later. The dominant factor, however, seems to be the urbanization on the cost of agricultural lands. Figures 7 and 8 show the changes in land use in the years 1977 and 1988 as compared to 1956 (Fig. 1-6). The changes in the land use in Bahrain were also reported by Hunting (1979). The report classified the Bahrain land areas according to their capability for agriculture in the year 1976 (Table 1 - 10). Recent estimates for land capabilities for agriculture (1988) were compared with those of Hunting report.

It can be seen from Tables (1 - 10 and 1 - 11) as well as Figures (1 - 6, 1 - 7 and 1 - 8) that urban development took place mainly at the expense of better agricultural land, where economic farming would be possible. If this trend is allowed to continue, viable agriculture will not be possible even if investment is made. The better quality land has to be preserved for agriculture, if a general improvement is desired.

The category 1 (1055 ha) soil, which should be ideal for agricultural and horticultural use is unfortunately situated in areas where water is not available (Fig. 1 - 9). It is fragmented to such an extent that its immediate development is neither practical nor economical. This leaves category 2 (350 ha) or category 3 (310 ha) types of soils for immediate agricultural usage. In fact, these are the areas where farming is already concentrated, therefore, this is not a question of acquisition but of preservation.

As the extent of category 4 (6250 ha) land is fairly limited it also requires some degree of protection. Categories 2 and 3 can only be preserved adequately if their usage is preserved exclusively for agriculture. Part of category 4 could be used for urban development only where it is essential to allow the building of houses or amenities and there is no lower category soil in the vicinity.

As cultivable land is an irreplaceable national asset which cannot be created or regained easily once built upon, it was proposed that, even if all such land cannot and will not be used today for crops, it could still be preserved and kept in reserve. Therefore, lands falling in category 1 through 4 and 4D would be designated for exclusive agricultural use. Selected parts of category 5 could be preserved if they have a reasonable chance of being productively farmed in some form. The rest of category 5 land and all category 6 could be made freely available for urban and industrial development, as these do not have specific requirement for soil quality.


Table (1 - 10): Land capability for agriculture - 1979

Class	Hectare	Percentage
1. Good	1,055	1.78
2. Moderate	613	1.03
3. Moderate, liable to salinization	4,740	7.98
4. Moderately low, salt tolerant crops only	6,918	11.65
5. Low	17,940	30.20
6. Unsuitable	22,473	37.83
7. Urban and industrial	5,663	9.53
TOTAL	59,398	100.00









Source: Land utilization in Bahrain 1966 and 1977, February 1979 Hunting Technical Services Limited.

Table (1 - 11): Land capability for agriculture, recent estimates (1988)

Class	Hectare	Percentage	Change since 1976	Percentage
1. Good	1,055	1.77	0	0
2. Moderate	350	0.64	-263	42.92
3. Mod.liable to salinization	3,100	5.21	-1640	34.60
4. Mod.low, salt tolerant crops only	6,250	10.51	-668	9.66
5. Low	17,540	29.52	-400	2.23
6. Unsuitable	22,473	37.82	0	0
7. Urban and industrial	8,634	14.53	+2971	52.46
TOTAL	59,402	100.00		



LAND USE 1977












-  RESIDENTIAL
-  AGRICULTURAL
-  INDUSTRIAL
-  RECREATIONAL
-  COMMUNICATIONS
-  RECLAIMED AREAS
-  CEMETRY
-  MAJOR ROADS

SCALE 1:200,000m



Figure (1 - 7): Land use in Bahrain (1977)

EXISTING LAND USE 1988

-  RESIDENTIAL
-  AGRICULTURAL
-  HEAVY INDUSTRY
-  MEDIUM INDUSTRY
-  CULTURAL & INSTIT.
-  RECREATIONAL AND OPEN SPACE
-  COMMUNICATIONS/PORTS & AIRPORT
-  MOUNDS & ARCHAEOLOG.
-  SPECIAL USE AREAS
-  QUARRY SITE
-  OIL AND GAS FIELDS

SCALE 1:200,000m



Figure (1 - 8): Land use in Bahrain (1988)





Figure (1 - 9):

Land Capability For Agriculture



CLASS of ZONE	Symbol	Description
1		GOOD
2		MODERATE
3&3D		MODERATE, LIABLE TO SALINIZATION
4&4D		MODERATELY LOW
5		LOW
6		UNSUITABLE

SCALE 1:200,000m



Studies show that for a period of 13 years (between 1956 and 1969) very little change has taken place in agricultural areas. In the early seventies and beyond, sporadic residential compounds as well as direct encroachment caused by the horizontal expansion of existing settlements resulted in the decrease of agricultural land from 6,460 hectares in 1956 to about 4,070 hectares in 1988, reducing its ratio to total land area from 9.6% to 5.9% (Table 1 - 12 and 1 - 13).

Table (1 - 12): Change in agricultural land use (areas in hectares) during the period 1956 - 1988 and proposed growth by usage in 2001

Years	1956	1963	1969	1982	1988	Projected growth use in 2001
Area, ha	6 460	6 460	6 460	3 748	4 070	5 720

Table (1 - 13): Changes in agricultural land use during the period 1956 - 1988, percent of total area of Bahrain

Years	1956	1963	1969	1982	1988	Projected growth use in 2001
%	9.6	9.6	9.6	5.5	5.9	8.2

Source: National Land Use Plan 2001, Part III 1988.

1.5 Water resources

Bahrain's water supply is drawn from two main sources: groundwater and seawater which is desalinated for domestic supply. Bahrain is fed by the Eocene aquifers which provides the groundwater from a part of regionally extensive system which extends beneath the sea from Saudi Arabia. The regional hydraulic gradient is from west to east which implies recharge on the outcrop area of the aquifer system in Saudi Arabia.

1.5.1 Groundwater resources

The aquifer system dips beneath confining beds in the coastal zone of the Hasa region of Saudi Arabia. The sediments which form the confining layers persist beneath the sea to Bahrain, thus preventing invasion of the aquifer system by the seawater in this sea area. Immediately to the east of Bahrain, the aquifer system outcrops below sea level and seawater intrusion can occur. Bahrain acts as a major natural discharge area for the aquifers.

In Bahrain, there are principally two aquifers, termed "A" and "B" (fig. 1 - 10); both are developed within the Damman Formation (Lower and Middle Eocene) and are thus termed collectively the Damman Aquifer System, Table (1-14). The upper aquifer "A", Table (1 - 14) is developed in the dolomitic limestones of the Alat Member and the basal sandy limestone unit of the Neogene Formation (Lower Miocene). This zone possesses limited water yielding properties, where its transmissivity averages about 350 square meter per day (m^2/day). The average storage coefficient of the zone is about 0.0005 (dimensionless). The total dissolved solids in its water range between 2,500 and 4,500 milligram per liter (mg/l). Presently, the aquifer water has deteriorated beyond use for domestic purposes (Musayab, 1984) and is utilized mainly for small scale agricultural purposes by the local inhabitants.

The lower aquifer, "B" is developed in the Khobar Member (highly fractured dolomitic limestone) of the Damman Formation. The "B" aquifer is the principle groundwater reservoir at Bahrain where it provides more than 70% of the total groundwater requirement in the state (agricultural, domestic, and industrial). The unit is characterized by high transmissivity, averaging about 10,000 m^2/d , and a relatively low total dissolved solids ranging between 2,000 and 4,000 mg/l . The "B" zone storage coefficient averages about 0.00005 (dimensionless).

The two aquifers, "A" and "B", are separated by the basal marl of the Alat Member (Orange Marl Aquitard). The entire Damman aquifer system is bounded on the top by the thick clay stones of the Neogene Formation and on the base by the Sharks Tooth Shale Member of the Damman Formation, as shown in figure (1 - 10). At the crest of Bahrain anticline the Damman aquifers are absent due to erosion, hence exposing the Rus Formation. As the aquifers dip away from the axial crest of Bahrain structure, they show a thickening of about 60 meters for the "A" aquifer and about 55 meters for the "B" aquifer.




Figure (1-10): Schematic hydrogeological cross section showing Bahrain aquifers.

Table (1 - 14): Some characteristics of the main aquifers in Bahrain

Aquifer Name	Thickness (m)	Transmissivity (m ² /day)	Storage coefficient (dimensionless)	Permeability (m/day)	Quality (mg/L) salts
A Alat	up to 80	350	0.0005	2 - 6	2,500-4,500
B Khobar	40 - 55	10,000	0.00005	15 - 1200	2,000-4,000
C Umm Er Radhuma	350 - 400	3,000	-	-	-

A third aquifer, termed "C", is developed in the Rus (Lower Eocene) and Umm Er Radhuma (Upper Paleocene) formations rocks, and has good hydraulic properties (transmissivity averages about 3,000 m²/d), but unlike the situation in Saudi Arabia, contains high salinity water. Typical salinities of the "C" aquifer are about 10,000mg/l. At the core of Bahrain anticline (fig. (1 - 10)), where the Rus rocks are exposed, a lesser salinity water, ranging between 2,000 and 6,000 mg/l, is present in the form of floating lenses above the more saline, deeper water. This fresher water is the result of direct downward infiltration of rainfall. Produced water from the "C" zone is used mainly for industrial purposes and also as the raw feed water for a 10 Mm³/y Reverse Osmosis desalination plant.

Table (1 - 15) illustrates typical chemical composition of groundwater drawn from the "B" and "C" aquifers, in addition to the average drinking water in Bahrain.

Table (1 - 15): Chemical composition of groundwater in Bahrain (1985), in mg/l

Chemical Composition	Aquifers			Drinking Water
	A	B	C	
pH	7.47	7.52	7.00	7.58
TDS	3027	3942	9130	736
Sodium	734	874	1890	161
Potassium	68	94	81	9
Calcium	254	298	440	64
Magnesium	52	107	598	23
Chloride	243	1527	3700	284
Sulphate	558	845	2196	125
Bicarbonate	183	256	180	62

The surface aquifer, known as the Neogene, is a shallow, alluvial, unconfined aquifer occurring adjacent to the coast. Its source of water is made up from vertical leakage from deeper aquifers, spring flows, rainfall recharge and agricultural drainage water.

Figure (1 - 11) illustrates the salinity contours for the Khobar aquifer in Bahrain for the year 1989 (Al-Junaid, 1990), and it can be seen that salinity increases rapidly to the south and east. Salt water intrusion from the sea is almost certainly occurring in the vicinity of Sitra Island (Wright, 1967), due to the decrease in the piezometric level of the aquifer locally in the island and in Bahrain in general. Elsewhere in Bahrain Island, the deterioration in quality of the "B" aquifer is a result of saline flow from the underlying "C" aquifer under head differentials created by the excessive pumping of "B" aquifer. A third source of salinity is the irrigation return flows seeping to the aquifers in areas where they are exposed at the surface and under water table conditions. The return flows are concentrated in the upper layer of the aquifers affected and causes marked deterioration in the water quality in the hand-dug shallow wells.

The piezometric head in Bahrain has also declined as a result of increased groundwater abstraction from wells. It is estimated that a decrease of 4 to 5 meters has taken place since 1925, permitting saline water into the aquifer and rendering some central and coastal regions unproductive due to the pollution of the total water resources. The piezometric heads are highest northwest of the island and gradually decrease to the south east (fig. 1 - 12). This gradient reflects the groundwater flow which is in a south easterly direction.

Since mechanized well drilling and pumping started in 1925, there has been progressive decrease in spring water, and in certain areas (particularly the east coast) aquifers have become polluted with the consequent abandonment of land. There are now about 2000 water abstraction points, of which 800 are boreholes and the rest large diameter dug wells.




Figure (1 - 11): Isosaline contours of Khobar Aquifer in Bahrain

(Source: Al-Junaid 1990)




Figure (1 - 12): Piezometric contours of Khobar Aquifer in Bahrain

(Source: Al-Junaid, 1990)

1.5.2 Groundwater utilization

Groundwater use is restricted to the northern part of the island and becomes progressively more saline for agriculture to the south and south east. In broad estimates, groundwater abstraction can be divided into the following groups:

1. Agriculture
2. Gardens, private, etc...,
3. Municipal,
4. Industrial,
5. Desalination plants, and
6. Land and offshore springs.

Table (1 - 16) indicates groundwater utilization by the previous groups. This table shows that estimated current agriculture usage is 71 Mm³/y.

A further 28 Mm³/y is used for gardens, private land and landscaping.

Table (1 - 16): Groundwater utilization by sector in 1987
(Mm³/y)

Sector Use	Aquifer Source			Quantity	
	Dammam	Neogene	RUS-UER	Subtotal	Total

Agriculture:					
a) Dates	21	9		30	
b) Vegetables and alfalfa	41			41	71

Gardens, private, etc.	28			28]

Municipal	41			41]

Industrial	7		7	14]

Desalination Plants	-		22	22]

Land and offshore springs	15			15]

Total	153	9	29		191

1.5.3 Treated sewage effluent (TSE)

The shortage and the poor quality of groundwater in Bahrain has prompted the Government to consider the use of effluent water in agriculture, after suitable treatment. The only natural source of water supply is groundwater estimated to have a yield of around 180 Mm³/y in 1989 (Al-Junaid, 1990). This source of supply is not sufficient to meet the various demands and its quality places some limitation on its use. Groundwater supplies are being supplemented with desalinated freshwater which is primarily used for domestic water supplies. Treated effluent hence presents a valuable resource providing an initial supply of 22 Mm³/y and ultimate supply of around 60 Mm³/y.

The most practical utilization of TSE in Bahrain is in agriculture, as irrigation water. The reasons for this are:

1. Agriculture is one of the major users of water in Bahrain, as successful cultivation is nearly entirely dependent on irrigation;
2. Agricultural production must increase to provide food security for the growing population and to help trade balances; and
3. Available groundwater for irrigation is of poor quality, severely restricting the level of agricultural production.

1.5.3.1 Quantities of TSE

The waste water flow to the Tubli Water Pollution Control Center (TWPC) at present is around 65,500 m³/day, of which about 22,500 m³/d originates from house connections, 17,000 m³/d from septic tank discharges, 20,000 m³/d from groundwater infiltration and 6,000 m³/d from dewatering. A gradual increase in the flow is expected in the future primarily as a result of new house connections and the connection of new areas such as Muharraq and Hamad Town.

In the year 1995 it is estimated that the average daily flow would be around 95,000 m³/day and in the year 2010 around 166,000 m³/day (table 1 - 17). Presently commitments could be made for the utilization of around 55,000 m³/day of treated effluent corresponding to the capacity of the existing Tubli works.

Table (1 - 17): Proposed TSE quantities, m³/day

Description	Initial 1985*	1990	1995	2010
Landscaping	9,000	12,000	16,000	28,000
Agriculture	31,000	43,000	54,000	100,000
Industrial	5,000	8,000	17,000	22,000
G.water recharge**	6,000	6,000	8,000	16,000
Total	51,000	69,000	95,000	166,000

* Proposed but not implemented.

** Quantities for ground water recharge will be appreciably higher than those indicated in this table if the effluent in excess of agricultural requirements during the cold season is utilized for recharging.

Until recently only small quantity (5,000 - 6,000 m³/day) of the treated waste water is being used for irrigation in Bahrain (Al-Junaid, 1990). The remaining quantities (70,000 - 75,000 m³/day) is at present being discharged to the sea.

1.5.3.2 Quality of treated waste water

The Tubli waste water treatment plant includes an extended aeration activated sludge process for secondary treatment, followed by dual media filtration and disinfection by chlorination or ozonation for tertiary treatment. The Tubli facilities were designed, constructed and are now operated with the objective of recycling both the treated effluent and the stabilized sewage sludge.

In considering treated effluent use for agriculture and landscaping, two aspects of its quality are to be examined, namely the overall salinity and the different harmful ions. The projected quality of treated effluent is illustrated in table (1 - 18).

Table (1 - 18): Projected quality of Tubli effluent water
(values in mg/l)

Year	TDS mg/l (mmhos/cm)	Na ⁺	Cl ⁻	SO ₄ ⁼
1983	5000 (7.0 mmhos/cm)	1170	2250	750
1985	4400 (6.2 mmhos/cm)	880	1600	880
1990	3200 (4.5 mmhos/cm)	640	1150	640
1995	2750 (3.9 mmhos/cm)	550	1000	550
2000	2200 (3.1 mmhos/cm)	440	800	440

The table indicates that with the decrease in salinity, the concentration of harmful ions such as Na⁺, Cl⁻ and SO₄⁼ will also decrease. In 1983, the ratios of concentration of these ions to TDS concentration were 0.23, 0.45 and 0.15 for Na⁺, Cl⁻ and SO₄⁼, respectively. These ratios were affected to some extent by the infiltration of highly saline water and would definitely change once such infiltration is reduced or eliminated, and would approach the ratios found in aquifer water and potable water supplies. Accordingly, the expected ratios in the year 2000 would be 0.20, 0.36 and 0.20 for Na⁺, Cl⁻ and SO₄⁼, respectively.

The quality of the treated waste water generated at the Tubli plant could be considered as rather good from other non agricultural points of view. Chemical and hygienical properties of TSE of Tubli plant are given in Table (1 - 19).

Table (1 - 19): Quality of treated sewage effluent of Bahrain* as compared with TSE of Florida and the limits of UN (Schaefer, 1984)

Parameter	Bahrain mg/l	Florida mg/l	UN-limits mg/l
Biological Oxygen Demand (BOD)	1.2	2.0	10.0
Chemical Oxygen Demand (COD)	33	-	40.0
Salinity	2,833	-	-
pH value	7.6	-	7.0
Turbidity	0.014	0.05	-
Total Suspended Solids (TSS)	10.0	1.0	10.0
NH ₄	0.302	-	-
Total numbers of Bacteria (cells/100 ml)	0.25		100.0

* Extracted from the Yearly Report (1988) of the Tubli Water Pollution Control Center, State of Bahrain.

1.5.4 Water quality for irrigation

The quality of irrigation water dictates its suitability for various uses. Its suitability is determined by its potential to cause soil salinization problem and/or ionic toxicity and these may in turn call for special management practices for water use. Evaluation at the farm level needs to be carried out in connection with any specific use to determine the potential hazard to crop production under existing management capability.

FAO has established guidelines for use in evaluating and interpreting water quality for irrigation which are shown in table (1 - 20).

Comparison of the predicted Tubli water quality for the year 2000 (table 1 - 18) and the FAO guideline (table 1 - 20) could lead to the conclusion that the quality of the effluent will be slightly worse than the severe problem category, especially for Na^+ and Cl^- . Therefore, when irrigating with the Tubli effluent (especially for fruit trees) actual field tests have to be carried out.

1.5.5 Crop tolerance to salinity

Table (1 - 21) indicates the yield reduction expected for certain crops due to salinity of irrigation water under surface irrigation conditions. The table includes selected crops that can tolerate a certain minimum salinity at 0% yield reduction. The crop tolerance, however, are not fixed values. This tolerance also depends on irrigation and water management practices as well as stage of growth, root stock of root trees and varieties. Table (1 - 22) also shows different salt resistant species of landscape and forest trees, shrubs and grasses.

Table (1 - 20): Guidelines for interpretation of water quality for irrigation

Irrigation problem	Degree of Problem		
	No problem	Increasing problem	Severe problem
Salinity EC_w (mg/l) ^{1/}	500	500-2000	> 2000
Permeability EC_w (mg/l) ^{2/}	320	320-1280	> 1280
Adjusted SAR*			
Montmorillonite	6	6-9	> 9
Illite-vermiculite	8	8-16	> 16
Kaolinite-sesquioxide	16	16-24	> 24
Specific ion effect ^{3/}			
Sodium mg/l ^{4/}	70	70-20	> 210
Chloride mg/l ^{4/}	140	140-350	> 350
Boron mg/l	0.75	0.75-2	> 2
Miscellaneous effects ^{5/}			
NO ₃ -N (or) NH ₄ -N mg/l	5	5-30	> 30
HCO ₃ mg/l (sprinkling)	90	90-520	> 520
pH	Normal range 6.5-8.4		

Source: FAO Irrigation and Drainage Paper No. 29, Water Quality for Agriculture

1/ Salinity affects crop water availability.

2/ Permeability affects infiltration rate into soil.

3/ Specific ion effect affects sensitive crops.

4/ Most tree crops and woody ornamentals are sensitive to sodium and chloride in excess of 70 ppm and 100 ppm respectively. The use of sprinkle irrigation results in excessive leaf absorption and crop damage.

5/ Affects susceptible crops.

* SAR (Sodium adsorption ratio) =

$$\frac{Na}{\sqrt{\frac{Ca + Mg}{2}}}$$

Na, Ca and Mg are in meq/l.

Table (1 - 21): Crop tolerance to salinity

Crop	Percentage yield reduction							
	0%		10%		25%		50%	
	EC _e ^{1/}	EC _w ^{2/}	EC _e	EC _w	EC _e	EC _w	EC _e	EC _w
<u>Field Crops</u>								
Barley	8.0	5.3	10	6.7	13	8.7	18	12
Sugarbeet	7.0	4.7	8.7	5.8	11	7.5	15	10
Wheat	6.0	4.0	7.4	4.9	9.5	6.4	13	8.7
Cotton	7.7	5.1	9.6	6.4	13	8.4	17	12
Sorghum	4.0	2.7	5.1	3.4	7.2	4.8	11	7.2
Safflower	5.3	3.5	6.2	4.1	7.6	5.0	9.9	6.6
<u>Fruit Trees</u>								
Date palm	4.0	2.7	6.8	4.5	10.9	7.3	17.9	12
Fig, Olive								
Pomegranate	2.7	1.8	3.8	2.6	5.5	3.7	8.4	5.6
Grapefruit	1.8	1.2	2.4	1.6	3.4	2.2	4.9	3.3
Orange	1.7	1.1	2.3	1.6	3.2	2.2	4.8	3.2
Lemon	1.7	1.1	2.3	1.6	3.3	2.2	4.8	3.2
Grapes	1.5	1.0	2.5	1.7	4.1	2.7	6.7	4.5
<u>Vegetables</u>								
Tomato	2.5	1.7	3.5	2.3	5.0	3.4	7.6	5.0
Melon	2.2	1.5	3.6	2.4	5.7	3.8	9.1	6.1
Cabbage	1.8	1.2	2.8	1.9	4.4	2.9	7	4.6
Pepper	1.5	1.0	2.2	1.5	3.3	2.2	5.1	3.4
Lettuce	1.3	0.9	2.1	1.4	3.2	2.1	5.2	3.4
Onion	1.2	0.8	1.8	1.2	2.8	1.8	4.3	2.9
Carrot	1.0	0.7	1.7	1.1	2.8	1.9	4.6	3.1
Potato	1.7	1.1	2.5	1.7	3.8	2.5	5.9	3.9
<u>Forage Crops</u>								
Tall wheat- grass	7.5	5	9.9	6.6	13.3	9.0	19.4	13
Wheatgrass	7.5	5	9.0	6.0	11.0	7.4	15.0	9.8
Bermuda grass	6.9	4.6	8.5	5.7	10.8	7.2	14.7	9.8
Barley (hay)	6.0	4.0	7.4	4.9	9.5	6.3	13.0	8.7
Rye grass	5.6	3.7	6.9	4.6	8.9	5.9	12.2	8.1
Sudan grass	2.8	1.9	5.1	3.4	8.6	5.7	14.4	9.6
Alfalfa	2.0	1.3	3.4	2.2	5.4	3.6	8.8	5.9
Berseem clover	1.5	1.0	3.2	2.1	5.9	3.9	10.3	6.8

1/ EC_e is electrical conductivity of the saturation extract of the soil in mmhos/cm.

2/ EC_w is electrical conductivity of the irrigation water in mmhos/cm at 25°C. This assumes 15 - 20% leaching fraction and an average salinity taken by the crop about three times that of the irrigation water applied.

Table (1 - 22): Salt resistant landscape and forest trees, shrubs and grasses

Trees:

- | | |
|------------------------------------|---|
| 1. <u>Acacia arabica</u> | 10. <u>Melia azedarach</u> |
| 2. <u>Acacia decurren mollis</u> | 11. <u>Phoenix dactylifera</u> |
| 3. <u>Casuarina cunninghamiana</u> | 12. <u>Pistacia atlantica</u> |
| 4. <u>Casuarina equisetifolia</u> | 13. <u>Prosopis juliflora</u> (can
be used as animal feed) |
| 5. <u>Ceratonia siliqua</u> | 14. <u>Schinus maple</u> |
| 6. <u>Cordia alyssinica</u> | 15. <u>Sesbania grandiflora</u> |
| 7. <u>Eucalyptus globulus</u> | 16. <u>Tamarix spp</u> |
| 8. <u>Eucalyptus longifolia</u> | 17. <u>Terminalia catappa</u> |
| 9. <u>Ficus religiosa</u> | |

Shrubs:

- | | |
|----------------------------|--|
| 1. <u>Dodonea viscosa</u> | 5. <u>Puncia granatum</u>
<u>florepleno</u> |
| 2. <u>Lawsonia inermis</u> | 6. <u>Sesbania aegyptiaca</u> |
| 3. <u>Myrtus communis</u> | 7. <u>Yucca filamentasa</u> |
| 4. <u>Nerium oleander</u> | 8. <u>Yucca gloriosa</u> |

Climbers and creepers:

- | | |
|-------------------------------|----------------------------|
| 1. <u>Asparagus sprengeri</u> | 4. <u>Jasminum species</u> |
| 2. <u>Clerodendron</u> | 5. <u>Thunbergia alata</u> |
| 3. <u>Ipomoea pes-caprae</u> | |

Tuberous and herbaceous plants:

1. Agave americana
2. Agave sisalana
3. Sanservieria trifasciata

Herbs:

- | | |
|---------------------------------|-------------------------------|
| 1. <u>Anethium gravelous</u> | 4. <u>Plantago ovata</u> |
| 2. <u>Citrullus colocynthis</u> | 5. <u>Robbairia prostrata</u> |
| 3. <u>Herniaria hemcistemou</u> | 6. <u>Utrica urens</u> |

Grasses:

- | | |
|-----------------------------------|-----------------------------------|
| 1. <u>Aegilops kotschyi</u> | 6. <u>Eragrostis binnata</u> |
| 2. <u>Arisida spp</u> | 7. <u>Pispalum vaginatum</u> |
| 3. <u>Cenohurus ciliaris</u> | 8. <u>Festuca arundinacca</u> |
| 4. <u>Cymbopogon schoenauthus</u> | 9. <u>Stenotaphrum secundatum</u> |
| 5. <u>Tynodon dactylon</u> | |

1.5.6 Water requirements

The water requirements for each crop depend mainly on climate, growth stage and crop species itself. In Bahrain most of the vegetables are grown during the cool season; fruit trees, landscape trees, grasses and turf need to be irrigated all year round.

Table (1 - 23) summarizes the net monthly water requirements for some of the crops to be grown at the different sites.

The water requirements values in table (1 - 23) will be reduced by around 20% for crops and forages should a piped distribution system be utilized.

The crop water requirements indicated in table (1 - 23) are for the initial stage of effluent use, the requirements will gradually be reduced as the quality of water improves. Also, with the improvement of water quality, other forms of irrigation such as spray irrigation can be used which will further reduce water needs.

The landscape water requirement is minimal after establishment and the gross water requirement is as follows:

Tree large:	238 L/tree/day
Tree small:	230 L/tree/day
Shrubs:	80 L/plant/day
Grass:	20 L/m ² /day

1.5.7 Irrigation regions and zones

The evaluation of water requirements for irrigation and future productivity potential necessarily involves a procedure of zoning. Zonal definition are determined on the basis of existing soil, land capability and water quality resources characteristics.

Features such as bore inventory areas, natural and geographical, and TSE project proposals are all taken into account in deciding on the most appropriate boundaries for the irrigation zones.

Three main irrigation regions could be defined: (a) northern coast; (b) western coast, and (c) central/east coast.

These were further divided into 13 zones and 20 sub-zones as shown in table (1 - 24).

Table (1 - 23): Monthly water requirements in Bahrain (m³/hectare)

Month	Field Crops				Fruit Trees	
	Alfalfa ^{1/}	Rhodesgrass ^{1/}	Ryegrass ^{2/}	Barley ^{3/}	Dates	Mango
JAN	1865	980	1220	1280	600	390
FEB	2240	1435	1435	1650	760	765
MAR	3760	2690	2380	3110	1400	1760
APR	4700	2955	3130	-	2000	2585
MAY	6050	3780	-	-	2465	3710
JUN	6700	4200	-	-	2655	4285
JUL	6840	4335	-	-	3115	4165
AUG	6650	4210	-	-	3625	3775
SEP	5380	3430	-	-	3290	2710
OCT	4290	2690	-	2870	2510	1820
NOV	2740	1715	1830	2130	1400	880
DEC	2100	1280	1465	1710	850	520
Total	53315	3370	11460	12570	24670	27365

^{1/} Planting in October

^{2/} Planting in November

^{3/} Planting in October 1st crop, and in January 2nd crop for hay

Table (1 - 24): List of agricultural regions and irrigation zones

Agricultural Region	Zone	Irrigation areas Sub-zone	Total area (ha)	Net area ^{2/} (ha)
North Coast	A	North coast ^{1/}	472	
	B	East coast ^{2/}	224	
West Coast	C	Bani Jamrah	586	
	D	Hamalah	600	
	E	West coast	982	
	F	Al Zallaq	153	
Subtotal	Coastal		3,017	
Central Irrigation (TSE)	G 1	North Burham	200	125
		Green Belt		
	2	South Adari	205	130
	H 1	North Buquwwah	200	150
		2 South Buquwwah	225	170
	J 1	Shakhurah	325	245
		2 Maqabah	70	55
		3 Sar	125	95
	K 1	Nabi Saleh	65	50
		2 Sanad	165	125
	L 1	Hawarat Ali	223	170
	M 1	Salmabad	195	145
		2 Ali	354	265
	N 1	Highway	284	215
		2 Buri	113	85
Subtotal	Central		2,750	2,025

^{1/}

Includes Muharraq, Manama, etc.

^{2/}

In zones A - F this is actual based on known data; in the TSE region, the areas available are estimated at 75% of total surface area.

These zones and sub-zones are used for determining priority areas of development for the water management strategies and the TSE project. They can also be used for the administration of agricultural policies and organization of the extension services to farmers. Figures (1-9) and (1-10) show the location of the regions and zones.

1.5.7.1 Northern coastal irrigation region

Comprises two zones, the first from Budaiya to Jid Hafs, North of Manama - Budaiya Highway, and is characterised by a high level of water use and significant urbanization. The second zone includes other minor irrigation areas to the coast such as Muharraq and Manama.

1.5.7.2 Western coastal irrigation region

The coastal strip extending from Budaiya south to beyond Zallaq. This region comprises four zones. The region is bounded by the coast and the escarpment and poor soils to the east.

1.5.7.3 Central irrigation region

This includes all areas where groundwater is not a feasible source of supply for irrigation. There are 7 zones and 14 sub-zones.

The only feasible water resource for the Central Irrigation Region is TSE from the Tubli Plant. Preliminary studies have shown a favourable balance between land potentially suitable for agriculture and water required to irrigate that land.

CHAPTER II

SOCIO-ECONOMIC SETTING

2.1 Population

Population records in Bahrain are well established since the first national census conducted in January 1941. Since then five other censuses were conducted, namely in 1950, 1959, 1965, 1971 and 1981. The Government of Bahrain was planning to carry out the seventh national census in 1990. Necessary steps were taken but the census was delayed because of the Gulf war.

2.1.1 Population changes 1941 - 1981

The population of Bahrain was according to the census of 1941 in the range of 90 thousand inhabitants (table 2 - 1). The Bahraini proportion of the total was 82.3%. The population increased with annual growth rate ranging between 2.31 - 3.55% during the period 1941 - 1981. The Bahraini proportion of the total population remained stable at around 82% until 1971. The Bahraini proportion had reduced since 1981 to only 68.7% indicating a significant increase in the expatriate population over the decade 1971 - 1981.

The average annual growth rates for Bahrainis is of interest. There is a conspicuous rise in the early years due to improvements in health care, but since 1971 there has been a decline in growth rate. The data implies a declining trend, since fertility levels are likely to decrease with increased female educational attainment and participation in the labour force.

Non-Bahrainis have displayed a growth pattern consistent with the growth of Bahrain economy and emphasizing the reality that most non-Bahrainis are supplying labour to the national economy. From table (2 - 1) it is clear that their numbers in decade 1971 - 1981 rose from 37,885 to 112,378. The growth is even more marked in examination of the intercensal annual growth rates. The non-Bahraini population is predominantly male. In 1971 males accounted for 70.06% of total expatriates and 75.52% in 1981. The male proportion of the Bahraini population remained static at around 50.3% in the same period.

Table (2 - 1): Census population of the State of Bahrain

Year	Bahrainis	Non-Bahrainis	Total	Bahrainis %	% Annual growth rate	
					Bahrainis	Non-Bahrainis
1941	74,040	15,930	89,970	82.29	-	-
1950	91,179	18,471	109,650	83.15	2.31	1.64
1959	118,734	24,401	143,135	82.95	2.91	3.07
1965	143,814	38,389	182,203	78.93	3.38	8.18
1971	178,193	37,885	216,078	82.47	3.55	- 0.22
1981	238,420	112,378	350,798	68.65	2.95	11.46

Source: Statistical Abstract (1989). Central Statistics Organization, State of Bahrain.

2.1.2 Components of Bahrain population changes

1. The crude birth rate for Bahrainis declined from 44.0 in 1965 - 1971 to 37.6 for 1971 - 1976 and reduced further to 30.0 in 1976 - 1981 (crude birth rate is the number for births per annum per thousand population).
2. The total fertility rate for Bahrainis, measured as the average number of children born per female is reducing. It was estimated to be 6.6 during 1965 - 1971, 5.6 in 1971 - 1976 and 4.8 in 1976 - 1981.
3. Data on mortality is not as comprehensive as that on fertility. However, mortality has declined since 1941. Crude death rates for Bahrainis was 10.1 per thousand population per annum in 1965 - 1971, 8.2 in 1971 - 1976 and 6.3 in 1976 - 1981.

Apparent birth rates are declining faster than death rates, indicating that Bahrain is moving towards the end of a transitional phase, although it may take many years to reach a new level of stability.

2.1.3 Population distribution

Reliable information are required in order to decide what facilities are to be planned and consequently reserve land for their physical accommodation at the present time and in the future.

Central Statistical Organization (CSO) has published population forecasts to the year 2001 (table 2 - 2 and figures 2 - 1, 2 - 2 and 2 - 3). Population distribution by administrative area is also essential for the preparation and detailed plans for human settlements. Tables 2 - 3 and 2 - 4 illustrate population distribution and population projection by administrative areas for 1981 and 1988 respectively. Most of the population lives in Muharraq and Manama. However, the share of the total population for these two towns is decreasing. Their shares of population were 17.7 and 34.8% in 1981, and dropped to 15.75 and 29.32% in 1988. Hidd, Jidhafs, Northern region, Sitra and Western region maintained their share of population in the period 1981 - 1988. Central region, Riffa, Isa Town and Madinat Hammad areas are maintaining the increase in their share of population.

Table (2 - 2): Projection for Bahrain population classified by sex, nationality and year of projection

Year	Population, 000											
	Bahraini				Non-Bahraini				Total Population			
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
<u>(A) Low Projection</u>												
1971	89.8	88.4	178.2	26.5	11.3	37.8	116.2	99.8	216.0			
1981	124.5	123.0	247.5	84.6	27.4	112.0	209.1	150.4	359.5			
1991	168.2	166.8	335.0	117.8	45.1	162.9	286.0	211.9	497.9			
2001	218.9	217.5	436.4	130.9	56.7	187.6	349.8	274.2	624.0			
<u>(B) Medium Projection</u>												
1971	89.8	88.4	178.2	26.5	11.3	37.8	116.3	99.8	216.1			
1981	124.5	123.0	247.5	84.6	27.4	112.0	209.1	150.4	359.5			
1991	174.2	172.8	347.0	122.7	46.7	169.4	296.9	219.5	516.4			
2001	234.8	233.7	468.5	139.2	59.7	198.9	374.1	293.4	667.5			
<u>(C) High Projection</u>												
1971	89.8	88.4	178.2	26.5	11.3	37.8	116.3	99.8	216.1			
1981	124.5	123.0	247.5	84.6	27.4	112.0	209.1	150.4	359.5			
1991	178.7	177.7	356.4	133.7	50.2	183.9	312.4	227.9	540.3			
2001	240.2	239.9	480.1	155.9	65.8	221.7	396.1	305.7	701.8			

Source: Statistical Abstract (1989), Central Statistical Organization, State of Bahrain.

Bahraini Population Projections for the Period (1981 - 96)





Fig. (2 - 2)


Non-Bahraini Population Projections for the Period (1981 — 96)



Source: Statistical Abstracts (1989), Central Statistical Organization, State of Bahrain.

Fig. (2 - 3)

All Bahrain Population Projections for the Period (1981 - 96)



□ Low Proj. + Medium Proj. ◇ High Proj.
 Source: Statistical Abstract (1989), Central Organization, State of Bahrain.

Table (2 - 3): Population distribution by administrative area according to the 1981 census

Region	Bahrainis	Percentage	%age of total	Non-Bahrainis	Percentage	%age of total	Total	Percentage
Hidd	5,535	2.3	1.6	1,576	1.4	0.4	7,111	2.0
Muharraq	47,827	20.1	13.6	14,026	12.5	4.1	61,853	17.7
Manama	58,108	24.4	16.6	63,878	56.9	18.2	121,986	34.8
Jidhafs	29,747	12.5	8.5	3,946	3.5	1.1	33,693	9.6
Northern	16,716	7.0	4.8	5,401	4.8	1.5	22,117	6.3
Sitra	19,472	8.2	5.6	3,521	3.1	1.0	22,993	6.6
Central	12,903	5.4	3.7	3,873	3.4	1.1	16,776	4.8
Isa Town	19,957	8.4	5.7	1,318	1.2	0.4	21,275	6.1
Riffa	14,898	6.3	4.2	13,252	11.8	3.8	28,150	8.0
Western	12,945	5.4	3.7	1,558	1.4	0.4	14,503	4.1
Hawar Isd.	7	0.0	0.0	14	0.0	0.0	21	0.0
Total	238,115	100.0	68.0	112,363	100.0	32.0	350,478	100.0

Source: Statistical Abstract, General Statistics Organization (GSO), State of Bahrain (1989)

Table (2 - 4): Projected population distribution by administrative area for the year 1988

Region	Bahrainis	Percentage	Non-Bahrainis	Percentage	Total	Percentage
Hidd	6,956	1.47	2,472	0.52	9,428	1.99
Muharraq	53,454	11.30	21,057	4.45	74,511	15.75
Manama	58,225	12.30	80,551	17.02	138,776	29.32
Jidhafs	37,846	8.00	7,116	1.50	44,962	9.50
Northern	22,009	4.65	8,328	1.76	30,337	6.41
Sitra	24,659	5.21	6,303	1.33	30,962	6.54
Central	21,346	4.51	6,653	1.40	27,999	5.91
Isa Town	31,870	6.73	3,628	0.77	35,498	7.50
Riffa	26,737	5.65	19,713	4.16	46,450	9.81
Western	17,985	3.80	2,812	0.60	20,797	4.40
Hamad Town	12,670	2.68	905	0.19	13,575	2.87
3rd New Town	-	-	-	-	-	-
Total	313,758	66.30	159,538	33.70	473,296	100.00

Source: Special Project Team, October 1989, GSO, State of Bahrain.

2.2 Employment and labour force

The labour force in Bahrain has grown rapidly over the last years (1965 - 1991). The employed labour force increased from 53,274 in 1965 to 177,459 in 1991 (Table 2 - 5). The participation rates in the labour force has, however, differed according to nationality and sex (Table 2 - 5). The participation of Bahraini males was in the order of 40%, ranging between 41.8% in 1965 to 37.5% in 1991. Bahraini females on the contrary participated at much lower rates being 1.4% in 1965. The ratio of Bahraini female participation increased steadily to reach 10.2 in 1991 and is projected to reach 11.6% in 2001 respectively. The overall participation of Bahrainis in the labour force remains within the range of 21.3 - 24.7% of their population. Non-Bahrainis contributed to the labour force at higher rates, being 57.4% in 1965. This rate increased to reach the maximum of 72.5% in 1981 and decreased thereafter to reach 55.7% in 1991. Further decrease to 34.7% in the year 2001 is projected.

2.2.1 Employment in agriculture

The employment in the agricultural sector which includes agriculture, animal husbandry and fishery represented only a minor part of the total labour force in Bahrain (Table 2 - 6). The numbers of agricultural labour has steadily declined from 4,464 in 1959 to 3,990 and 3,709 in 1971 and 1981 respectively. The share of agricultural labour to total labour force has also declined from 12.4% in 1971 to 5.3% in 1981. This decline coincided with the shrinking of agricultural areas. The Ministry of Commerce and Agriculture has embarked on an ambitious programme of expanding agricultural land, encouraging private farmers to modernize their farming and irrigation methods. The development has helped to reverse the declining trends in employment in this sector. The employment in the agricultural sector has risen to 5,460 and 5,986 in the years 1984 and 1991 respectively. It is also expected that the numbers will reach 6,370 and 6,440 in the years 1996 and 2001 respectively.

Table (2 - 5): Changes in employment structure 1965/2001

	1965*		1971*		1981*		1991**		2001**	
	Number	Share %	Number	Share %	Number	Share %	Number	Share %	Number	Share %
(A) Labour Force										
Bahraini:										
Male	30,236		36,102		51,949		65,395		81,525	
Female	995		1,848		9,250		17,701		27,212	
Total	31,231	58.6	37,950	62.9	61,199	43.0	83,096	46.8	108,737	61.3
Non-Bahraini :										
Male	21,015		20,950		74,230		86,248		62,810	
Female	1,028		1,401		6,955		8,155		5,910	
Total	22,043	41.4	22,351	37.1	81,185	57.0	94,363	53.2	68,720	38.7
Grand Total	53,274	100	60,301	100	142,384	100	177,459	100	177,457	100
(B) Percent labour to population ***										
Bahraini:										
Male		41.8		40.2		41.7		37.5		34.7
Female		1.4		2.1		7.5		10.2		11.6
Total		21.7		21.3		24.7		23.9		23.2
Non-Bahraini:										
Male		-		79.1		87.7		70.3		45.1
Female		-		12.4		25.4		17.5		9.9
Total		57.4		59.1		72.5		55.7		34.7
Grand Total		29.2		27.9		39.6		34.4		26.6

Source: Statistical Abstract (1988), Central Statistical Organization (CSO), State of Bahrain (1989)

* Actual Census

** Projections made by CSO

*** Calculated based on medium projection for the population

2.3 Economic activities

Bahrain has experienced several changes of economic activities. Agricultural, fishery and pearl catching were the major economic activities in early days. By the discovery of oil in 1931 and the commercial exploitation of oil in 1934, the national economy of Bahrain started to depend mainly on oil. Refinery industry was then established, based on oil supply through pipelines from Saudi Arabia. The impact of oil on the economy of the country has, until recently, been considerable. Now the oil reserves are nearly exhausted, although still sufficient for local consumption, and natural gas is plentiful for power generation.

The anticipated decline in oil revenues in Bahrain triggered a guided shift in the economic activities. Significant industrialization and improvement of business industry were achieved. Major industrial operations include one of the biggest aluminium smelters in the world, ship repair yards, iron pellet plant, a petrochemical plant and other heavy industrial activities. Bahrain has also become a strong centre for communication, financial transactions, trade and entertainment. The western attitude of Bahrain has made the island become an attraction point for weekend tourism. Every international bank has a branch here, as does almost every hotel chain. The centuries old tradition of Bahrainis as far-ranging traders has been instrumental in fostering all these activities.

The relative importance of the different economic activities are made clear through calculating the share of those activities in the gross domestic production (GDP). The distribution of GDP by sector and the percent share of sectors to GDP are presented in Table (2 - 7). The contribution of agriculture and fishery was limited to only 1.6 - 1.8% of the GDP until the year 1986. The share of agriculture and fishery increased to reach 2.0% in 1991 and is expected to rise to approach 2.3% of GDP in the year 2001. During the same period (1975 - 1991) the share of oil to the national economy decreased from 25.5% in 1975 to 11.1% in 1991 and is expected to remain so until 2001. Transport and communication have witnessed a large increase from 6.2% in 1975 to 14.0% in 1991

Agriculture and fishery were among the economic activities showing positive actual growth during the period 1981 - 1982 (Table 2 - 8). Highest growth percentage (22.4% was recorded in 1981.

Table (2 - 7): Gross Domestic Production (GDP) by sector or origin (millions of 1977 BD) and percent share of each sector

	1975		1977		1981		1986		1991		1996		2001	
	mill. BD	%	mill. BD	%	mill. BD	%	mill. BD	%	mill. BD	%	mill. BD	%	mill. BD	%
Agriculture and Fishing	9.9	1.7	12.3	1.6	15.7	1.7	19.2	1.8	23.6	2.0	28.8	2.2	32.9	2.3
Mining and Quarrying	144.9	25.5	194.0	25.0	155.2	16.8	136.5	13.1	130.4	11.1	149.0	11.4	160.6	11.4
Manufacturing	123.1	21.7	86.1	11.1	126.2	13.7	122.1	11.7	159.9	13.6	184.6	14.0	201.1	14.2
Electricity and Water	1.2	0.2	3.2	0.4	7.5	0.8	14.2	1.4	15.9	1.4	21.6	1.6	27.7	2.0
Construction	41.1	7.2	81.4	10.5	110.7	12.0	145.7	14.0	139.0	11.8	121.0	9.2	102.4	7.3
Transportation and Communication	35.1	6.2	65.1	8.4	88.0	9.5	137.9	13.2	165.2	14.0	194.0	14.6	214.1	15.2
Trade, Hotel and Restaurants	76.3	13.4	122.0	15.7	113.0	12.3	127.8	12.3	164.6	14.0	191.0	14.5	214.1	15.2
Services	33.2	5.8	23.1	3.0	33.7	3.7	41.7	4.0	44.2	3.2	-	-	-	-
Banking and Insurance	12.7	2.2	60.9	7.8	93.2	10.1	103.6	9.9	94.1	8.0	95.0	7.2	95.0	6.7
Real Estate	43.9	7.7	48.3	6.2	77.4	8.4	65.9	6.3	80.2	6.8	97.6	7.4	118.7	8.4
Government	46.8	8.2	80.8	10.4	101.2	11.0	127.2	12.2	159.1	13.5	232.6	17.7	244.9	17.4
GDP	568.2	100.0	777.2	100.0	921.8	100.0	1,041.8	100.0	1,176.2	100.0	1,315.2	100.0	1,411.5	100.0

Sources: Based on information present in National Land Use Plan 2001, Vol. III, Ministry of Housing, State of Bahrain, 1988.

Table (2 - 8): Actual economic growth percentage by type of economic activity (1981 - 1987)

Type of Economic Activity	Year						
	1981	1982	1983	1984	1985	1986	1987
Agriculture & Fishing	22.4	6.7	(5.0)	(3.8)	(2.0)	0.5	9.5
Mining & Quarrying	(21.8)	(10.2)	3.7	13.7	7.4	(8.9)	(10.3)
Mining	(6.2)	113.3	15.6	(10.8)	(9.1)	(10.0)	(11.1)
Quarrying	32.6	(12.4)	(7.6)	7.2	(8.1)	46.3	(0.3)
Manufacturing	1.2	6.5	22.3	11.4	5.7	(9.7)	(2.1)
Electricity & Water	4.1	3.4	17.6	15.1	(19.7)	(13.8)	(4.2)
Building & Construction	8.4	17.8	8.3	13.3	(4.1)	(14.4)	0.8
Transport & Communications							
Trade, Hotels & Restaurants							
Trade	(12.9)	39.8	(11.1)	(27.8)	(13.7)	(12.0)	3.8
Hotels	(1.7)	1.7	(12.4)	(14.2)	(9.9)	26.4	23.3
Restaurants	8.1	25.0	30.0	6.2	-	(5.8)	9.2
Services	7.3	0.7	6.7	10.1	9.2	(3.9)	13.3
Banking & Insurance							
Local Banks	(8.6)	64.6	(1.0)	(3.0)	12.5	31.9	(4.4)
Offshore Banking Units	40.6	54.4	(11.8)	(7.9)	(4.1)	31.0	(24.9)
Insurance	30.8	30.2	(6.3)	(8.7)	(48.2)	(33.3)	(27.6)
Real Estate	15.9	4.6	3.4	5.9	(10.6)	(1.0)	(8.9)
Public Administration	10.4	11.4	1.4	10.9	6.6	0.2	2.4
Input Service Change	(35.5)	(92.5)	(34.2)	9.4	(15.5)	3.3	19.4
GROSS DOMESTIC PRODUCT	0.5	4.8	(4.2)	6.5	(5.3)	3.3	(2.5)

Note: Figures between brackets are negative values

Source: Statistical Abstract (1989). Central Statistics Organization, State of Bahrain.

2.4 Agricultural production

The agricultural land in Bahrain was 4047.9 hectares in 1989 out of which 3006.5 ha were actually cultivated. This limited land area is mainly used for growing date palms, alfalfa and vegetables. Some animal production activities based on local agricultural products i.e. milk production, or based on imported feed i.e. poultry and table eggs production, are also carried out.

2.4.1 Date cultivation

Dates occupy a unique position within the culture of Bahrain. Their historical, religious, aesthetic and social importance are comparable to their economic value to the community as a whole. The decline in date cultivation, the recent rapid death of so many plants on the island is of concern to the whole population.

From over 3000 hectares of productive, well cared for dates about 20 years ago, there remain only an estimated 983 ha. of productive dates (1986/1987 agricultural census), with the remainder in various stages of degradation.

The decline of productive date palms in many areas of Bahrain is not caused directly by the increased salinity of the water used for their irrigation but by the progressive build-up of salt in the root zone due to ineffective leaching. With effective drainage and correct irrigation methods, many of the original date groves which have recently been abandoned could be rehabilitated. If this is undertaken with water of high salinity, drip irrigation to the root zone which allows leaching downwards and away from the palms is essential. Table (2 - 9) shows number of date palms by municipality.

2.4.2 Alfalfa

The 1987/1988 census indicated that about 37% of all horticulture (defined as all crops other than dates and fruit trees) is devoted to the cultivation of alfalfa, used primarily as green fodder. Though some farmers devote most of their land to alfalfa, it is common to find it grown as part of a crop mixture. As, unlike vegetables, alfalfa provides a year-round income. Many farmers use the fodder directly to feed their own cattle, sheep and goats. However, there is an active market for fodder to feed horses, cattle and imported livestock awaiting slaughter. Alfalfa is the major and an important crop both as a cash crop and for the feeding of animals by the farmers themselves.

Table (2 - 9): Number of date palms by municipality

Municipality	Number of date palms			Total	Percentage
	Pollen palms	Bearing	All other palms		
Muharraq	1,415	18,383	4,053	23,851	6.87
Manama	2,181	29,850	4,182	36,213	10.43
Jidhafs	4,795	44,495	6,295	55,585	16.01
Northern	3,282	45,018	24,642	72,942	21.01
Central	1,103	20,831	18,928	40,862	11.77
Sitra	389	3,781	4,898	9,068	2.61
Western	2,842	67,517	38,329	108,688	31.30
Total	16,007	229,875	101,327	347,209	100
Percentage	4.61	66.21	29.18	100	

Note: Date palms in abandoned areas are about 446,500 in which 336,741 are bearing palms and 109,759 are not bearing.

Source: Agricultural Directorate, Results of the 1980 Agricultural Census, February 1980.

The average green yields of 311.9 hectares cultivated to alfalfa in 1989 have been estimated at 75 tons green weight per ha (table 2 - 10). Due to its ability to tolerate high degree of water salinity (even up to 6,000 ppm), alfalfa represents a valuable crop to Bahrain.

Table (2 - 10): Alfalfa area and estimated production

Description	Year					
	1984	1985	1986	1987	1988	1989
Area (ha)	303.9	306.9	311.0	311.8	312.1	311.9
Production (T/ha)	71.6	72.5	74.4	74.7	74.8	74.8

Source: Annual Statistical Reports, Ministry of Commerce and Agriculture, State of Bahrain.

Alfalfa is the most water demanding crop cultivated in Bahrain and the present small basin flood irrigation system commonly practiced leads to extensive water wastage.

It has been estimated that present water consumption rate of 66000 m³/ha/yr which is approximately double the water actually needed to cultivate this crop. Some other reports indicate that the common irrigation regime of alfalfa is every 2 - 3 days (Naghmouh, 1981) during the period October - March and every day during the period April - September. Average amount of water applied by flood irrigation everytime is in the order of 70 mm (700 m³/hectare), totalling 179,340 m³/ha. Diekmann (1981) reported of more realistic figures for irrigation of alfalfa based on lower frequency of irrigation, being every 3 - 7 days during winter and 2 - 4 days during summer seasons, totalling about 66,000 m³ water/ha. However, when considering the water losses in irrigation canals (40% according to Dastane and Ayub, 1979) and the wasted areas for boundaries around the basins (20%), the cost of water to grow alfalfa becomes very high, being about 111,000 m³/ha/year.

The productivity of alfalfa (Table 2 - 10) remained during the last years within the range of 74.8 ton/ha green material. Average dry matter content in alfalfa in Bahrain was found to be 22.83% (18.26 - 30.89%, Diekmann, 1981). The actual water amounts needed for production of alfalfa dry biomass ranges between 3,865 - 6,500 m³/ton. These figures are very high when compared with the productivity of alfalfa in some neighbouring countries.

2.4.3 Vegetables

Field measurements were undertaken by the Ministry of Commerce and Agriculture (Agriculture Affairs), to determine the area under vegetables during the agricultural years 1987/88 and 1988/89. The study showed that the total area under vegetables slightly increased during the last 3 years (Table 2 - 11). The major changes, however, were in the reduction of traditionally cultivated areas in the years 1987/88 and 1988/89 reaching 98.2% and 88.2% of the original area recorded for 1986/87 respectively. The area under protected agriculture, on the contrary, has increased by 19.4% and 118.5% in the same years respectively. The areas under drip irrigation showed slight increase of 2.5% in 1987/88 over the year 1986/87 and higher increase of 21.1% in the year 1988/89.

Over 35 different vegetables are grown but there is a strong seasonality of supply with 86% of production during winter and early spring. Gluts of local produce, particularly tomatoes the main crop, are common during spring.

Present water consumption on vegetable cultivation is estimated at about 20 Mcm/Yr. which represents an average rate of 44,000 m³/ha/crop which is well over twice the amount of water needed for this cultivation. Table (2 - 12) illustrates the total area under vegetables, during the period from 1974/1975 to 1987/1989 agricultural year, with index numbers.

Table (2 - 12): Total area under vegetables during 1974/1975 to 1987/1988

Agricultural year	Area (ha)	Index Number
1974/1975	374.67	100.00
1977/1978	428.93	114.48
1980/1981	575.39	153.57
1983/1984	555.66	148.31
1986/1987	834.72	222.79
1987/1988	835.36	222.96
1988/1989	851.27	227.21

Source: Annual Statistical Reports (1988 and 1989), Ministry of Commerce and Agriculture, State of Bahrain

Table (2 - 11): Comparisons between the 1986/1987, 1987/1988 and 1988/1989 agric. years, with index numbers

Kind of comparisons	Results			Index Number		
	1986/1987	1987/1988	1988/1989	1986/1987	1987/1988	1988/1989
1. Area under vegetables (ha)	834.7	835.4	851.3	100	100.08	102.0
a. Traditional agric.	520.6	511.4	459.2	100	98.23	88.2
b. Protected agric.	11.9	14.2	26.0	100	119.44	218.5
c. Drip irrigation	302.2	309.7	366.1	100	102.48	121.1
2. The estimated production of all vegetables (tons)	10406	10410	10138	100	100.04	97.4
	12.5 ton ha ⁻¹					

Source: Annual Statistical Report 1988 and 1989. Ministry of Commerce and Agriculture, State of Bahrain

Average tomato production in Bahrain in the last two census years 1987/88 and 1988/89 were 18.9 and 20.7 ton/ha respectively. The cost of water to produce tomatoes is therefore slightly increased during the last 3 years (Table 2 - 11). The major changes, however, were in the reduction of traditionally cultivated areas in the years 1987/88 and 1988/89 reaching 98.2% and 88.2% of the original area recorded for 1986/87 respectively. The area under protected agriculture, on the contrary, has increased by 19.4% and 118.5% in the same years respectively. The areas under drip irrigation showed slight increase of 2.5% in 1987/88 over the year 1986/87 and higher increase of 21.1% in the year 1988/89.

2.4.4 Dairy production

Milk and its products are considered as essential elements of meals in Bahrain. It is estimated that total consumption of milk and dairy products amount to 30,000 tons per annum of which only 5000 tons are locally produced (16.7%). Freshly produced milk represents 25% of total demand for liquid milk. The average per capita consumption of milk is 75 kg per annum which is considered low when compared to the international average of 120 kg. This figure is even higher in the developed countries 300 kg per capita per annum.

Bahrain's livestock statistics show that there are almost 8500 cattle of which 3000 are lactating cows. Dairy cows in Bahrain produced 1000 kg of milk/cow/year on average. This amount is too little even though cattle have adjusted to local production. 1500 imported cattle of good breed produce between 2500-3500 kg of milk per annum each.

There are five factories for dairy products, of which three are for fresh milk production and the other two for dried (skimmed) milk production. Operating at full capacity, these factories are able to cover most of local demand. The quantity of milk produced was estimated at 19,650 tonnes. All these products were locally consumed.

2.4.5 Poultry production

Local poultry production has developed in the past 10 years and its yield of meat and eggs has increased. Now it occupies the first place in investment in the agricultural field. The production of poultry meat has increased five-fold since 1975. Egg production has increased four-fold since 1975. Tables (2 - 13 and 2 - 14) show poultry meat and eggs locally produced and imported from 1975 - 1989. Local production of poultry meat, is limited to about 25% self sufficiency, while egg production could in some years reach 93% self sufficiency.

Table (2 - 13): Poultry production, 1975 - 1989

Year	Poultry, ton/year			% self sufficiency
	Locally produced	Imported	Total	
1975 ⁽¹⁾	731	1,994	2,725	26.8
1976 ⁽¹⁾	1,176	4,385	5,561	21.2
1983 ⁽²⁾	1,449	7,437	8,886	16.3
1984 ⁽²⁾	1,856	8,247	10,103	18.4
1985 ⁽²⁾	2,910	10,313	13,223	22.0
1986 ⁽²⁾	2,644	11,567	14,211	18.6
1987 ⁽²⁾	3,250	9,992	13,342	24.6
1988 ⁽²⁾	3,445	9,998	13,443	25.6
1989 ⁽³⁾	3,419	n.a.	n.a.	n.a.

n.a. not available

- Sources: (1) Ministry of Finance and National Economy (1976) Strategic Options Committee Report, Volume III.
 (2) Statistical Abstract (1989), General Statistical Organization, State of Bahrain.
 (3) Annual Statistical Report (1989), Ministry of Commerce and Agriculture, State of Bahrain

2.4.6 Livestock production

Livestock plays a vital and integrated role with crop and vegetable production in Bahrain. In addition to its being an essential food supply to humans, it contributes to maintaining and reclaiming agricultural land by supplying organic manure.

The livestock sector in Bahrain consists of cattle, sheep and goats. According to statistics, the cattle number 8,500, local and imported sheep amount to 6,500, goats 14,500, camels 1,000, and poultry are estimated 447,723. Most of animals (livestock) are kept in or near houses and a few only are kept on farms.

The Government is responsible for importing and providing the livestock for the population. The private sector's role is negligible. The main imports come from Australia (sheep) and Africa (cattle).

A yearly plan is set to import approximately 300,000 sheep and 10,000 cattle in conjunction with other GCC countries. The import constitutes up to 90% of the red meat demand in Bahrain.

Locally produced red meat (table 2 - 15) constitutes not more than 8% of the total demand and mostly comes from sheep and goats and in a small amount of cattle.

Table (2 - 14): Eggs production 1975 - 1989

Year	Eggs, million/year			% self sufficiency
	Locally produced	Imported	Total	
1975 ⁽¹⁾	17.8	35.6	53.4	33.3
1976 ⁽¹⁾	20.0	39.4	59.4	33.7
1984 ⁽²⁾	67.0	17.1	84.1	79.6
1985 ⁽²⁾	70.2	12.0	82.2	85.4
1986 ⁽²⁾	90.4	6.9	97.3	92.9
1987 ⁽²⁾	78.7	19.0	97.7	80.5
1988 ⁽²⁾	58.5	39.3	97.8	59.8
1989 ⁽³⁾	55.5	n.a.	n.a.	n.a.

n.a. not available

- Sources: (1) Ministry of Finance and National Economy Strategic Options Committee, Vol. II.
 (2) Statistical Abstract (1988), Central Statistical Organization, State of Bahrain (1989).
 (3) Annual Statistical Report (1989), Ministry of Commerce and Agriculture, State of Bahrain.

Table (2 - 15): Local meat production, 1980 - 1984

Year	Local production (tons)
1980	640
1981	682
1982	690
1983	710
1984	750

The restraints in meat production in Bahrain could be summarized as follows:

1. Shortages in fodders, especially green fodders.
2. The decline in local livestock production.
3. Limited agricultural land and irrigation water.
4. Harsh climate.
5. Insufficient experience of livestock breeders.

The agricultural improvement plan incorporates many programmes and projects that aim to increase red meat production. This will be achieved through the improvement of local livestock production and increasing livestock size through expansion in green fodders production by using TSE. In 1991 it is expected that local red meat production will reach 1000 tons or 12% of local demand and in year 2000 it will reach 1500 tons or 16% of demand.

2.4.7 Fish production

Bahrain is known since ancient times for its fishery and pearl catch activities. Fish and fish products are of the very few commodities of which Bahrain has reasonable self-sufficiency. Table (2 - 16) indicates that the percentage of self sufficiency in fish and fish products remains stable around 70% throughout the last decade, in spite of the large increase of the population of Bahrain from 359.5 thousands in 1981 to 473.3 thousands in 1988 (nearly 31.7% increase in seven years).

Table (2 - 16): Fish locally caught and imported,
tons 1981 - 1988

Year	Local	Imported	Total	% self sufficiency
1981	5,747	1,786	7,533	76.3
1982	5,594	1,932	7,526	74.3
1983	4,812	3,154	7,966	60.4
1984	5,599	3,021	8,620	65.0
1985	7,773	2,929	10,692	72.6
1986	8,057	2,932	10,989	73.3
1987	7,842	3,568	11,410	68.7
1988	6,737	3,079	9,816	68.6

Source: Statistical Abstract (1989). Central Statistics Organization, State of Bahrain.

CHAPTER III

The Status of Desertification in Bahrain

Desertification is the man-made process of the degradation of land so that it loses its capacity to provide economic returns under cultivation or grazing. In another term, the desertification leads to the increase of the deserted area and the decrease of the fertile and productive land.

The process has recently been recognized internationally as a world-wide problem with the United Nations Conference on Desertification held in Nairobi, Kenya in 1977. Accordingly, desertification commonly appears as the deterioration of land, water and other natural resources under ecological stress. Deterioration implies that activities in an area have been unsuitable, either in degree or in kind. Such activities may have been pursued because of lack of environmental knowledge or experience of, because alternatives were lacking, or in an attempt to maximize short-term gain at the expense of long-term productivity. Education, social and economic advancement and the adjustment of population growth to the development of resources are the key elements responsible for initiation of desertification or successfully combating it.

While water, soil and other material and biological resources are often the limiting physical factors, social, political and other human systems for making decisions and implementing plans, and the inadequate availability of financial resources, may constitute the major constraints to development, prevention of desertification and rehabilitation of desertified lands.

In Bahrain, desertification could be attributed mainly to several factors of the following:

1. Adjustment of population growth to the development of resources
2. Social and economic advancement
3. Water and soil quality

Until recent decades, Bahrain was known as the "green spot of the Gulf". The remains of palm trees and signs of irrigation systems in the northern and north-eastern areas of Bahrain prove that this was a green area in the midst of desert.

The last four decades in Bahrain have witnessed a large increase in population and hence a sharp decrease of the percaput cultivated areas from 0.026 ha in 1953 to only 0.006 ha in 1989 (Table 1 - 9). This has escalated the problem of self sufficiency in food products. Increased prices of agricultural products, due to scarcity called the farmers for increased consumption of irrigation water to improve land productivity. With both the rapid increase in population and prosperity, farming expanded and borehole pumping increased.

Prior to 1925, Bahrain population depended entirely on the numerous land and offshore freshwater naturally flowing springs fed by the Dammam aquifer. The estimated natural flow from these springs was about 93 million cubic meter per year (Mm^3/y). The aquifer pre 1925 condition was conceptualized by many studies to constitute steady state condition, and the estimated level of discharge from the aquifer to be close to the safe yield for the Dammam aquifer.

The transient conditions of the aquifer started when mechanized well drilling and pumping of the groundwater was introduced in the early 1930's, along with the oil discovery at Bahrain. Since then, and due to the rapid growth of the population at the islands, about 3% annually, the agricultural and domestic demands have increased tremendously, and were met mainly by well development in the Dammam aquifer; the aquifer withdrawal has increased substantially from about $63Mm^3/y$ in 1952 to about $180 Mm^3/y$ in 1989 (fig. 3 - 1). Due to that, the aquifer has been experiencing a sharp and continuous decline in its potentiometric levels, indicating the aquifer total discharged volume at Bahrain Islands is exceeding its recharge from mainland Saudi Arabia and water is being taken from the aquifer storage. As a result of this decline in the aquifer's potentiometric surface, a significant reduction in the spring's flow has occurred with most of them ceasing flow presently and, more dangerously, the contamination of the aquifer water by: (1) sea water encroachment; and (2) the upward invasion from the underlying saline water zones (fig. 1 - 10). These processes have already reached alarming levels at Bahrain Islands, where more than half of the original aquifer fresh water volume has been polluted. The water supply for irrigating agricultural lands became increasingly more saline. To combat this salinity, farmers have resorted to using more and more water, thus exaggerating the situation. Therefore, important areas have been abandoned because of their salinization. The major water resources are in a precarious balance as a result of




Figure (3-1): Groundwater extraction in Bahrain by sector during the period 1952 - 1989

continuous and prolonged over-abstraction of the Dammam aquifer system, mainly in the northern and western coastal regions. The over-abstraction of the ground water is posing a crises for agriculture in Bahrain, due to the loss in piezometric head of up to 5.5 meters (Al-Junaid, 1990), leading to saline intrusion from the sea and vertically from the underlying salty Umm Er Radhuma aquifer. This has already led to considerable central areas going out of agricultural production. If the current rates of abstraction continue, most of the remaining agricultural areas will be unsuitable for vegetable production, as well as a general decline in the productivity of many date groves will occur.

The decline in agricultural land was slow and gradual in the 1950's but the following decades have seen very radical, fast and drastic changes in the agricultural sphere. Therefore, land devoted to active agricultural production has been abandoned and thus the agricultural land decreased in area from 5,063 ha in 1966 to 4,020 ha in 1988.

The causes for desertification by degradation of agricultural land in Bahrain can be summarized as follows:

3.1 Physical causes

3.1.1 The availability of suitable water for irrigation: This situation caused a gradual degradation of agricultural land. In the early 1980's less than a quarter of the original farm land had access of a quality of 2,000 TDS and agriculture has gradually retreated to the northern and western coastal strip leaving abandoned and part abandoned fields behind.

3.1.2 High water consumption per hectare: Water consumption for agricultural purposes now exceeds that used in the past when almost double the amount of land was being cultivated. The misuse of the irrigation water and the lack or the absence of the drainage systems are responsible for the accumulation of salts in the soil, water logging is also present due to the over irrigation. Important areas have been abandoned because of the salinization. Therefore, there is a serious problem due to the over-use of finite water resources which puts all agriculture on the island of Bahrain in jeopardy.

3.1.3 Reclamation activities along the shore line have adversely affected the quality of some good agricultural areas thus bringing about an evolution in the ecosystem.

3.2 Socio-economic factors

3.2.1 Deliberate negligence by some owners of agricultural land resulting in their abandonment and converting them to industrial and commercial sites.

3.2.2 Land speculation especially in areas adjacent to main urban centres.

3.2.3 Land devoted to active agricultural production have been subjected to encroachment by other uses (i.e. encroachment on agricultural areas by urban sprawl has eaten up more than 740 ha from Manama's green belt, and about 2,000 ha of agricultural land gave way to residential, industrial and public uses since 1976).

The dangers of giving up good agricultural land to real estate are apparent. The changes of hard and fast profits anticipated have lead to an increase in prices which has made it too expensive to keep as agricultural land for all time. This has resulted in the destruction of agricultural land and palm trees.

3.2.4 Fragmentation of holdings, the use of basin irrigation and the sporadic unorganized cultivation of date palms hindered the mechanization of agriculture.

3.2.5 Agricultural activities (farming) are carried out mainly through tenants who face many problems, i.e:

- a. Dealing with several landlords for small areas.
- b. Absence of fair rent and security that could attract tenants to improve their production (written contracts are not common practice), and
- c. Most of the agricultural labour are foreigners (45%), old (average age 48 years) and illiterate.

3.2.6 The unwillingness of young Bahrainis to work in agriculture is due to misconception of prestige, hard working conditions, long daily working hours with little reward. The availability of other, easier jobs with better conditions and promising future does not encourage careers in agriculture.

The natural consequence was the deterioration of agricultural land and the decline in its share of the country's economy. The predominant feeling is that the continuation of this situation will lead to the complete atrophy of agriculture. The destruction of the remaining green areas as a good resource and the gradual transfer to semi desert by the turn of the century unless certain measures have been considered and implemented.

CHAPTER IV

Review of past and current efforts for combating desertification in Bahrain

Realizing the desertification problems in Bahrain, the government has started several projects and carried out several activities to help in reducing water consumption and reclaiming agricultural lands. The actions taken by the government institutions so far were concentrating on water and land resources.

4.1 Current efforts to conserve groundwater in Bahrain

Faced with the problem of increased withdrawal of groundwater in Bahrain and hence the related problems i.e. increased salinity of water, the water authorities in the State of Bahrain made the following efforts to conserve groundwater, namely:

4.1.1 Generation of several Amiri Decrees to regulate drilling for water and water use, i.e. Water Law 2 of 1971 (Annex I) and Amiri Decree 12/1480 (Annex II).

4.1.2 Installing boreholes flow meters: This was initiated at the end of 1982 and completed at the end of 1984, and included about 1,600 boreholes (the total number of boreholes is 2,000). The purpose of this metering programme is to have good control of the abstraction rates.

4.1.3 The construction of desalination plants: Two desalination plants were constructed to substitute for some of the domestic abstraction volumes from the aquifer. The first plant, commissioned in 1976, uses a multistage flash (MSF) technology with an output of 36.8 Mm³/y and is fed by the sea water. The second plant, commissioned in early 1984, utilizes the new technology of Reverse Osmosis (RO), with an output of 14 Mm³/y and uses brackish feed water from the lower Rus-Umm Er Radhuma aquifer. A third RO plant with an output of 10 Mm³/y and to use sea water is due for commissioning in 1991.

4.1.4 An Amiri Decree (No. 12/1980) for preventing the production of water from the Dammam aquifers for two years: The decree went into effect in 1981, and was extended for another two years from 1983 - 1985. The decree was not extended after that.

4.1.5 An Amiri Decree (No. 7/1982) for the formation of the Higher Council of Water Resources.

4.1.6 The construction of a sewage treatment plant: Presently about 5.9 Mm³/y tertiary treated water is used for agriculture (about 15% of the total production).

4.1.7 The initiation of a major water loss detection programme in 1985 by the Ministry of Works, Power and Water. This programme has reduced the water supply network loss from about 30% to about 12% (early 1991).

4.1.8 The formation of the Permanent Committee for Water Research with representatives from the Ministry of Commerce and Agriculture, the Ministry of Power, Water and Works, the Bahrain Centre for Research and Studies, and the Arabian Gulf University.

4.1.9 Training and Education:

- a. Presently, there are 10 Bahraini hydrogeologists (2 Ph.D, 1 M.Sc, 7 B.Sc).
- b. The Arabian Gulf University offers and M.Sc. degree in hydrogeology under the Postgraduate Programme for Desert and Arid Zones Sciences. In addition, the University is in the process of offering a specialized hydrogeological workshop titled "Microcomputers use in groundwater hydrology", and to be offered in 1991/1992 academic year.

4.1.10 Research Development:

4.1.10.1 A comprehensive hydrogeological study on the groundwater resources of Bahrain, including a computer flow model (GDC, 1980): the numerical study covered the period from 1925 to 1979. The major recommendation of the 1979/80 study is that in order to preserve the aquifer from total contamination by saline waters, the total abstraction rate should be gradually reduced to 90 Mm³/y by the year 2000, and substituting the increase in demand volumes by constructing major desalination programme. As can be seen from the 1989 level of production, this 1980 recommendation could not be implemented due to financial problems.

4.1.10.2 The initiation of a national research project "Strategy for Development and Use of Water in Bahrain". The study started in October 1990, and is sponsored by the Bahrain Centre for Research and Studies, Ministry of Works, Water and Electricity, Ministry of Commerce and Agriculture, with technical assistance from the Arabian Gulf University. The project objective is to build a Master Plan for optimum water use in Bahrain.

4.1.10.3 A proposed seminar on Desertification, organized by the Arabian Gulf University (AGU) in co-operation with the Secretariat-General of the Co-operation Council for the Arabian Gulf States, the Islamic Bank for Development and UNEP, to be held at AGU - Bahrain in February 1992.

4.1.10.4 An artificial recharge study (Lori, 1988) titled: Storage of freshwater in saline aquifers in Bahrain. The study tested the temporary storage of treated sewage water in the Umm Er Rhaduma aquifer and its feasibility, particularly in its upper parts where the salinity is relatively less. The study included the best practices for such storage procedures.

4.1.10.5 A numerical hydrological study for the Damman aquifer system in Bahrain and Eastern Saudi Arabia (Zubari, 1987). The main conclusion of the numerical study is that the aquifer condition, in terms of quality and quantity, is reversible if production of water in Bahrain is reduced and the aquifer usefulness could be prolonged if the abstraction rates from the aquifer are reduced or at least maintained at their 1984 levels of $144 \text{ Mm}^3/\text{y}$. The study indicated that the Bahrain production is responsible for about 85% of the lowering of the potentiometric heads at Bahrain, while Saudi Arabia is responsible for the rest.

4.1.10.6 A study on saline Khobar Model (GDC, 1983): The study objective was to evaluate the Rus Um-ErRadhuma (C) brackish aquifer as an alternative feed water source to seawater for a proposed reverse osmosis desalination programme for municipal water supply. Several models were constructed to provide detailed assessment of the aquifers (C) and (B). The study recommended that the overall (B) aquifer production be reduced to $90 \text{ Mm}^3/\text{y}$ and that cuts should be concentrated in the areas where the threat of salinity is most immediate. The models precast that if this recommendation is implemented, the saline interface will retreat to approximately its 1955 position by the year 2000. Furthermore, upward leakage in the central areas will decline markedly by the year 2000 due to lower (B) aquifer abstraction and lower aquifer (C) piezometric levels due to increase in its abstraction.

4.1.10.7 A study evaluating the water resources in Bahrain from 1979 to 1989 (Al-Junaid, 1990). The major conclusion of the study that salinity had increased in all areas of Bahrain due to the increase in the water abstraction in the past decade. The major recommendation emphasized the use of the non-traditional waters to alleviate the aquifer stresses.

4.1.11 Mass media and awareness: Media campaigning was started in 1984 by the Water Supply Directorate aimed at rationalizing water use at the state level.

4.2 Current efforts to improve land capabilities in Bahrain

The Ministry of Commerce and Agriculture in Bahrain was, and still is, the only organization in charge of development of agriculture in the country. Bahrain University, Bahrain Centre for Research and Studies contributed to the matter through organizing information about water resources. Survey of agricultural lands, productivity of actually cultivated lands as well as research activities to improve agriculture production were taken care of by the Agricultural Affairs Dept. of the Ministry of Commerce and Agriculture. Studies and projects aiming at improving irrigation methods, fertilization, cultivation methods and crop yields were carried out since more than two decades. Most of these activities were done by experts and local staff with collaboration of United Nations Organizations, i.e. UNDP, FAO and UNEP, as well as the Federal Republic of Germany (GTZ) and China. Major studies to improve land capabilities in Bahrain are listed below:

- | | |
|------|--|
| 1970 | Irrigation with Polythene. Dept. Agric. Bahrain (Ayub, M.) |
| 1970 | Vegetable variety, planting date and fertilizer trials. Rep. Dept. Agric. Bahrain (Badawi). |
| 1971 | Water and Agricultural Studies in Bahrain. Final Report Vol. I (Ital consult, Rome) |
| 1973 | Survey of agricultural land in Bahrain. Dept. Agric. Bahrain (ERCON, England) |
| 1973 | Strengthening of the Department of Agriculture Services in Bahrain. Vol. II. Dept. Agric. Bahrain (ERCON, England) |

- 1974 Irrigation and drainage in Bahrain. A general Mimeographed report. Dept. Agric. Bahrain (M. Ayub)
- 1974 Irrigation trials on winter vegetables. 1st Rep. UNDP/FAO/BAH/71/50/- (Peterson, C. and M. Ayub)
- 1974 Trickle feed irrigation system. Dept. Agric. Bahrain (Peterson, C. and M. Ayub)
- 1975 Improved irrigation practices in Bahrain. Dept. Agric. Bahrain (Al-Hasan, A., M. Ayub and M.A. Ashkar)
- 1975 Feasibility study on the reuse of sewage effluent for agricultural purposes. Report to the State of Bahrain (McGowan X.P. and Associates Pty. Ltd. Australia)
- 1976 Irrigation methods and practices in Bahrain. Final report, UNDP/FAO/BAH/74/005 (Peterson, C.)
- 1976 Drainage in Bahrain. Final Report, UNDP/FAO/BAH/74/005 (Brinkhorst, W.)
- 1976 Farm mechanization. Final report, UNDP/FAO/BAH/74/016
- 1977 Results of research and demonstration programme of vegetable crops. UNDP/FAO/BAH/74/016 (Baha-Eldin, S.A. and A.A. Mansour).
- 1978 Bahrain agricultural potential study. Rep. 1 - Survey and Sector Review. State of Bahrain (Hunting Technical Services)
- 1978 Mitteilungen zur Beurteilung der Boeden von 10 Luzernebaubetriebe in Bahrain. Univ. Bonn, FRG (unpublished).
- 1979 Water management for crop production in the State of Bahrain, Review and Suggestions. Rep. FAO to Dept. Agric. Bahrain (Dastane, N.G. and M. Ayub)
- 1979 Progress of drainage work in Bahrain. A General Report. Dept., Agric. Bahrain (Ayub, M.)

- 1979 Sprinkler irrigation trial on forage crops in Bahrain. GTZ (FRG). Rep. Dept. Agric. Bahrain (Diekmann)
- 1979 Groundwater abstraction and irrigation in Bahrain. Inst. Geological Sciences, London and Agric. Directorate, Min. Commerce and Agric. Bahrain (Wright, E.P. and M. Ayub)
- 1981 Soil reclamation and improvement report. FAO Regional Project for land and water use in the Near East and North Africa. A study about Bahrain and Qatar (TF/REM/508(MUL) NECP, Terminal Report (Nagmouh, S.R.)
- 1981 Untersuchungen zum Futterbau in der Bahrainischen Landwirtschaft. "Experiments on cultivation of fodder crops in Bahraini agriculture". Ph.D. Thesis, Univ. Bonn, FRG (Diekmann, J.)
- 1982 Revitalizing Bahraini farming with improved water management and higher crop density. FAO/TF/REM/Mul Field Document 22 (Dastane, N.G. and M. Ayub)
- 1988 National land use plan 2001. Min. Housing, Physical Planning (Bahrain) and CNCHS (HABITAT), Nairobi
- 1988/1989 Youth participation in Environmental Preservation. A UNDP and GOYS of Bahrain programme to encourage youth to plant drought resistant trees in Bahrain as a measure to combat desertification
- 1989 Reuse of treated wastewater and sludge for agriculture in Bahrain. Report FAO/AGLS to Min. Commerce and Agric. Bahrain (Arar, A.).
- 1989 Treated effluent utilization, Phase II. ACE - Bahrain, Min. Commerce and Agric. and Min. Works, Power and Water.

CHAPTER V

NATIONAL PLAN OF ACTION
TO COMBAT DESERTIFICATION5.1 The Magnitude of the Desertification Problem

The great demographic growth and the continuous expansion of economic construction since the early seventies of this century lead to an increase in the demand for water to serve the needs of urban, agricultural, and other development sections. This has led to a widening of the gap between available water resources and the demand thereof. Indications of water deficiencies appeared on the horizon; since total water consumption from the El-Dammam formation, which was 113 Mm³ in the year 1966 (Sutcliff 1967), increased up to almost 180 Mm³ in 1989 (BWR, 1990). As for the Rus-UmErRaḡhuma formation, a 2 Mm³ consumption in 1966 became 32.5 Mm³ in 1989. The continuous increase in the rate of exploiting ground waters is liable to lead to a big fall in the water level of the Dammam formation. It is estimated that it has fallen by about 4 - 5 m. since the year 1924. Moreover, discharge rates from natural springs decelerated at an increasing rate during the past fifty years. This has led to the extinction of some of the springs, and to an over-all diminishing of the proportion of irrigation waters acquired from springs. Discharge in the year 1924 was ca. 57 Mm³. It became only 8.1 Mm³ in 1979 (GDC, 1979). Salinity of spring waters also increased to a great extent. Pumping from ground waters also lead to a deterioration in water quality due to upward leakage at the north central part of the Khobar layer and to sea water encroachment at the eastern and southern parts. It is estimated that the saline interface between sea and ground waters advances at the rate of 75 - 130 m. per year (GDC, 1979).

The trend in land use patterns underwent immense changes in types, intensity and spatial occupation of use. Specially since 1970, agricultural areas have been encroached upon by other uses, particularly in the northern and central areas. The competition for land during the period of economic take-off has caused drastic changes in land use. Once highly productive agricultural land (particularly date palm gardens) gave way to other profitable usages, i.e. residential divisions, industries, public buildings, and the like (Annual Statistical Report, 1989). Furthermore, the increasing salinity of groundwater has also caused the decline of agricultural land use, and farms which were formerly cultivatable have ceased to be so. Accordingly, the agricultural land use has steadily declined from 6460 ha in 1956 to 3748 ha in 1982. In recent years, due to intensive efforts of the Ministry of Commerce and Agriculture (MOCA), the agricultural areas slightly increased, from 3748 ha in 1982 to 4020 ha in 1988. Nevertheless, the overall situation in Bahrain is characterized by the appearance and steady advance of desertification.

5.1.1 National Plans

Different plans, adopted by the State of Bahrain, gave particular attention to topics that are directly or even indirectly related to containing and reversing desertification phenomenae. They aimed at combating the continuous deterioration in the agricultural sector and at improving Bahrain's agricultural map.

5.1.1.1 Agricultural Sector's Plan for 1981-1986

The main aim of this plan was to preserve the most important natural resource required for agriculture, namely water. It aimed at conserving the current agricultural regions and at adding additional areas, not used at that time, for such activities. Agricultural productivity should also be enhanced (crop and animal production including poultry). Thus, the plan aimed at increasing the agricultural area by about 10% - 25% according to the type of crop; at conserving up to 30% of water requirements for agriculture; and at improving the productivity of agricultural labour by 15%. The plan projected a 40% - 50% increase in agricultural output (MOCA, 1980).

This plan gave particular attention to a scheme for subsidies and economic aid, to improve the conditions of the farmers. Their living standard was to improve noticeably. This scheme included various items: machinery and tools to encourage their intensive use and to diminish the dependance on an unavailable work force, subsidies for specific crops to permit the Bahraini farmer to acquire experience in such products considered to be important for Bahrain, e.g. potatoes, onions, etc....

Financial incentives were included for:

- The introduction of modern irrigation techniques that preserve water.
- Drainage schemes for stopping saline intrusion and enhancing productivity.
- Productivity schemes, by encouraging the use of modern methods like vertical methods of planting within controlled environments in plastic domes.
- Planting of date palm trees, due to their particular historical connection to Bahrain's society, in addition to their economic, health, and artistic properties.
- Marketing and distribution of products.
- Available credit at advantageous terms, specially to encourage small farmers to expand their agricultural activities.

It is thus seen that the provisions in the plan for supporting agriculture were comprehensive.

The plan included fourteen projects, of which eight were for crop production, three for animal production, and three for poultry. The budget appropriated for these schemes was approximately 42 million Bahraini dinars, to cover all projects and programmes during the plan-years: 40% of which for crop production, the rest divided rather equally between animal and poultry production.

This reflects the support and attention given by the Bahrain government to the agricultural sector, which depends basically on projects and programmes that preserve water, enrich the soil, and improve productivity - thus combating desertification or the encroachment of fallow low-quality lands.

Upon implementing this plan, the active agricultural area did increase from 2637 ha in 1983 to 2947 ha in 1987 (The 1987 Agricultural Census). However, the rates of water consumption for agricultural purposes also increased during the same period, estimated at 117.2 Mm³ in 1987. The water was pumped from the Neogene and the Dammam formation (Directorate of Water Resources - Ministry³ of Commerce and Agriculture), i.e. an increase of about 9 Mm³ per year.

5.1.1.2 National Land Use Plan 2001

In the year 1988, the Ministry of Housing (MOH), Physical Planning Directorate (PPD), adopted the National Land Use Plan 2001. This plan depicted the current status and predicted the needs and requirements up to the year 2001 (MOH et al, 1989 and Sutcliff, 1967).

The National Land Use Plan 2001 detected some deterioration of agricultueal land. Many crops are now imported in contrast to the past. Local agriculture provides only 6% of the country's demand for food.

The National Land Use Plan 2001 has defined the following goals (MOH et al, 1989):

- Reserve and systematically develop all lands that have agricultural potential, class 1 - 4, into 5.
- Utilize and/or reserve class 2 and 3 lands, develop others only under reasonable cost effectiveness.

- Develop only those combinations of land that can compete in the international market.
- Restoration and reservation of existing agricultural lands along the northern and western coasts should be ascertained.
- Develop all lands that have agricultural potential (class 2, 4 and 4D).
- Increase the area under cultivation from 3,500 ha to 5,500 ha.
- It is important from a social standpoint to invest in agriculture in Bahrain. Expansion of agricultural land, given the limited water resources available, can only be achieved by using improved irrigation techniques and agricultural methods.

Within the agricultural sector, which is assigned top priority in the plan, the current policy has embarked on an ambitious programme of expanding agricultural land, encouraging private farmers to modernize their farming and irrigation methods. Thus the policy may be taken as an indication of an indirect attack against the spread of desertification.

5.1.1.3 Ministry of Commerce and Agriculture's Plan 1990.

The current plan of the Ministry of Commerce and Agriculture aims, within the agricultural sector, at the following:

- Design and monitor the construction of new irrigation networks, with emphasis on modern techniques. Maintain and improve existing networks.
- Improve lands by using sewage effluent (TSE) at the Adhari, Hawrat Ali, Tubli, and the central municipal regions.
- Construct new discharge network to connect the principal and the secondary drainage canals, including all accessory engineering and hydrogeologic works.
- The Farmers Services Department will continue to give support and advice and to make available all materials required for production purposes by farmers. They will thus be helped and encouraged to adopt efficient methods; e.g. veterinary services, protection, pest control, financial aid, encourage greenhouse agriculture, and dissemination of agricultural information.

The overall implications of desertification for Bahrain, and for its agricultural resources potential in particular, are distressing. Crop yields are declining, the good top soil is being continuously removed from agricultural lands by erosion, soils and groundwater in many localities are becoming salinized, underground aquifers are being depleted. The projection of desertification trends into the future augurs the worst.

It can also be considered (or even expected) that the continuation of the current situation will lead to the complete atrophy of the agricultural sector, the destruction of the remaining green areas as a food resource, and the gradual transfer to semi-desert by the turn of the century unless certain (rather drastic) measures are considered and implemented (Annual Statistical Report, 1988).

Desertification control as such, therefore, does not figure among these priorities. However, environmental issues or concerns permeate through all projects. By this is meant that the environmental dimension constituted a parameter in formulating and evaluating the feasibility of development projects.

5.1.2 Constraints

Different activities carried out in Bahrain have considered the current situation in detail and have found out the following different factors affecting agricultural development (Sutcliff, 1967):

5.1.2.1 Physical Constraints

A. Climate

A very short winter and high temperatures are limiting factors to good growth of some crops, they restrict the cropping season. Winter protection and summer shading are advantageous to improved farming. High humidity encourages many fungal diseases and particularly affects soft ripening dates.

B. Water

- Groundwater quality is generally saline, causing a reduction in plant growth efficiency and yields.
- Higher volumes of water are required for continuous leaching than in less saline conditions; therefore, good drainage conditions are a prerequisite for improved farming. Moreover, pollution problems may appear from using inadequately treated water in irrigation.

C. Land and Soil

Agriculture development is concentrated at the north and north west coast, as prescribed by soil, water quality, and availability. In the past, springs located at the contact of the limestone uplands (Dammam back slope) and the coastal fringe deposits were used for irrigation on the coastal lowland soils. These fairly large continuous areas of flat, easily filled, permeable soils are served by groundwater of moderate quality and this zone has been intensively cultivated over long periods.

D. Bacteriological and Virological Quality of Treated Sewage Effluent

Although it meets the most stringent international standards, certain problems can be encountered with parasites which should be overcome by careful operation of the infiltration plan and increasing ozone dosage if deemed necessary (MOWEW, 1988). Also, because of the possibility of the presence of eggs of Helminths (Nematodes and Ascaris), even after 9 months of drying sewage sludge, the use of dried sludge as a soil conditioner should be restricted to locations not accessible to human contacts. Moreover, the total dissolved solids (TDS) concentration in the TSE varies at present between 2,600 and 3,000 ppm, it sometimes reaches 4,000 ppm.

E. Crop Suitability

Many crops are not compatible with the physical environment because of climatic and/or water quality limitations.

5.1.2.2 Human Constraints

Nearly all farming is labour intensive, approximately half of all farm labour being expended on applying water to the land. The majority of full time farm labour is expatriate, (35% of total labour force), mainly of Pakistani and Indian origin. It is poorly motivated and generally unskilled. Work output levels are very low.

Approximately half of the farmers do not own their farms and thus are disinclined to make investments of a permanent nature.

5.1.2.3 The Market for Locally Grown Agricultural Products

Given the high cost of crop production in Bahrain and the consequent difficulty of profitability, the only major crops that are grown are vegetables, fruits and alfalfa. A market exists for fruits but, for mainly technical reasons, commercial fruits can be expected to be confined mostly to the modern sector in the future. The prospects for expanding alfalfa output from the traditional sector are limited. Thus, vegetables are the most promising crops.

5.2 Policy of the Plan of Action

Action to combat desertification is urgently required, before the costs of rehabilitation rise beyond practical possibility, or before the opportunity to act is lost forever. Desertification is not a problem susceptible to quick solutions, but it is already urgent in Bahrain. It calls for continuous assessment and long-term planning and management at all levels. The management of natural resources is a critical component of the strategy for physical, social and economic development. The adoption of improved policies for the management of natural resources is essential to the ecosystem if its productivity is to be restored and developed.

5.2.1 Management of Natural Resources

The management of natural resources encompasses both water and land resources with socio-economic aspects considered to be of primary importance. Water resources include both types of water: traditional sources (groundwater), and non-traditional (desalinated, treated sewage effluent, and drained water from irrigated lands). It can be clearly formulated that the national strategy on desertification control puts special emphasis on protecting the groundwater from both over-exploitation and from deterioration in quality. Thus, proper groundwater management is of primary concern whereby traditional as well as non-traditional water resources are carefully considered and developed.

In harmony with the fact that the agricultural sector is the major user of the different water resources, the strategy includes provisions for conserving and restoring agricultural lands. Land management is an essential element in the policy of the Plan of Action. Moreover, socio-economic aspects include the impact of the process of desertification on man - his welfare and his institutions. The prevailing social behaviour and economic system are considered to be the primary causes of desertification. These aspects cover numerous inter-related items: population, human and environmental health, food, human settlements, education, socio-cultural patterns, man as a land user, production and productivity, marketing, inflation, etc....

5.2.2 Objectives of the Ministry of Commerce and Agriculture

The objectives of the Ministry of Commerce and Agriculture have to be carefully considered. These objectives strive towards rational exploitation and use of water resources, protecting groundwater from both depletion and quality deterioration, expanding agricultural land, encouraging private farmers to modernize their farming and irrigation methods through the provision of equipment, improved seeds, loans, technical guidance to increase land production with reasonable water consumption, and subsidized farm equipment and services.

The increased demand for water has led to intensive exploitation of groundwater resources. As mentioned above, the present groundwater abstraction is estimated at around 150 Mm³ per year, while the safe yield is estimated at around 90 Mm³ per year. This intensive abstraction has produced adverse effects, such as groundwater depletion, deterioration in groundwater quality, and the drying up of natural springs as a result of decreased piezometric head.

However, development of an aquifer depends on its potentialities, specially its inherent limitations. Local shortages of water may develop because of failure to plan for rational development and to implement strict management in accordance with the safe yield of an aquifer.

The maintenance of groundwater quality at acceptable levels is one of the major requirements for successful management of an aquifer. It is recommended to apply mathematical modeling techniques for groundwater management. Different mathematical models have been carried out in Bahrain, but their models covered one area or one aquifer for the steady or the unsteady state.

5.2.3 Mathematical Model to cover developed area in Bahrain

It is proposed to apply a mathematical model that covers the total developed area in Bahrain where the following items have to be studied:

- Simulation of the main aquifers, Neogene, Dammam, and Um-ErRadhuma formations; and the hydraulic connection in between.
- Simulation of the salt water intrusion, whether from the sea or from the deep-seated formations (Um-ErRadhuma formation).
- Formulation of the partial differential equation for the unsteady state, including the effect of water quality.

Generally, introducing the stratified flow equation with dispersion complicates the solution of the parabolic partial differential equations, but different algorithms, such as the alternating direction algorithm (ADI), can be applied. The model has to be calibrated with periodical data, which are available at the Water Resources Directorate, Ministry of Commerce and Agriculture. The calibration of the hydraulic parameters of the aquifer (transmissivity, storage coefficient, leakage factor, ...) has to be carried out for each cell or polygon. This can be done by matching the values of the water levels computed by the model to those values measured in the field. The groundwater development plan will be determined by running the model after calibration, according to the prevailing hydrogeological boundary conditions.

The main components of the development plans usually include recommendations to determine upper limits to the rate and duration of pumping from each cell (Polygon). The total amount of water to be abstracted from each aquifer is kept within the safe yield of the aquifer and without deterioration of water quality. Thus, traditional water resources are reliably assessed, a required prerequisite for proper management. As for non-traditional water resources - desalinated waters, treated sewage effluent, drained irrigation waters - they can be (relatively) easily and more accurately assessed, thanks to the extensive measurements recorded by the competent authorities in Bahrain.


The problem of assessing water requirements is critical for Bahrain. The evaluating of water needs depends mainly on the actual consumption and their projection for the future developments. The current water consumption for agriculture, municipal, industrial, and landscaping can be assessed relatively easily, since there already exists periodical records for the actual consumption. Such assessments are essential to forecast water demands on the basis of needs which can effectively be met. Several factors are involved, such as the rate of population increase, economic factors, social conditions and the technological operations. The National Land Use Plan 2001 can be considered as the basis to prepare a time-plan for the different water needs.

Upon having (both quantitative and qualitative) detailed data on available water resources and also on water demands, the complex problem of planning for and monitoring water distribution and consumption may then be tackled.

Locations where (traditional and non-traditional) waters are available do not necessarily correspond to or agree with locations where waters are required for consumption. Both qualitative and quantitative discrepancies do occur. The problems are further complicated and obscured by having, for groundwater, several possibilities for alternative development schemes which are all compatible with the safe-yield requirements of the groundwater reservoirs, as determined from computations of the mathematical model. Moreover, there are also several alternatives for crops and irrigation methods for each soil unit, function of texture, salinity, water level, probability of contamination, etc... The proper (feasible) solution has to consider also the socio-economic aspects. Within the context of Bahrain, all previously considered elements are inter-related, they confront the State of Bahrain with a real conundrum - one that can result in seriously harmful repercussions.

5.2.4 System analysis designs proposed for defining the Plan of Action for Desertification Control

System analysis designs are proposed for defining the PLAN OF ACTION for desertification control (Fig. 5 - 1). Concepts from the domain of systems analysis are called for in order to arrive at optimal solutions. First of all, all the various constraints should be defined. Then the objective functions are formulated and suitable slack variables are chosen. The resulting system of equations will include physical factors as well as soio-economic aspects. The constraints should take into account economic concerns, and state policies and preferences for desertification control (WSSD, 1981).



Figure(5-1): Schematic design for system analysis proposed for the Plan of Action for Desertification Control in Bahrain.

Relations between the plan-elements and the imposed constraints may be symbolically stated as (MOH et al, 1989):

$$\sum c(i) * Q(i) = \text{Min/Max}$$

$$\text{Subject to } \begin{matrix} l(i) & \leq & c(i) & \leq & u(i) \\ i = 1, 2, \dots, n \end{matrix}$$

Where:

$Q(i)$ are the plan variables or possible alternatives: (sources of water, quality, crop output, irrigation method, ...).

$c(i)$ are the plan constraints: (costs, benefits, desirability, ...).

$l(i)$ & $u(i)$ are lower and upper limits for $c(i)$ respectively.

Some of the constraints may include contradictory nuances; e.g. as a result of studying the mathematical model, it may be found that water levels at a given location should not exceed a certain level (drainage constraints), while water levels at another location should not fall below another certain level (region of intensive pumping, with constraints due to possible upward leakage from saline Um-ErRadhuma water formations). A similar situation may appear for pumping rates. The conditions may be stated as follows:

For groundwater levels:

$$\{\min h(j)\} \leq h(j) \leq \{\max h(j)\}; j = 1, 2, \dots, n.$$

For pumping rates:

$$\{\min Q(j)\} \leq Q(j) \leq \{\max Q(j)\}; j = 1, 2, \dots, n.$$

All the various constraints, even those imposed due to physical or socio-economic requirements, may be similarly formulated.

Analytical optimization models, techniques, and algorithms include the use of some rather advanced mathematical topics: calculus, Lagrangian multipliers, theory of convex variables, linear programming, generalized matrix inversion, and control theory. These disciplines are both descriptive and prescriptive, in that they usually incorporate quantitative relationships in order to describe interactions among variables of the system, and they display an analytical structure that promotes the convergence towards an optimal solution.

It is thus possible to gradually construct an integrated development plan for desertification control. One that simultaneously covers most pending requirements, does not have detrimental effects on both natural resources and the environment, and is economically advantageous.

The plan includes, for the development regions, detailed integrated programmes that cover all components. These programmes specify water source, exploitation regimen, pumping quantities, crop patterns and types, irrigation and drainage methods; municipal, landscaping, and industrial requirements are also covered. Furthermore, the appropriate technology to be applied is an important factor in promoting the efficiency of the plan of action. Suggestions for specific technological methods are related to the human element - on the degree to which experts and workers are prepared to assimilate and accept new technologies.

The possibility of development and co-ordination between traditional and new methods should, therefore, be carefully investigated. The proposed (possibly hybrid) technologies should, first of all, be tested; e.g. schemes for land reclamation, water duty for different crops, irrigation with TSE, artificial groundwater recharge with TSE, etc...

Moreover, an estimate of available personnel at the various levels of experience should be given, as well as the recommendations for the proposed method for securing the required personnel and practical suggestions for training and upgrading the available labour-force. It should also be kept in mind that water and land legislation are considered to be the principle methods for insuring the actual implementation and strict adherence to the plan. Finally, a financial budgetary estimate should be given. It is very important that the plan should clearly and convincingly state the expected results of applying its recommendations, as well as the projected effects on the desertification phenomena in Bahrain.

It is strongly recommended that, after adopting the plan, a yearly review of the situation is undertaken. The actual results, which will be monitored during the year, should be compared with the plan's projected estimates. Coincidence cannot be exact since the plan deals with random variables with unknown distribution parameters or even functions. Therefore, a monitoring network should be developed. A data bank should be continuously updated with all newly collected data. After a suitable lapse of time (e.g. once a year), the model should be recalibrated. The newly calculated values are then re-input to the optimization model. All objective function equations and constraints should be reviewed. Any problems with human efficiency or suitability of the governing legislation may be remedied. Thus a continuously improving plan of action will be developed.

The PLAN OF ACTION TO COMBAT DESERTIFICATION (PACD) is not static, but rather dynamic. It should be conceived as a time series that is dependent, at any given point in time, on the actually prevailing conditions. It will perforce be periodically revised and modified. The final aim should be always kept in mind: Contain and combat the desertification process and improve production and the productive environment. Thus an increase in the average per capita income in Bahrain will be attained.

5.3 A Long-Term Strategy for Desertification Control (1990 - 2010)

5.3.1 National Goals

The ultimate goal of socio-economic development plans has always been the welfare of man. This can be described in terms of an estimated rate of economic growth which consequently would have the effect of raising per capita income at a certain percentage per annum. Within this overall target of fast economic growth, there are several specific goals relating to the following: (UNEP,1988):

- a) Improvement of social and economic conditions.
- b) Achievement of a high percentage of literacy.
- c) Expansion of basic social amenities (health, housing).

In its endeavour to realize national goals, the State of Bahrain has adopted systematic planning. The agricultural sector in the National Land Use Plan 2001 was assigned the highest priority by the plan, although expected agriculture contribution to the national economy for year 2001 represents 2.3% of the total national economy.

The threat which desertification poses to the world and to the countries of the Mediterranean region and Middle East was shown in a meeting in February 1977 in Algarve, Portugal, and again in UNCOD in September 1977 in Nairobi. For the State of Bahrain, it was agreed on the need to formulate a national plan to combat desertification, and UNEP assistance for that matter was requested. Perhaps it is worth recalling paragraph 7 of the United Nations Plan of Action to Combat Desertification (PACD) which states that "action to combat desertification is required urgently before the costs of rehabilitation rise beyond practical possibility or before the opportunity to act is lost forever".

The immediate goal of PACD (adopted in 1977) has been to prevent and to arrest the advance of desertification and, where possible, to reclaim desertified land for productive use. In paragraph 9 it is stated that "the goal is to implement the Plan of Action by the year 2000".

It is logical to suggest that this draft plan should have a short-term horizon for the years 1992-1994 and a long-term horizon for the year 2010. The first will coincide with the date fixed by UNEP (GC) for a second assessment of progress made in the world-wide implementation of the UNCOD plan.

The long-term date of 2010 was fixed by UNEP GC and endorsed by the United Nations General Assembly for stopping desertification in the World. Obviously, this can be considered also the date to be set as a target for arresting desertification in the State of Bahrain.

5.3.2 Aims of the Strategy

The principal target is to stop desertification by the year 2010. Within this overall target, the following specific aims are included:

- a) To ensure that desertification, once stopped, will not be allowed to recur.
- b) To effect a change in man so that his perception of the desertification problem to endanger the requirements of food production and, consequently, of all the subsequent components of food security and self-sufficiency.
- c) To ensure that desertification control is seen as the basis for increased plant and animal productivity, a better environment, and a better quality of life.
- d) To ensure that desertification control is understood to be the cornerstone in the development process, and that the essential elements of its strategy are vital components of any comprehensive (integrated) rural development endeavour.

5.3.3 Basic Assumptions

- a) The proposed long-term and short-term programmes and projects would be subject to frequent revisions and changes, in view of the dynamic nature of the phenomenon.
- b) Future social and economic development will produce a change in man that is bound to improve his perception of the desertification problem.

- c) The validity of desertification control projects should not be judged solely by the standard methods of economic and financial feasibility. Some of the parameters important to this issue cannot be measured by such yardsticks.
- d) Fighting desertification is a long-term undertaking; therefore, the political will and priority assigned to it by the Government should be maintained at the same level throughout the long term.

5.3.4 Elements of the Strategy: A Long-Term Programme (1992 - 2010)

PACD was formulated bearing in mind the world's fundamental social and economic goals and aims. It also embodies a long-term strategy for the realization of these goals in a manner that has taken into account almost every possible situation in the desertification problem. Its 28 recommendations are presented in four major divisions and some 11 sub-divisions, each of which is related to, yet fairly independent of, the others. Nevertheless, one of the basic principles in the plan states that "ideally all recommendations in the plan have to be implemented if desertification is to be brought to an end". But the choice of priorities and suitable action to be taken was left to the individual Governments to decide upon. The important part, however, is that continuous reference has to be made to the UNCOD plan for guidance. In the case of Bahrain, the following programmes are proposed:

5.3.4.1 Evaluation of Desertification and Improvement of Water and Land Management

This programme comprises activities relating to the assessment and monitoring of desertification. These two activities, by their very nature, are continuous. They should be actively pursued from the present to the end of the long-term programme in 2010. The activities will also continue after that date in order to detect any recurrence. The programme will determine which parts of the country are affected, and which parts are vulnerable.

The programme should also cover improved land management in affected areas and in those threatened. This work involves a broad range of social, economic, institutional, legislative and technical measures. It should deal with specific situations on the basis of accurate and, as far as possible, full information. The commencement however, should not await the preparation of complete files for every locality. Reference to procedures relating to assessment and land use are found in the texts of recommendations 1 and 2 of the UNCOD Plan.

The following actions are suggested under this programme:

- a) Updating the land-use map.
- b) Preparation of a desertification map using the provisional methodology for the assessment and mapping of desertification (FAO, 1979).

5.3.4.2 Public Participation Programme

The prevention and combating of desertification cannot succeed without the direct involvement of the public. Recommendation No. 3 of the plan gives examples of some of the types of activities involved. A programme should be formulated to increase public awareness of the insidious degradation that is taking place, and people should be increasingly involved in discussions about problems, project ideas and project preparation and execution.

The Bahrainis are keen television viewers. The wide coverage of the State television and extensive distribution of sets in the country makes the use of this facility an important information and extension service tool for the control of desertification.

5.3.4.3 Corrective Anti-desertification Measures Programme

This section received much attention in the UNCOD Plan. Of the 22 recommendations directed towards national and regional action, seven (Nos. 5 - 11) dealt with corrective anti-desertification measures. These covered:

- a) Sound planning, development, and management of water resources as part of the measures to combat desertification.
- b) Soil and water conservation to fight desertification in the irrigated areas.
- c) The prevention and control of waterlogging and salinization.
- d) The maintenance and protection of existing vegetation and vegetation in denuded areas so as to promote soil conservation.
- e) The development of systems for monitoring climatic, hydrogeological, pedological, and the ecological conditions of land, water, plants or animals in areas affected or likely to be affected by desertification.

In the UNCOD Plan, this section was the longest and most detailed because this was the kind of action required in the field to correct existing damage and to prevent new and further damage from happening. This, in effect, is what people can see and feel, and what they reap economic benefits from. Notwithstanding the above, the general assessment (Sutcliff, 1967) revealed that very little field action was undertaken during the first Five Year Plan (1982 - 1986).

For these reasons, the strategy in this programme will stress the following field action:

a) Land Management Measures

- i) The establishment of a land database management system for continuous data storage, retrieval, dissemination and processing.
- ii) The use of the proper water duty for each crop.
- iii) The application of effective soil conservation measures for cultivation.
- iv) The application of a proper crop rotation system whereby land remains protected under a crop cover.
- v) The avoidance of pollution, especially in areas irrigated by TSE.
- vi) The replenishment of soil fertility by periodic applications of organic and chemical fertilizers.
- vii) The use of proper remedial measures to combat plant diseases.
- viii) The improvement of soil physical properties.

b) Water Management Measures

- i) The concentration of a water database management system for continuous storage, retrieval, dissemination and assessment.
- ii) The construction of leaching slot trenches and infiltration basins in suitable areas to enhance groundwater quality and to improve groundwater storage.
- iii) The development of the groundwater quality network to help in the study of water intrusion phenomena.

- iv) The application of water-saving irrigation methods such as sprinklers and/or drip irrigation.
- v) The avoidance of over-irrigation which may lead to waterlogging and soil salinization.
- vi) The avoidance of contamination of groundwater.
- vii) Limiting well digging and controlling the tapping of groundwater.
- viii) The construction of artificial groundwater recharge systems by infiltrating TSE.

Under this programme of corrective anti-desertification measures, several sub-programmes and projects are to be included.

c) Manpower and the Strengthening of Science and Technology

This programme deals with training and research in order to strengthen the scientific and technological capabilities required for the success of anti-desertification programmes. Three recommendations in the UNCOD Plan deal with this objective. They stressed the need for strengthening national capabilities, with emphasis being placed on planning and management and the need for research on alternative or unconventional energy sources. Both training and research should be suitably linked to the needs of development and to solving the problems and constraints faced by inhabitants, particularly those related to the need of plants for water.

Presently, the manpower engaged in planned desertification control is relatively weak. Persons with adequate training and with knowledge of the desertification situation in the country are extremely few in number and, indeed, not completely available because of their current responsibilities.

The planning, formulation and implementation of projects called for in this plan will require professionals and technicians. To prepare and adequately train these numbers is a colossal undertaking that needs to be tackled immediately.

d) International Action and Co-operation

This programme will include regional projects needed to control desertification in areas where national or individual efforts are insufficient. Since the financial resources to combat desertification have remained a constraint for the State of Bahrain, this programme should undertake to search for possibilities of financing the campaign from bilateral and multilateral donors. Maximum use of the consultative Group on Desertification Control (DESCON) should be made in order to provide financing for the plan.

5.3.5 Remarks

These three major groups of projects summed up under programmes that are seemingly independent but which, as mentioned above, are related interdependent and complement each other.

The priority programmes and projects for the short-term (1992 - 1994) that are detailed in chapter VII constitute a selection of those derived from the long-term programme.

In concluding this section, it should be emphasized that all desertification control work, whether this is part of long-term strategy or included in the priority action for the short-term, actually forms a part of the national social and economic development plan.

CHAPTER VI

MEASURES AND INSTITUTIONAL FRAMEWORK

6.1 Current Set-up

Several institutions in Bahrain are related with some aspects of desertification in the country. The diversity of these institutions will certainly help in carrying out the National Plan of Action to Combat Desertification (NPACD). Organization and integration of efforts is, however, a pre-requisite for success. The institutions involved are:

1. Ministry of Commerce and Agriculture.
2. Ministry of Works, Power and Water.
3. Ministry of Housing.
4. Environment Protection Committee.
5. Arabian Gulf University, Bahrain.
6. Bahrain Centre for Studies and Research.

6.1.1 Ministry of Commerce and Agriculture

The Ministry of Commerce and Agriculture through its Under-Secretariat of Agriculture (UA) is very much involved in the activities related to the NPACD. The UA with its General Directorate for Agricultural Projects, Farmers Services, Agricultural Research and Water Resources is currently in charge of agricultural planning, development and trade in the country. UA is well established and has professional and technical staff capable of carrying out the present job and those of NPACD as well. Some professional support and training of local staff is, however, needed. More details about such support is dealt with later in this report.

6.1.2 Ministry of Works, Power and Water

The Ministry of Works, Power and Water is also involved in the NPACD as it is in charge of groundwater studies, drilling and evaluation; water desalination plants and the sewage effluent treatment plants. The Ministry, through its General Directorates of Water Supply and Roads and Sewerage, is qualified with professionals and technicians.

6.1.3 Ministry of Housing

The Ministry of Housing through its General Directorate for Physical Planning is responsible for land use, establishment of new towns and hence planning for water needs.

6.1.4 Environmental Protection Committee

The Environmental Protection Committee (EPC) has been established since 1980. The EPC is headed by the Minister of Health and technical representatives of involved ministries are members of the committee. The Directorate of Environmental Affairs (DEA) at the Ministry of Health is the implementing arm of the EPC.

6.1.5 Arabian Gulf University, Bahrain

The Arabian Gulf University (AGU) through its Post-Graduate Programme for Desert Sciences and Arid Lands (DSAL), College of Applied Sciences established in 1983, has been offering since 1986 post-graduate studies, both academic and applied, leading to a diploma/M.Sc., and programme of community services and training. The activities are aiming at the preparation of specialists and experts in various fields of desert sciences by providing them with modern information and experience in one of the following areas:

1. Environment and Desert Community Studies.
2. Desert Resources Studies.
3. Desert Agriculture.
4. Desert Engineering and Physical Development.
5. Water Resources Engineering and Management.
6. Meteorology and Climatology.
7. Alternative Energy.
8. Integrated Socio-Economic and Engineering and Management.

Being established by GCC countries, AGU acts as a scientific and academic focal point for several activities in the region.

6.1.6 Bahrain Centre for Studies and Research

The Bahrain Centre for Studies and Research (BCSR), established in 1981, is drawn up by Board of Trustees chaired by His Excellency Shaikh Hamad Bin Isa Al Khalifa, Crown Prince.

BCSR through both the Scientific Research Department and the Economic and Social Research Department is capable of coordinating scientific efforts at national level towards solving national problems. The Centre carried out and coordinated, among other activities, several research activities about groundwater and agriculture in Bahrain.

6.2 National Machinery for Desertification Control

6.2.1 Structure of the National Machinery

The control of desertification is the concern of several disciplines and professions. To name just a few, water scientists, soil specialists, geographers, economists, ecologists, agriculturalists, sociologists, veterinarians, scientists, climatologists, demographers and many others are involved. Therefore, no single profession or discipline can claim overall responsibility for this complex field. It is necessary to make this statement in order to dispel any presumptive views on the placement of the desertification control unit.

Recommendation No. 21 of the UNCOD Plan calls for the establishment of co-ordinated national machinery to combat desertification and drought. It further expressed the desire that the machinery be in the form of a national desertification commission at the highest level of government, composed of high-ranking representatives of the appropriate ministries, agencies and institutes, together with community leaders and non-governmental organizations (NGOs).

The recommendation gives advice on the task of co-ordinating and consolidating activities, as well as the need for administrative and scientific support for the national body.

6.2.1.1 National Desertification Control Commission

It is recommended that a National Desertification Control Commission (NDCC) be established (by Prime Minister's decree) under the chairmanship of the Minister of Commerce and Agriculture, with the following included members:

- i) Assistant Deputy Minister of Commerce and Agriculture in charge of the Desertification Control Unit and Secretary of the Commission.
- ii) Assistant Deputy Minister of Housing.

- iii) Assistant Deputy Minister of Information.
- iv) Director-General of Physical Planning Directorate, Ministry of Housing.
- v) Director of Water Resources, Ministry of Commerce and Agriculture.
- vi) Director of Agriculture Projects, Ministry of Commerce and Agriculture.
- vii) Director of Agriculture Research Station, Ministry of Commerce and Agriculture.
- viii) Representative of Environment Protection Committee.
- ix) Representative of the University of Bahrain.
- x) Representative of Desert Sciences and Arid Lands Post Graduate Programme, Arabian Gulf University.
- xi) Representative of Bahrain Centre for Studies and Research.

6.2.1.2 General Directorate for Desertification Control Co-ordination:

It is recommended that a general directorate (under a Director or preferably a higher ranking professional), be established in the Ministry of Commerce and Agriculture. This directorate should be supported by a suitable number of professionals and technicians.

The Ministry of Commerce and Agriculture has been chosen for the placement of this unit in order to ensure its ability to function. Experience in other countries has shown that the location of this co-ordination unit is vital to its success if it is to do the jobs required; it works better when placed in a ministry that has "teeth" rather than when located in a particular place for prestige purposes. The lessons learned from the previous general assessment (Sutcliff, 1967) are that more action in the field is required in order to combat desertification, and placing the unit in the Ministry of Commerce and Agriculture gives it a better chance.

The Director-General would be designated secretary of the National Desertification Control Commission. The number of staff required would be determined in accordance with the amount of administrative and technical support required for the functioning of the Commission and for whatever executive activities the unit becomes responsible for.

6.2.2 Responsibilities of the National Machinery

The responsibilities of the National Desertification Control Commission might include the following:

- a) Analysis, evaluation and dissemination of existing information on desertification.
- b) Preparation of a national Plan of Action to combat desertification that would co-ordinate all national activities.
- c) Arrangement of the financing for the implementation of the national Plan of Action through national institutions.
- d) Monitoring the progress of measures to combat desertification and recommending necessary changes to the national Plan of Action.
- e) Participation in international and regional programmes and maintaining liaison with regional and international organizations on the problems of desertification.

6.2.2.1 Functions of the General Directorate for Desertification Control Co-ordination

- a) To service NDCC as its technical and administrative arm.
- b) To co-ordinate and consolidate activities related to desertification.
- c) Specifically the following:
 - i) To execute, alone or in co-operation with national, regional, or international bodies, desertification control projects of a multi-disciplinary nature.
 - ii) To maintain an up-to-date inventory of all programmes and projects as well as present and planned activities, in order to identify the gaps related to finance or technical omissions.
 - iii) To prepare preliminary surveys and studies for the formulation of programmes and projects for the implementation of the national plan.
 - iv) To monitor the implementation of the national plan and to prepare an evaluation of its effectiveness.
 - v) To record the results of the monitoring of human conditions in areas prone to desertification, including demographic and social indicators.

- vi) To liaise with regional and international organizations [UNEP Regional Office, Desertification Control Programme Activity Centre (DC/PAC), the Global Environmental Monitoring System (GEMS), ESCWA, etc.] in order to receive and update knowledge on the international situation.
- vii) To prepare and publish a quarterly newsletter giving news and information on programmes, desertification processes and progress made in the implementation of the National Plan.

6.3 Implementation of the Above Recommended Set-up

Proposals and assistance from UNEP/ESCWA/FAO could be requested in order to formulate details and provide advice on implementation, staffing and financial requirements.

CHAPTER VII
SHORT-TERM PRIORITY PROGRAMMES
AND PROJECTS
1992 - 1994

7.1 General

Priority programmes and projects for the short-term that cover the period (1992 - 1994) form part of the programmes proposed for the long-term (1992 - 2010). An attempt will be made to follow the same titles and sequence of presentation as in chapter V. This has the benefit of enabling those responsible for action to see how this small part can relate to the whole (presented in chapter V). It will also facilitate additions in the future so that in each area, progress can be measured and gaps identified.

The priority project under each of the programmes identified in chapter V will be presented in a brief form and considered to be clear enough. There seems to be little point in working out a project proposal or a recommendation in any great detail if it is not going to be accepted. It will thus save time, effort and funds to work out the details at a later date, and only for those proposals that are accepted by the government.

7.2 Evaluation of Desertification and Improvement of Water Resources and Land Management

Project No. 1

Project: Establishment data bank system

Objectives:

Constructing an integrated data base system - one that can collect all data, store, and disseminate processed data and information which could be utilized for the appraisal, planning, and management of water and land resources.

Execution:

National Desertification Control Commission with complete co-operation of:

- Water Resources Directorate, Ministry of Commerce and Agriculture.
- Directorate of Agricultural Research Center, Ministry of Commerce and Agriculture.
- Directorate of Agricultural Projects, Ministry of Commerce and Agriculture.
- Desert Sciences and Arid Lands Programme, College of Applied Sciences, Arabian Gulf University.

Cost: US\$ 1,500,000.00.

Duration: Two years

Background:

The water and soil data have great value, they should be used in the numerous aspects of the Plan of Action. The value of these data is not only a function of their use, but also of the context in which they will be used. They will assure a significant impact on the decisions that are made. Therefore, the data have to be collected and presented in a logical manner so that they can be used to make projections and studies on which to base policy decisions. Furthermore, there is a continuous need to keep the data current, consistent, and adequate for the object of the management of natural resources appropriately. It is worthwhile to mention here that the Water Resources Directorate possess a good filing system for water resources data storage. This will help in the establishment of the water resources data base system.

Activity:

Two integrated data base systems have to be established - one for water resources and the other for land resources.

Remarks:

- Technical assistance needed.
- Enhancing the computer facilities.
- Training.

Project No. 2

Project: Development of Groundwater Networks

Objectives:

Upgrading the observation programme, specially for monitoring groundwater quality at different depths.

Location: Covers the whole country.

Execution:

National Desertification Control Commission with complete co-operation of:

- Water Resources Directorate, Ministry of Commerce and Agriculture.
- Desert Sciences and Arid Lands Programme, College of Applied Sciences, Arabian Gulf University.

Cost: US\$ 800,000.00

Duration: 18 months.

Background:

Approximately 71 sites are regularly monitored by the Water Resources Directorate; more than 60 of them are equipped with automatic recorders, the rest are measured manually each month. Water samples from irrigation boreholes are collected according to the following schedule: every 3 months from Khobar formations, 6 months from Alat formations, and once a year from Um-ErRadhuma formation. A complete routine analysis of these samples is carried out. Discharge quantities from the wells are recorded monthly by gauge meters. All these periodical data are stored in computer files and published in tabulation or graphic forms. The network can be further developed to monitor the water quality in the different formations at different depths; this will help in the study of water intrusion phenomena.

Activity:

Geophysical investigations needed, drilling some observation wells in selected area, executing monitoring programme.

Remarks:

- Technical assistance needed.
- Supporting the instruments and equipments (well logger, samplers, ...)
- Training

Project No. 3

Project: Construction of Mathematical Model

Objectives:

A good simulation of the groundwater reservoirs in Bahrain, in order to first assess the current state and study the water balance, and then to propose development plans that are compatible with the safe yield of the aquifers.

Location: Covers the whole country

Execution:

National Desertification Control Commission with complete co-operation of:

- Water Resources Directorate, Ministry of Commerce and Agriculture.
- Desert Sciences and Arid Lands Programme, College of Applied Sciences, Arabian Gulf University.
- Bahrain Center for Studies and Research.

Cost: US\$ 1,000,000.00

Duration: Two years

Background:

A mathematical model is the practical tool to correctly manage groundwater development. Different models have already been established for some local aquifers in Bahrain. The construction of a mathematical model that simulates an integrated view of all the aquifers is badly needed. This model should include provisions for considering the prevailing boundary conditions, especially the hydraulic connections between the different formations and the phenomenon of salt water intrusion.

Activity:

- Preparation of the conceptual model.
- Formation of the flow equations for unsteady state (partial differential parabolic equations).
- Calibration of the model with the available field data.
- Defining a groundwater development plan.

Remarks:

- Technical assistance needed.
- Enhancing the computer facilities.
- Training.

Project No. 4

Pilot Project: Improved Irrigated Agriculture

Objectives:

Establish the prerequisites for a sound integrated land and water use policy, with the objective of obtaining optimum net returns per unit of water under the prevailing ecological conditions.

Location: Selected areas to be investigated.

Execution:

National Desertification Control Commission with complete co-operation of:

- Directorate of Agricultural Research Center, Ministry of Commerce and Agriculture.
- Directorate of Agricultural Projects, Ministry of Commerce and Agriculture.
- Desert Sciences and Arid Lands Programme, College of Applied Sciences, Arabian Gulf University.

Cost: US\$ 1,000,000.00.

Duration: Three years.

Background:

As it is noted, there is a degradation of agricultural lands. The causes could be referenced to different factors: crops selected and rotation, water soil management, ... A study of schemes to improve irrigated farming should be carried out. Therefore, there is a need for testing, appraising, and evaluating different methods of irrigation and water distribution networks, and different types of drainage under the prevailing conditions. Crop tolerance to salinity and biomass productivity of water can also be experimented under irrigation and water management practices.

Project No. 5

Pilot Project:

Artificial recharge to groundwater formations with treated sewage effluent (TSE).

Objectives:

Test the efficiency of applying different methods of infiltration to recharge groundwater, which will enhance the groundwater quality and improve groundwater storage.

Location:

In north A'ali area or any other candidate area (to be investigated).

Execution:

National Desertification Control Commission with complete co-operation of:

- Water Resources Directorate, Ministry of Commerce and Agriculture.
- Desert Sciences and Arid Lands Post-Graduate Programme, College of Applied Sciences, Arabian Gulf University.
- Biological Sciences Department, College of Science, Bahrain University.
- Ministry of Health.
- Ministry of Housing and Public Work.

Cost: US\$ 750,000.00

Duration: Two years.

Background:

The current intensive and uncontrolled exploitation of groundwater results in the depletion of aquifers, drying of springs and wells, and in a general and pernicious deterioration in water quality. Therefore, it is recommended that the practicability of developing groundwater reservoirs via artificial recharge with treated waters should be considered; aiming at improving the reservoirs both quantitatively and qualitatively. However, since there exists several alternative methods for groundwater recharge, it is recommended to start with a pilot project in order to evaluate the results thereof and to plan for additional future developments.

Activity:

Two types of artificial recharge may be tested: leaching slot trench, and infiltration basin. A complete observation network has to be implemented. A thorough study of the effects (quality and quantity) of the infiltrated TSE water to the groundwater has to be investigated.

Remarks:

- Technical assistance needed.
- Supporting the available equipment.
- Training.

7.3 Assessment and Monitoring of Desertification

Project No. 6

Project: Monitoring of Desertification

Activity:

Organizing and establishing the machinery. This is a continuing activity. The machinery to perform it is that which is addressed in this project. It will be partly included in the Desertification Control Unit (to be established) and partly in other departments or ministries.

Duration: Continuous

Execution:

Multi-disciplinary - national, regional and United Nations agencies.

Cost: US\$ 300,000.00 yearly.

Remarks:

The nature and components of the work in this project and in the preparation of land-use are complementary.

7.4 Public Participation Programme

Project No. 7

Project: Public Awareness and Participation.

Activity:

Preparation of documentary material for extensive use in communications media, e.g. television, radio, press, public meetings, ... and with the assistance of co-operative and voluntary organizations. Preparation of five television films of about 10 minutes each. These films should cover different subjects important to the public: i.e. water saving in different uses, water-logging in irrigated lands, increased production by applying practical methods in plantation and irrigation. Such ways of communicating this change to the public are effective in increasing public awareness and bringing about a change in their perceptions - people learn quicker by example.

Duration: Continuous - first part, five films.

Execution:

National/Expatriate, in collaboration with the ongoing research activities to improve irrigated agriculture.

Cost: About \$50,000.00 for the first series of films.

7.5 Socio-Economic Programme

Project No. 8

Project:

Environmental education for the young and youths.

Activity:

This is an urgent function so that the opportunity to influence the attitudes and perceptions of the young is assured. Material on desertification processes and how this relates to the food security and stability of the society should be prepared for inclusion in school curriculae.

Duration: Continuous

Start: Immediately

Execution:

Nationals in complete collaboration with Desert Sciences and Arid Lands Programme, College of Applied Sciences and the College of Education, Arabian Gulf University.

Cost:

One million dollars for the first five years.

7.6 Manpower and Strengthening Science and Technology

Project No. 9

Project:

Regional Research, Training and Communication Programme on Desertification Control in the ESCWA Region (Phase I) (a UNEP Project Document)

Duration:

Five years.

Execution:

Through national and regional institutions with the help of the international organizations and bodies concerned [UNEP, UNESCO, the Arab Centre for the Study of Arid Zones and Dry Lands (ACSAD), etc].

The integrated regional programme proposed for implementation under this project will consist of three major components: research, training and communications. It includes comprehensive coverage of all the issues concerning desertification control.

7.7 International Action and Co-operation Programme

7.7.1 Preparation of National Priorities for Action and Financing

The programme for desertification control includes many activities, and there is always an urgent need for deciding on priorities in order to select the order in which matters are taken up for action and for the allocation of the available resources. This will also determine the order in which projects are submitted for external financing.

The national machinery entrusted with desertification control should give priority to the establishment of a small group, two to three persons, who shall dedicate their efforts towards desertification control plans. The function of this group will also include the preparation of projects in the format required by the donor organizations. International assistance in this respect is readily available.

The long-term programme includes a suggestion for a project to insure against risk and effects of drought. This project is recommended for priority action in view of the high probability that a drought wave may soon affect the country. In preparing proposals for this project, reference should be made to Recommendation No. 17 of the UNCOD Plan, wherein a series of 13 action steps are described.

CHAPTER VIII

CONCLUSION AND FOLLOW-UP

The draft National Plan for Desertification Control in the State of Bahrain, the subject of this report, gives the main outlines of two programmes, one for the long-term (1992 - 2010) and the other for the short-term (1992 - 1994). It describes in some detail the institutional machinery, its structure and functions so that action is not hampered by lack of clarity.

The project proposals in both programmes are only presented in a preliminary form. They should be elaborated only after the Government signifies its agreement with the proposals.

The follow-up action required is primarily the responsibility of the Government of Bahrain. However, a start is necessary on the part of the United Nations. This will begin with the delivery of this report to the Government, and of the expression of keen interest of both UNEP and ESCWA and indeed, of other member organizations and bodies of the United Nations that are willing to assist the State of Bahrain in its endeavour to control desertification.

The Government of the State of Bahrain, particularly the Ministry of Commerce and Agriculture, is expected to take subsequent steps to secure whatever assistance is required from the United Nations. In this respect, four steps seem to be essential.

1. The Ministry of Commerce and Agriculture appears to be the body most suited to assume responsibility for the follow-up and may be appointed as a caretaker professional to look after desertification matters, as was suggested in Chapter VI.
2. The Ministry of Commerce and Agriculture should pursue the matter so that the approval of the Government for the draft plan is secured.

3. The Ministry of Commerce and Agriculture should pursue the establishment of the institutional machinery.
4. The caretaker, and any other staff recruited for the desertification control machinery, can embark immediately on the identification of project proposals and selected areas where UNEP/ESCWA/FAO assistance is required, in order to address them accordingly.

Having reached this stage, the matter is once again in the hands of the United Nations, and a lot then depends on the zeal and promptness with which the matter is treated. No doubt quick responses can be expected from these organizations, and in the last analysis, it will be the quality of the product of their missions that determines the success or failure of all these efforts to combat and contain desertification.

REFERENCES

- ACE (1984): Treated effluent, sludge and compost utilization: Technical report prepared by the Associated Consulting Engineers - International for the Ministry of Commerce and Agriculture and the Ministry of Works, Power and Water, State of Bahrain.
- ACE (1989): Treated effluent utilization; Phase II. Technical report prepared by the Associated Consulting Engineers - International for the Ministry of Commerce and Agriculture and the Ministry of works, Power and Water, State of Bahrain.
- Al-Junaïd, S. (1990): Groundwater situation in Bahrain, 1979 - 1989. M.Sc. Thesis, Arabian Gulf University, Bahrain.
- Annual Statistical Reports (1966 - 1991): Ministry of Commerce and Agriculture, State of Bahrain.
- Annual Statistical Report (1989): Agricultural Economic Group, Ministry of Commerce and Agric., State of Bahrain.
- Brunsdén, D., Doornkomp, J.C. and Jones, D.K.C. (1980): Geology, Geomorphology and Pedology of Bahrain. Geo. Abstracts Ltd. Norwich, UK.
- BWR (1990): Assessment of Water Resources in Bahrain. Bureau for Water Resources (BWR), ministry of Commerce and Agriculture, State of Bahrain (in Arabic).
- Dastane, N.G. and Ayub, M. (1979): Water Management for crop production in the State of Bahrain: Review and suggestions. Regional project on land and water use in the Near East, FAO Document, Ministry of Commerce and Agric., State of Bahrain.
- Dastane, N.G. and Ayub, M. (1982): Revitalizing Bahraini farming with improved water management and higher crop density. Regional project for land and water use in the Near East and North Africa, FAO Document No. TF/REM/MUL/22, Ministry of Commerce and Agriculture, State of Bahrain.
- Demestre and Haines (1958): Hydrology of Bahrain. BAPCO, Bahrain.
- Diekmann, J. (1981): Untersuchungen zum Futterbau in der bahrainischen Landwirtschaft. Ph.D. Thesis, College of Agric., University of Bonn, FRG.

- FAO (1979): Survey and evaluation of available data on shared water resources on the Gulf States and the Arabian Peninsula. Report prepared by FAO.
- FAO (1985): Water Quality for Agriculture. Irrigation and Drainage Paper No. 29, FAO Rome.
- GDC (1980): Ground water resources, Bahrain assignment, Volume 3 Um-ErRadhuma Study. Technical report prepared by the Ground Water Development Consultants for the State of Bahrain.
- GDC (1983): Reverse Osmosis Desalination Project 25/18. Technical Report prepared by the Groundwater Development Consultants for the Ministry of Works, Power and Water, State of Bahrain.
- Hunting Technical Services (1979): Agriculture potential of the State of Bahrain. Ministry of Commerce and Agric., State of Bahrain.
- Italconsult (1971): Water and agricultural studies in Bahrain. Ministry of Commerce and Agriculture, State of Bahrain.
- Lori, E. (1988): Injection of Treated Sewage Effluent into Saline Aquifers of Bahrain. Ph.D. Thesis. University College London, University of London, UK.
- Ministry of Finance and National Economy (1976): Strategic Options Committee Report, Volume III. State of Bahrain.
- MOCA (1980): National Plan for Development of the Agricultural Sector 1981-1986. Ministry of Commerce and Agriculture (MOCA), State of Bahrain.
- MOH, PPD and UNCHS (1989): National Land Use Plan 2001. Physical Planning Directorate (PPD), Ministry of Housing (MOH), State of Bahrain.
- MOWEW (1988): Report on the status of waters in Bahrain. Ministry of Works, Electricity and Water, State of Bahrain (in Arabic).
- Musayab, A.R. (1984): Water supply in Bahrain: Al-Muhandis (Bahrain Society of Engineers), Bahrain.
- Nagmouh, S.R. (1981): Soil reclamation and improvement report. Regional project for land and water use in the Near East and North Africa, FAO Document No. TF/REM/508 (MUL) NECP Terminal Report, Doha, Qatar.

Porritt (1953): Artesian well survey, Bahrain. Bahrain Petroleum Company.

Statistical Abstract (1989): Central Statistical Organization, State of Bahrain.

Sutcliff, J.W. (1967): Groundwater extraction of Bahrain Island and Coastal Hasa. State of Bahrain.

TWPCC (1988): Tubli Water Pollution Control Center Yearly Report. State of Bahrain.

UNEP & ESCWA (1988): National Plan of Action to Combat Desertification in the Yemen Arab Republic. Report of the United Nations Environment Programme and the Economic and Social Commission for West Asia.

Wright, E.P.W. (1967): Groundwater resources of Bahrain Islands. Ministry of Commerce and Agriculture, State of Bahrain.

WSD (1981): Future demand and resources development 1981 - 2001. Technical report prepared by the Water Supply Directorate (WSD), State of Bahrain.

Zubari, W.K. (1987): A numerical three-dimensional flow model for the Dammam Aquifer System, Bahrain and Eastern Saudi Arabia. M.Sc. Thesis, Ohio University, Athens, Ohio, USA.

Zubari, W. (1991): Numerical groundwater flow modeling: Example Application. Al-Muhandis, No. 18, Bahrain.

ANNEXES

ANNEX I

Water Law 2 of 1971, Bahrain

H.M., The Amir of Bahrain promulgated Law No. 2 of 1971 concerning regulation and supervision of water control on recommendations of the President of the Department of Development and Engineering Services. The original Arabic version is reproduced here on pages 6- 13 of this Annex. In the following is a loose translation just to grasp the substance, for non-arabic readers.

Article 1

Definitions:

- Council - Bahrain Government's Water Council and its staff.
- Well - Any well, hole, construction for water control, meant for extracting, uplifting, upward conveying, transporting and utilizing water for any purpose.

Well completion

- Carrying out final preparation of plugging any part of a well away from extraction layer.

- Well casing - Casing the inside walls to prevent water leakage to the permeable or disturbed layers.

Article 2

Written permission from the council must be obtained before initiation of:

- a. Drilling new well/s or installing new pump on an existing well;
- b. Any change or alteration in size, depth or discharge of the well or its pump.

Article 3

All applications to the Council for works of Article 2 must include:

- a. Name and address of the applicant;
- b. Location or its change of pump installation of the well;

- c. Map of well location;
- d. Water quantity needed;
- e. Purpose of drilling; and
- f. Date of application.

Article 4

The Water Council is the only legitimate organization to look into these works of Article 2.

Article 5

- a. The Water Council may or may not approve any application for drilling or may impose conditions or suggest alterations necessary.
- b. The Water Council may cancel any permission for drilling if it is in contradiction or possible contradiction with Government's public water projects, without any compensation.

Article 6

The Water Council will respond by written permission or refusal to any application with conditions and alterations/or reasons for such actions.

Article 7

The Water Council will carry out all drilling or construction of new wells with changing or installing any pumps for water extraction.

Article 8

The water well owners will be obliged to comply with all Water Council regulations.

Article 9

The well casing will be done according to the Water Council regulations.

Article 10

The Water Council will decide on well diameter, depth and pump horsepower for water extraction.

Article 11

The owners of old wells will notify in writing the list of their wells and locations within thirty days from the day of executing this law.

Article 12

The Water Council will register all wells in Bahrain and notify their owners.

Article 13

Through the Municipalities and police, the Water Council will issue notices and warnings to all land owners whose wells are not registered according to the Article 11 and will close or remove the pump.

Article 14

The Municipalities and police will have the right to enter any premises or lands to enforce necessary actions and the Water Council will not bear the cost of such actions.

Article 15

The Water Council will inform the owner of the well by a written notice at least thirty days before any shutting or removing the pump. In case no owner is identified, this notice will be published in the Official Gazette.

Article 16

The Water Council has the right to enter any land to test or measure or take water sample, or remove any instrument with connection to the well, owned by the Water Council for repairs.

Article 17

- a. The Water Council will instal water meter on any well temporarily or permanently.
- b. The owner of the well will be responsible for the protection and safety of the meter.
- c. The Water Council will bear all costs first of meter installations, maintenance and repairs and carry these costs over to the well owner to be paid later by him.

Article 18

The Water Council will ask the owner to repair his well if it is necessary by any reason or the Water Council will shut this well if the owner is late to do so.

Article 19

The Water Council will notify the well owner at least thirty days by written notice before shutting the well as mentioned in Article 18.

Article 20

- a. The well owner will stop all unnecessary discharge within thirty days from the execution of this law.
- b. The Water Council will send a notice to the well owner which discharges with no use, to close this well after thirty days from the enforcement of this law.

Article 21

- a. The well owner can object any decision of the Water Council in the proper court.
- b. This objection should be made within thirty days from the decision date of the Water Council.
- c. The decision of the Court will be final; otherwise the decision of the Water Council will be enforced until ruled out by the Government.

Article 22

Violations of this law:

- a. Any one drilling a well in his land or any other land without the permission of the Water Council, or not following the conditions of the permission of the Water Council;
- b. Any destruction of any instrument of the Water Council, installed on the well for measurement or so like.

Article 23

- a. The violators in Article 22 will pay not more than BD100.000 or will be jailed up to six months or will be punished by both (the fine and jail).
- b. The violators of the Article 22b. will pay BD10.000 and be obliged to pay all costs and repairs of his destruction or jailed up to one month.

Article 24

This law will be enforced after one month after its publication in the Official Gazette. All concerned parties should see its enforcement (Heads of Municipalities, Agriculture, Development and Engineering Services Departments).

Signed: Isa Bin Salman Al Khalifa
Amir of the State of Bahrain

Issued at Rifaa Palace on
16th, Dhul Que'da, 1390 Hijra
corresponding to 13 January
1971

مرسوم بقانون رقم [٢] لسنة ١٩٧١
بشأن مراقبة وتنظيم التحكم في المياه

نحن عيسى بن سلمان الخليفة حاكم البحرين وتوابعها.
بعد الاطلاع على المادة [٦] من المرسوم رقم [١] لسنة ١٩٧٠.
وبناء على عرض رئيس دائرة التنمية والخدمات الهندسية.
وبعد موافقة مجلس الدولة
رسمنا بالقانون التالي:

المادة - ١ -

يقصد بالعبارات والالفاظ التالية لأغراض هذا القانون المعاني
المبينة ازاءها ما لم تدل القرينة على خلافها.

المجلس: مجلس الماء التابع لحكومة البحرين، او من يفوضه
المجلس من الموظفين.

البنر: اية بئر او ثقب او بناء لتنظيم الماء وتحويله، او اية
واسطة لاستخراج الماء او رفعه او دفعة او اية طريقة للحصول
على الماء ورفع ونقله واستعماله من اجل غاية من الغايات.

اكمال البئر: القيام بالتجهيزات النهائية للبئر بما في ذلك سد
وطمر أي جزء من البئر يكون فيها هذا الجزء ابعد من
المنطقة التي يستخرج منها الماء.

تغليف البئر: القيام بتبطين جدران البئر من الداخل لمنع تسرب
المياه من البئر الى اية منطقة مسامية او من اي ثقق في
الطبقات التي يمر فيها البئر.

المادة - ٢ -

يجب الحصول مسبقا على اذن عطى من قبل المجلس قبل الشروع في
العمليات التالية:

- أ - حفر بئر او ابار جديدة، او تركيب جهاز جديد في بئر موجودة.
- ب - اجراء تغيير في بئر موجودة او في جهاز موجود، بحيث يؤدي
هذا التغيير الى توسيع محيط البئر او عمقها، او يزيد
القوة المستخدمة لسحب المياه.

المادة - ٣ -

يجب ان تشمل جميع الطلبات التي تقدم للمجلس للقيام بالعمليات
المذكورة في المادة الثانية البيانات التالية:

- أ - اسم وعنوان مقدم الطلب.
- ب - موقع البئر المراد اقامتها او التغيير فيها او تركيب
الجهاز عليها.

- ج - خارطة مرفقة بالطلب تبين موقع البئر.
- د - كمية المياه المراد استخراجها من البئر.
- هـ - الغرض من حفر البئر.
- و - تاريخ تقديم الطلب.

المادة - ٤ -

للمجلس دون غيره صلاحية النظر في الطلبات للقيام بالعمليات المذكورة في المادة الثانية من هذا القانون.

المادة - ٥ -

- أ - بعد النظر في طلب الاذن، يجوز للمجلس ان يعطى او يرفض الاذن بالحفر الذي قد يكون مطلقا او مقيدا بشروط او تعديلات يراها المجلس واجبة الاتباع.
- ب - للمجلس في اي وقت ان يلغى الاذن بالحفر اذا رأى ان اجراءات الحفر تتعارض او من الممكن ان تتعارض مع مشروعات المياه الحكومية او الاهلية، وذلك دون تعويض عن عمليات اجرئت أو مصروفات انفقت خلال فترة الاذن.

المادة - ٦ -

يقوم المجلس بابلاغ مقدم الطلب كتابة في حالة الاذن بالحفر، او في حالة رفض او طلب ادخال تعديلات او رفضه بعض التعديلات مع ابداء الاسباب.

المادة - ٧ -

يختص المجلس بالقيام بجميع عمليات حفر وانشاء الابار الجديدة او تغييرها او وضع جهاز لاستخراج المياه او سحبها الى سطح الارض.

المادة - ٨ -

يضع المجلس الانظمة واللوائح التي تنظم عمليات الحفر والتغليب والاشراف عليها وعلى اصحاب الابار الالتزام بهذه الانظمة واللوائح.

المادة - ٩ -

يجب تغليف البئر حسب تعليمات المجلس.

المادة - ١٠ -

يحدد المجلس محيط البئر وعمقها وكذلك القوة المستخدمة لسحب المياه منها.

المادة - ١١ -

على جميع اصحاب الابار القائمة والتي تحت الحفر تقديم بيان كتابي للمجلس عن كل بئر وموقعها خلال فترة لا تتجاوز ثلاثين يوما من تاريخ نفاذ هذا القانون.

المادة - ١٢ -

يقوم المجلس بتسجيل جميع الابار الموجودة في البحرين وتوابعها واشعار اصحاب الابار بهذا التسجيل.

المادة - ١٣ -

للمجلس - بواسطة البلديات او الشرطة - ان يصدر التنبيهات والاعطارات الى اصحاب الاراضي التي توجد فيها ابار غير مسجلة او التي لم يتم تسجيلها خلال الفترة المحددة في المادة الحادية عشرة، وذلك بسد وطمر البئر او فك جهازها.

المادة - ١٤ -

تغول البلديات او الشرطة رخصة الدخول الى الارض او العقار والقيام بجميع العمليات الضرورية لتنفيذها، ويسترد المجلس جميع تكاليف هذه العمليات.

المادة - ١٥ -

يجب على المجلس ان يشعر كتابة صاحب البئر بوجود سد وطمر البئر وذلك قبل القيام بسدها وطمرها او فك الجهاز الموضوع بثلاثين يوما على الاقل. وفي حالة صعوبة التعرف على صاحب البئر يجب ان ينشر هذا الاشعار في الجريدة الرسمية قبل البدء في سد وطمر البئر بثلاثين يوما.

المادة - ١٦ -

للمجلس صلاحية دخول اية ارض للقيام بالفحوص والقياسات او اخذ عينات من الماء، كما يجوز له رفع اية اداة لها علاقة بالبئر ونقلها لاصلاحها شريطة ان تكون الاداة مملوكة للمجلس.

المادة - ١٧ -

- أ - على المجلس ان يضع جهاز التدفق او غيره من اجهزة القياس على كل بئر بصورة مؤقتة او مستديمة.
- ب - على صاحب البئر القيام بالاجراءات او الترتيبات اللازمة للمحافظة على اجهزة القياس من الاضرار المتعمدة او العرضية.
- ج - يتحمل المجلس تكاليف نقل وتركيب وتصليح وصيانة اجهزة القياس التي توضع على الابار الموجودة او التي هي في دور العفر ويرجع بهذه التكاليف على صاحب البئر.

المادة - ١٨ -

يجوز للمجلس اذا راي ان الضرورة تستدعي القيام باصلاح اية بئر لاي سبب من الاسباب ان يطلب من صاحب البئر اصلاحها بالصورة التي يراها، وفي حالة التباطؤ في القيام بذلك يقوم المجلس بسد وطمير البئر.

المادة - ١٩ -

يجب على المجلس قبل القيام بسد وطمير البئر بمقتضى المادة الثامنة عشر ان يشعر كتابة صاحب البئر بثلاثين يوما على الاقل.

المادة - ٢٠ -

- أ - يجب على كل صاحب بئر ان يمنع تدفق المياه هذرا خلال ثلاثين يوما من تاريخ سريان مفعول هذا القانون.
- ب - للمجلس ان يرسل اشعارا لصاحب البئر التي تذهب مياهها هذرا بعزمه على سد وطمير البئر وذلك بعد مضي ثلاثين يوما من تاريخ سريان مفعول هذا القانون.

المادة - ٢١ -

- أ - لكل صاحب بئر ان يعارض في قرار المجلس لدى المحكمة المختصة.
- ب - يجب ان ترفع المعارضة خلال ثلاثين يوما من تاريخ صدور قرار المجلس.
- ج - يكون حكم المحكمة نهائيا بالنسبة للمعارضة ويظل قرار المجلس ساري المفعول حتى الفصل في المعارضة.

المادة - ٢٢ -

يرتكب مخالفة بمقتضى احكام هذا القانون:

- ١ - كل من شرع فى حفر بئر في ارضه أو فى اية ارض اخرى بدون رخصة من المجلس أو حفر بئرا خلافا للشروط والتعليمات التى اذن بها المجلس.
- ب - كل من شرع فى اتلاف او ا تلف أى جهاز يضعه المجلس على اية بئر لعملية القياس او غيرها.

المادة - ٢٣ -

- ١ - يعاقب مرتكب المخالفة بمقتضى المادة الثانية والعشرين فقرة* [١] بغرامة لا تتجاوز مائة دينار او الحبس لمدة لا تتجاوز ستة اشهر او العقوبتين معا.
- ب - يعاقب مرتكب المخالفة بمقتضى المادة الثانية والعشرين فقرة [ب] بغرامة قدرها عشرة دنانير مع الزامه بتكاليف القيام باصلاح ما ا تلف أو الحبس لمدة لا تتجاوز شهرا واحدا.

المادة - ٢٤ -

يعتبر هذا القانون سارى المفعول بعد شهر واحد من تاريخ نشره فى الجريدة الرسمية وعلى رئيس دائرة البلديات والزراعة ورئيس دائرة التنمية والخدمات الهندسية كل فى اختصاصه، تنفيذ هذا القانون.

صدر بقصر الرفاع
بتاريخ ١٦ ذو القعدة ١٣٩٠هـ
الموافق ١٣ يناير ١٩٧١م

ANNEX II

Amiri Decree No. 12/1980 Governing the use of
Underground Water

We, Isa Bin Salman Al Khalifa, Amir of the State of Bahrain, after referring to the Constitution, and to Amiri Order No. 4/1975, and to Proclamation No. 48/1351 issued on 19th, Dhulque'da, 1351 Hijra corresponding to 25 March 1933 with respect to drilling water wells, and to Amiri Decree No. 2/1971 with respect to supervision and regulation of water control, and upon the submission of the Minister for Commerce and Agriculture, and after the approval of the Council of Ministers, hereby decree:

Article 1

In the application of the provisions of this Law, the following expressions shall have the meanings hereby assigned to them, respectively:

- a. "Well" means any well, hole or construction kept for the supply of water or diversion thereof, or any means for the supply of water from which it may be drilled or pumped. It also means any device for obtaining water, drilling or pumping thereof to be used for agricultural, industrial or recreational purposes.
2. "Completion of the well" means undertaking the final fitting of the well including the walling with stone or tubing of any part of the well, if the said part is separate from the area wherefrom water is obtained.
3. "Well casing" means the tubular lining of a drilled well to prevent water from leaking out of the said well to any porous area or from any cleft in the underground layers through which the well is bored.
4. "Ummalradhuma layer" means the layer wherein underground water is maintained and which follows Alaalat layer and Alkhobar layer.

Article 2

No new well may be drilled nor any alteration or modification may be made to any existing well or to any device attached thereto resulting in the enhancement of the well's diameter or depth, or results in raising the capacity of drawing water therefrom except after obtaining a permit from the Minister of Commerce and Agriculture.

Article 3

The Regulations which shall be issued for implementing this Law shall determine the areas wherein wells may be drilled as well as the locations wherein wells may not be drilled, whether such wells are used for agricultural, industrial or recreational purposes.

However, in case of wells used for industrial and recreational purposes, water may only be drilled from Ummalradhuma only. In this event, the owner of the well shall be required to install the necessary devices which may render the drilled water fit for consumption.

Article 4

Applications for permits shall be submitted to the Water Resources Office at the Ministry of Commerce and Agriculture on the prescribed form to which shall be attached such drawings, statements and documents which shall be specified by the Regulations for implementing this Law.

Article

Fees shall be charged for the issue of the permit and annual fees shall be imposed in respect of each well. The said fees shall be determined by an order to be issued by the Minister for Commerce and Agriculture after obtaining the consent of the Council of Ministers.

Article 6

After approval has been given to grant the permit, the Water Resources Office shall undertake all operations pertinent to the drilling and construction of the well until it is fit for use. The said office shall also undertake the walling and tubing of the well in the instances provided for in the Law at the owner's expense and in the manner outlined in the Regulations for implementing this Law.

In certain cases, the Minister for Commerce and Agriculture may authorize the owner to carry out the aforesaid works under the supervision and control of the Water Resources Office.

Article 7

No permits may be granted to wells maintained for agricultural purposes unless the area of land which shall benefit from the water thereof shall not be less than the minimum areas which shall be specified by means of an order to be issued by the Minister for Commerce and Agriculture after the approval of the Council of Ministers.

Article 8

If the area of land is below the minimum requirement, the Minister for Commerce and Agriculture may, by virtue of an order to be issued thereby, suggest to land owners in the neighbourhood that they participate in the drilling of one well whose costs shall be divided amongst them in proportion to the area of land held by each.

Article 9

The Water Resources Office may, after or before the permit is granted, introduce the modifications which shall be deemed necessary to be made. The Office may serve notice to the owner of the well at any time revoking the permit if it is found that drilling operations are or may become inconsistent with underground water conditions.

The owner of the well shall not have the right to claim any compensation for any expenses which he may have incurred in the course of drilling works or otherwise, even if such works have been effected before receiving notice of the revocation of the permit.

Article 10

The Water Resources Office shall install in each well, whether constructed before or after the coming into operation of this Law, the necessary devices for gauging the flow of water or for the computation of water drawn therefrom or any other systems which are deemed necessary for monitoring the use of water. The owner of the well shall meet all the costs of installation, maintenance and repair of such devices. He shall be required to take all the necessary steps and measures needed for protection of the aforesaid devices against deliberate or occasional damages.

Article 11

The Water Resources Office shall determine, in collaboration with the Directorate of Agriculture, the amount of water required from each well used for irrigation purposes for cultivating the land. If more than the authorized quantity of water is drawn from the well, the excess shall be charged for at the rates to be laid down by the Regulations.

Article 12

A notification shall be given to the Minister for Commerce and Agriculture upon undertaking any of the following acts:

1. Process of blasting of the seabed.
2. Dredging and reclamation works in the sea.
3. Any town planning or the erection of major projects which mainly rely upon the use of underground water on site.

In the above-mentioned cases, a reasonable notification period shall be given before the commencement of works. The Minister may order the cessation of such works if it is established that underground water in the area is inadequate, or if such works cause damages to the water supply in any manner whatsoever.

Article 13

The Water Resources Office shall have the right to issue directives and instructions which are deemed necessary for protecting the well and preventing any waste of the water thereof. If the owner of the well fails to carry out the repairs during the period specified thereto, the Minister for Commerce and Agriculture may issue orders for effecting such works or the walling or tubbing of the well at the expense of the owner.

All costs which have been defrayed by the Office in the aforesaid instances shall be collected by administrative means.

Article 14

Without prejudice to the rules set down in respect of public health, proprietors of pools used exclusively for swimming shall be required to install water purifying and cleaning devices on a permanent basis, provided that the approval of the Water Resources Office is obtained before the installation of the said devices. Pools and water springs located on farms, which are used for agricultural purposes shall be exempted from the above.

Article 15

All proprietors of existing wells or those under construction shall serve the required notification in respect thereof in accordance with the form prescribed in the Regulations for implementing this Law within thirty days from the date of the coming into force of this Law.

Article 16

Any works subject to a permit in accordance with this Law but effected without the said permit or in contravention of the directives and instructions issued by the Water Resources Office may be suspended or removed by administrative means without prejudice to imposing any other penalty.

Article 17

An appeal tribunal shall be formed by an order to be issued by the Minister for Commerce and Agriculture to probe any appeals made by the persons concerned against any decision taken by the Water Resources Office for the enactment of this Law. Such appeals shall be made within thirty days from the date of the knowledge of the person concerned of the decision against which he is appealing.

Article 18

The person concerned may appeal against the decisions issued by the Minister for Commerce and Agriculture and the decisions adopted by the appeal tribunal provided for in the foregoing Article within thirty days from the date of his knowledge of the decision against which he is appealing.

The appeal shall be made by means of a petition to be submitted to the High Court in the usual manner.

However, reference of the matter to the Court shall not result in stay of execution of the decision required to be revoked. Meanwhile, the Court may order stay of execution if a requisition to this effect is made in the petition and if the Court considers that the results of such execution may become impossible to alter. In this case, the Court shall issue its judgement as soon as possible.

Article 19

The Water Resources Office staff, who are designated by an order to be issued by the Minister for Commerce and Agriculture, shall have the right to access to any place wherein licensed or unlicensed wells are located to put this Law into effect. They shall have the power to apprehend any breach in contravention of the provisions of this Law and to issue statements in respect thereof.

Article 20

Without prejudice to the right of the Directorate to issue decisions for suspension of works or walling or tubbing of wells, anyone who contravenes the provisions of this Law or the Regulations which are issued for implementation thereof shall be punished with a fine which shall not be less than BD200. and not more than BD500. and imprisonment for a period of no more than six months or either penalty.

Attempting to commit any of the contraventions mentioned in the foregoing paragraph shall be punishable with a fine not exceeding BD200.

Article 21

The above-mentioned Proclamation No. 48/1351 and Amiri Decree No. 2/1971 shall be revoked and any provisions which are inconsistent with this Law shall be repealed.

Article 22

The Minister for Commerce and Agriculture shall issue the Regulations for Implementing this Law within three months from the date of its publication. He shall also issue the orders required for putting it into effect.

Article 23

The Ministers, each in his respective capacity, shall implement this Law which shall come into effect after three months from the date of its publication in the Official Gazette.

Signed: Isa Bin Salman Al Khalifa
Amir of the State of Bahrain

Issued at Rifaa Palace on
16th, Jumada Al Thaniya,
1400 Hijra
corresponding to 1 May, 1980